

SUBPART FCL - SPECIFIC REQUIREMENTS RELATING TO FLIGHT CREW LICENSING

SECTION II - LICENCES, RATINGS AND CERTIFICATES

AMC1 ARA.FCL.205 Monitoring of examiners

QUALIFICATION OF INSPECTORS

Inspectors of the competent authority supervising examiners should ideally meet the same requirements as the examiners being supervised. However, it is unlikely that they could be so qualified on the large variety of types and tasks for which they have a responsibility and, since they normally only observe training and testing, it is acceptable if they are qualified for the role of an inspector.

SECTION III - THEORETICAL KNOWLEDGE EXAMINATIONS

AMC1 ARA.FCL.300 Examination procedures

GENERAL

- (a) The competent authority should provide suitable facilities for the conduct of examinations.
- (b) The content of the examination papers should retain a confidential status until the end of the examination session.
- (c) The identity of the applicant should be confirmed before an examination is taken.
- (d) Examination applicants should be seated in a way so that they cannot read each other's examination papers. They should not speak to any person other than the invigilators.
- (e) All examination papers, associated documents and additional papers handed out to the applicants for the examination should be handed back to the invigilator at the end of the examination.
- (f) Only the examination paper, specific documentation and tools needed for the examination should be available to the applicant during the examination.
- (g) Applicants may use the following equipment during an examination:
 - (1) a scientific, non-programmable, non-alphanumeric calculator without specific aviation functions;
 - (2) mechanical navigation slide-rule (DR calculator);
 - (3) protractor;
 - (4) compasses and dividers;
 - (5) ruler.
- (h) Applicants may use a translation dictionary at the discretion of the competent authority.
- (i) Except equipment specified above, applicant(s) should not use any electronic equipment during the examination(s).