

European Aviation Safety Agency

**Acceptable Means of Compliance
and
Guidance Material to Part-FCL¹**

Initial issue
15 December 2011

¹ Acceptable Means of Compliance and Guidance Material to Commission Regulation (EU) No 1178/2011 of 3 November 2011 laying down technical requirements and administrative procedures related to civil aviation aircrew pursuant to Regulation (EC) No 216/2008 of the European Parliament and of the Council.

SUBPART A — GENERAL REQUIREMENTS

GM1 FCL.005 Scope

INTERPRETATIVE MATERIAL

- (a) Whenever licences, ratings, approvals or certificates are mentioned in Part-FCL, these are meant to be valid licences, ratings, approvals or certificates issued in accordance with Part-FCL. In all other cases, these documents are specified.
- (b) Whenever a reference is made to Member States to mutual recognition of licences, ratings, approvals or certificates, this means a European Union Member State and states associated to the Agency in accordance with Article 55 of the Regulation (EC) No 216/2008 of the European Parliament and of the Council of 20 February 2008.
- (c) Whenever 'or' is used as an inclusive 'or', it should be understood in the sense of 'and/or'.

GM1 FCL.010 Definitions

ABBREVIATIONS

The following abbreviations apply to the Acceptable Means of Compliance and Guidance Material to Part-FCL:

A	Aeroplane
AC	Alternating Current
ACAS	Airborne Collision Avoidance System
ADF	Automatic Direction Finding
ADS	Aeronautical Design Standard
AFCS	Automatic Flight Control System
AFM	Aircraft Flight Manual
AGL	Above Ground Level
AIC	Aeronautical Information Circular
AIP	Aeronautical Information Publication
AIRAC	Aeronautical Information regulation and control
AIS	Aeronautical Information Services
AMC	Acceptable Means of Compliance
AeMC	Aero-medical Centre
AME	Aero-medical Examiner
AOM	Aircraft Operating Manual
APU	Auxiliary Power Unit
As	Airship
ATC	Air Traffic Control
ATIS	Automatic Terminal Information Service
ATO	Approved Training Organisation
ATP	Airline Transport Pilot
ATPL	Airline Transport Pilot Licence
ATS	Air Traffic Service
AUM	All Up Mass
B	Balloon
BCAR	British Civil Airworthiness Requirement
BEM	Basic Empty Mass
BITD	Basic Instrument Training Device
BPL	Balloon Pilot Licence

CAS	Calibrated Air Speed
CAT	Clear Air Turbulence
CDI	Course Deviation Indicator
CFI	Chief Flying Instructor
CG	Centre of Gravity
CGI	Chief Ground Instructor
CP	Co-pilot
CPL	Commercial Pilot Licence
CRE	Class Rating Examiner
CRI	Class Rating Instructor
CRM	Crew Resource Management
CS	Certification Specification
CQB	Central Question Bank
DC	Direct Current
DF	Direction Finding
DME	Distance Measuring Equipment
DPATO	Defined Point After Take-off
DPBL	Defined Point Before Landing
DR	Dead Reckoning navigation
EFIS	Electronic Flight Instrument System
EOL	Engine Off Landings
ERPM	Engine Revolution Per Minute
ETA	Estimated Time of Arrival
ETOPS	Extended-range Twin-engine Operation Performance Standard
FAF	Final Approach Fix
FAR	Federal Aviation Regulations
FCL	Flight Crew Licensing
FE	Flight Examiner
F/E	Flight Engineer
FEM	Flight Examiner Manual
FFS	Full Flight Simulator
FI	Flight Instructor
FIE	Flight Instructor Examiner
FIS	Flight Information Service
FMC	Flight Management Computer

FMS	Flight Management System
FNPT	Flight and Navigation Procedures Trainer
FS	Flight Simulator
FSTD	Flight Simulation Training Device
ft	feet
FTD	Flight Training Device
G	Gravity forces
GLONASS	Global Orbiting Navigation Satellite System
GM	Guidance Material
GNSS	Global Navigation Satellite Systems
GPS	Global Positioning System
H	Helicopter
HF	High Frequency
HOFCS	High Order Flight Control System
HPA	High Performance Aeroplane
hrs	Hours
HUMS	Health and Usage Monitoring System
HT	Head of Training
IAS	Indicated Air Speed
ICAO	International Civil Aviation Organisation
IGE	In Ground Effect
IFR	Instrument Flight Rules
ILS	Instrument Landing System
IMC	Instrument Meteorological Conditions
IR	Instrument Rating
IRE	Instrument Rating Examiner
IRI	Instrument Rating Instructor
ISA	International Standard Atmosphere
JAR	Joint Aviation Requirements
kg	Kilogram
LAPL	Light Aircraft Pilot Licence
LDP	Landing Decision Point
LMT	Local Mean Time

LO	Learning Objectives
LOFT	Line Orientated Flight Training
m	Meter
MCC	Multi-Crew Cooperation
MCCI	Multi-Crew Cooperation Instructor
ME	Multi-engine
MEL	Minimum Equipment List
MEP	Multi-engine Piston
MET	Multi-engine Turboprop
METAR	Meteorological Aerodrome Report
MI	Mountain Rating Instructor
MP	Multi-pilot
MPA	Multi-pilot Aeroplane
MPL	Multi-crew Pilot Licence
MPH	Multi-pilot Helicopter
MTOM	Maximum Take-off Mass
NDB	Non-directional Beacon
NM	Nautical Miles
NOTAM	Notice To Airmen
NOTAR	No Tail Rotor
OAT	Outside Air Temperature
OBS	Omni Bearing Selector
OEI	One Engine Inoperative
OGE	Out of Ground Effect
OML	Operational Multi-pilot Limitation
OSL	Operational Safety Pilot Limitation
OTD	Other Training Devices
PAPI	Precision Approach Path Indicator
PF	Pilot Flying
PIC	Pilot-In-Command
PICUS	Pilot-In-Command Under Supervision
PL	Powered-lift
PNF	Pilot Not Flying
PPL	Private Pilot Licence

QDM	Magnetic heading
QFE	Atmospheric pressure at aerodrome elevation
QNH	Altimeter sub-scale setting to obtain elevation when on the ground
RNAV	Radio Navigation
RPM	Revolution Per Minute
RRPM	Rotor Revolution Per Minute
R/T	Radiotelephony
S	Sailplane
SATCOM	Satellite communication
SE	Single-engine
SEP	Single-engine Piston
SET	Single-engine Turboprop
SFE	Synthetic Flight Examiner
SFI	Synthetic Flight Instructor
SID	Standard Instrument Departure
SIGMET	Significant Meteorological Weather
SLPC	Single Lever Power Control
SOP	Standard Operating Procedure
SP	Single-pilot
SPA	Single-pilot Aeroplane
SPH	Single-pilot Helicopter
SPIC	Student PIC
SPL	Sailplane Pilot Licence
SSR	Secondary Surveillance Radar
STI	Synthetic Training Instructor
TAF	(Terminal Area Forecasts) Aerodrome Forecast
TAS	True Air Speed
TAWS	Terrain Awareness Warning System
TDP	Take-off Decision Point
TEM	Threat and Error Management
TMG	Touring Motor Glider
TORA	Take-off Run Available
TODA	Take-off Distance Available
TR	Type Rating
TRE	Type Rating Examiner
TRI	Type Rating Instructor

UTC	Coordinated Universal Time
V	Velocity
VASI	Visual Approach Slope Indicator
VFR	Visual Flight Rules
VHF	Very High Frequency
VMC	Visual Meteorological Conditions
VOR	VHF Omni-directional Radio Range
ZFTT	Zero Flight Time Training
ZFM	Zero Fuel Mass

AMC1 FCL.015 Application and issue of licences, ratings and certificates

APPLICATION AND REPORT FORMS

Common application and report forms can be found:

- (a) For skill tests, proficiency checks for issue, revalidation or renewal of LAPL, BPL, SPL, PPL, CPL and IR in AMC1 to Appendix 7.
- (b) For training, skill tests or proficiency checks for ATPL, MPL and class and type ratings, in AMC1 to Appendix 9.
- (c) For assessments of competence for instructors, in AMC5 FCL.935.

AMC1 FCL.025 Theoretical knowledge examinations for the issue of licences

TERMINOLOGY

The meaning of the following terms used in FCL.025 should be as follows:

- (a) 'Entire set of examinations': an examination in all subjects required by the licence level.
- (b) 'Examination': the demonstration of knowledge in one or more examination papers.
- (c) 'Examination paper': a set of questions to be answered by a candidate for examination.
- (d) 'Attempt': a try to pass a specific paper.
- (e) 'Sitting': a period of time established by the competent authority within which a candidate can take an examination. This period should not exceed 10 consecutive days. Only one attempt at each examination paper is allowed in one sitting.

AMC1 FCL.050 Recording of flight time

GENERAL

- (a) The record of the flights flown should contain at least the following information:
- (1) personal details: name(s) and address of the pilot;
 - (2) for each flight:
 - (i) name(s) of PIC;
 - (ii) date of flight;
 - (iii) place and time of departure and arrival;
 - (iv) type, including make, model and variant, and registration of the aircraft;
 - (v) indication if the aircraft is SE or ME, if applicable;
 - (vi) total time of flight;
 - (vii) accumulated total time of flight.
 - (3) for each FSTD session, if applicable:
 - (i) type and qualification number of the training device;
 - (ii) FSTD instruction;
 - (iii) date;
 - (iv) total time of session;
 - (v) accumulated total time.
 - (4) details on pilot function, namely PIC, including solo, SPIC and PICUS time, co-pilot, dual, FI or FE;
 - (5) Operational conditions, namely if the operation takes place at night, or is conducted under instrument flight rules.
- (b) Logging of time:
- (1) PIC flight time:
 - (i) the holder of a licence may log as PIC time all of the flight time during which he or she is the PIC;
 - (ii) the applicant for or the holder of a pilot licence may log as PIC time all solo flight time, flight time as SPIC and flight time under supervision provided that such SPIC time and flight time under supervision are countersigned by the instructor;
 - (iii) the holder of an instructor certificate may log as PIC all flight time during which he or she acts as an instructor in an aircraft;
 - (iv) the holder of an examiner's certificate may log as PIC all flight time during which he or she occupies a pilot's seat and acts as an examiner in an aircraft;
 - (v) a co-pilot acting as PICUS on an aircraft on which more than one pilot is required under the type certification of the aircraft or as required by operational requirements

provided that such PICUS time is countersigned by the PIC;

- (vi) if the holder of a licence carries out a number of flights upon the same day returning on each occasion to the same place of departure and the interval between successive flights does not exceed 30 minutes, such series of flights may be recorded as a single entry.
- (2) co-pilot flight time: the holder of a pilot licence occupying a pilot seat as co-pilot may log all flight time as co-pilot flight time on an aircraft on which more than one pilot is required under the type certification of the aircraft, or the regulations under which the flight is conducted;
 - (3) cruise relief co-pilot flight time: a cruise relief co-pilot may log all flight time as co-pilot when occupying a pilot's seat;
 - (4) instruction time: a summary of all time logged by an applicant for a licence or rating as flight instruction, instrument flight instruction, instrument ground time, etc., may be logged if certified by the appropriately rated or authorised instructor from whom it was received;
 - (5) PICUS flight time: provided that the method of supervision is acceptable to the competent authority, a co-pilot may log as PIC flight time flown as PICUS when all the duties and functions of PIC on that flight were carried out in such a way that the intervention of the PIC in the interest of safety was not required.
- (c) Format of the record:
- (1) details of flights flown under commercial air transport may be recorded in a computerised format maintained by the operator. In this case an operator should make the records of all flights operated by the pilot, including differences and familiarisation training, available upon request to the flight crew member concerned;
 - (2) for other types of flight, the pilot should record the details of the flights flown in the following logbook format. For sailplanes and balloons, a suitable format should be used that contains the relevant items mentioned in (a) and additional information specific to the type of operation.

PILOT LOGBOOK

Holder's name(s)

Holder's licence number

<i>HOLDER'S ADDRESS:</i>	
<hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <i>[space for address change]</i>
<hr/> <hr/> <hr/> <i>[space for address change]</i>	<hr/> <hr/> <hr/> <i>[space for address change]</i>
<hr/> <hr/> <hr/> <i>[space for address change]</i>	<hr/> <hr/> <hr/> <i>[space for address change]</i>

1	2		3		4		5			6		7	8			
DATE dd/mm/yy)	DEPARTURE		ARRIVAL		AIRCRAFT		SINGLE-PILOT TIME		MULTI-PILOT TIME		TOTAL TIME OF FLIGHT		NAME(S) PIC		LANDINGS	
	PLACE	TIME	PLACE	TIME	MAKE, MODEL, VARIANT	REGISTRATION	SE	ME						DAY	NIGHT	
							TOTAL THIS PAGE									
							TOTAL FROM PREVIOUS PAGES									
							TOTAL TIME									

9				10						11			12		
OPERATIONAL CONDITION TIME				PILOT FUNCTION TIME						FSTD SESSION			REMARKS AND ENDORSEMENTS		
NIGHT		IFR		PIC		CO-PILOT		DUAL		INSTRUCTOR		DATE (dd/mm/yy)		TYPE	TOTAL TIME OF SESSION
															I certify that the entries in this log are true.
															PILOT'S SIGNATURE

INSTRUCTIONS FOR USE

- (d) FCL.050 requires holders of a pilot licence to record details of all flights flown. This logbook enables pilot licence holders to record flying experience in a manner which will facilitate this process while providing a permanent record of the licence holders flying. Pilots who fly regularly aeroplanes and helicopters or other aircraft categories are recommended to maintain separate logbooks for each aircraft category.
- (e) Flight crew logbook entries should be made as soon as practicable after any flight undertaken. All entries in the logbook should be made in ink or indelible pencil.
- (f) The particulars of every flight in the course of which the holder of a flight crew licence acts as a member of the operating crew of an aircraft are to be recorded in the appropriate columns using one line for each flight, provided that if an aircraft carries out a number of flights upon the same day returning on each occasion to the same place of departure and the interval between successive flights does not exceed 30 minutes, such series of flights may be recorded as a single entry.
- (g) Flight time is recorded:
- (1) for aeroplanes, touring motor gliders and powered-lift aircraft, from the moment an aircraft first moves to taking off until the moment it finally comes to rest at the end of the flight;
 - (2) for helicopters, from the moment a helicopter's rotor blades start turning until the moment the helicopter finally comes to rest at the end of the flight, and the rotor blades are stopped;
 - (3) for airships, from the moment an airship is released from the mast to taking off until the moment the airship finally comes to rest at the end of the flight, and is secured on the mast;
- (h) When an aircraft carries two or more pilots as members of the operating crew, one of them shall, before the flight commences, be designated by the operator as the aircraft PIC, according to operational requirements, who may delegate the conduct of the flight to another suitably qualified pilot. All flying carried out as PIC is entered in the logbook as 'PIC'. A pilot flying as 'PICUS' or 'SPIC' enters flying time as 'PIC' but all such entries are to be certified by the PIC or FI in the 'Remarks' column of the logbook.
- (i) Notes on recording of flight time:
- (1) column 1: enter the date (dd/mm/yy) on which the flight commences;
 - (2) column 2 or 3: enter the place of departure and destination either in full or the internationally recognised three or four letter designator. All times should be in UTC;
 - (3) column 5: indicate whether the operation was SP or MP, and for SP operation whether SE or ME;

Example:

1	2		3		4		5				6		7	8	
DATE (dd/mm/yy)	DEPARTURE		ARRIVAL		AIRCRAFT		SINGLE PILOT TIME		MULTI- PILOT TIME		TOTAL TIME OF FLIGHT		NAME(S) PIC	LANDINGS	
	PLACE	TIME	PLACE	TIME	MAKE, MODEL, VARIANT	REGISTR ATION	SE	ME						DAY	NIGHT
08/04/12	LFAC	1025	EGBJ	1240	PA34-250	G-SENE		✓			2	15	SELF	1	
09/04/12	EGBJ	1810	EGBJ	1930	C152	G-NONE	✓				1	20	SELF		2
11/04/12	LGW	1645	LAX	0225	B747-400	G-ABCD			9	40	9	40	NAME(S) PIC		1

- (4) column 6: total time of flight may be entered in hours and minutes or decimal notation as desired;
- (5) column 7: enter the name(s) of PIC or SELF as appropriate;
- (6) column 8: indicate the number of landings as pilot flying by day or night;
- (7) column 9: enter flight time undertaken at night or under instrument flight rules if applicable;
- (8) column 10: pilot function time:
 - (i) enter flight time as PIC, SPIC and PICUS as PIC;
 - (ii) all time recorded as SPIC or PICUS is countersigned by the aircraft PIC/PI in the 'remarks' (column 12);
 - (iii) instructor time should be recorded as appropriate and also entered as PIC.
- (9) column 11: FSTD:
 - (i) for any FSTD enter the type of aircraft and qualification number of the device. For other flight training devices enter either FNPT I or FNPT II as appropriate;
 - (ii) total time of session includes all exercises carried out in the device, including pre- and after-flight checks;
 - (iii) enter the type of exercise performed in the 'remarks' (column 12), for example operator proficiency check, revalidation.
- (10) column 12: the 'remarks' column may be used to record details of the flight at the holder's discretion. The following entries, however, should always be made:
 - (i) instrument flight time undertaken as part of the training for a licence or rating;
 - (ii) details of all skill tests and proficiency checks;
 - (iii) signature of PIC if the pilot is recording flight time as SPIC or PICUS;
 - (iv) signature of instructor if flight is part of an SEP or TMG class rating revalidation.
- (j) When each page is completed, accumulated flight time or hours should be entered in the appropriate columns and certified by the pilot in the 'remarks' column.

Example:

9				10								11				12		
OPERATIONAL CONDITION TIME				PILOT FUNCTION TIME								FSTD SESSION				REMARKS AND ENDORSEMENTS		
NIGHT		IFR		PIC		CO-PILOT		DUAL		INSTRUCT OR		DATE (dd/mm/yy)		TYPE		TOTAL TIME OF SESSION		
		2	15	2	15													
1	20			1	20					1	20							Night rating training
												10/04/12	B747-400 (Q1234)	4	10			Revalidation proficiency check
8	10	9	40	9	40													PIC(US): signature of NAME(S) PIC

AMC1 FCL.055 Language proficiency

GENERAL

- (a) The language proficiency assessment should be designed to reflect a range of tasks undertaken by pilots but with specific focus on language rather than operational procedures.
- (b) The assessment should determine the applicant's ability to:
 - (1) **communicate effectively using standard R/T phraseology;**
 - (2) deliver and understand messages in plain language in both usual and unusual situations that necessitate departure from standard R/T phraseology.

Note: refer to the 'Manual on the Implementation of ICAO Language Proficiency Requirements' (ICAO Doc 9835), Appendix A Part III and Appendix B for further guidance.

ASSESSMENT

- (c) The assessment may be subdivided into three elements, as follows:
 - (1) listening: assessment of comprehension;
 - (2) speaking: assessment of pronunciation, fluency, structure and vocabulary;
 - (3) interaction.
- (d) The three elements mentioned above may be combined and they can be covered by using a wide variety of means or technologies.
- (e) Where appropriate, some or all of these elements may be achieved through the use of the R/T testing arrangements.
- (f) When the elements of the testing are assessed separately, the final assessment should be consolidated in the language proficiency endorsement issued by the competent authority.
- (g) The assessment may be conducted during one of the several existing checking or training activities, such as licence issue or rating issue and revalidation, line training, operator line checks or proficiency checks.
- (h) The competent authority may use its own resources in developing or conducting the language proficiency assessment, or may delegate this task to language assessment bodies.
- (i) The competent authority should establish an appeal procedure for applicants.
- (j) The holder of a licence should receive a statement containing the level and validity of the language endorsements.
- (k) Where the assessment method for the English language established by the competent authority is equivalent to that established for the assessment of use of the English language in accordance with AMC2 FCL.055, the same assessment may be used for both purposes.

BASIC ASSESSMENT REQUIREMENTS

- (l) The aim of the assessment is to determine the ability of an applicant for a pilot licence or a licence holder to speak and understand the language used for R/T communications.
- (1) The assessment should determine the ability of the applicant to use both:
 - (i) standard R/T phraseology;
 - (ii) plain language, in situations when standardised phraseology cannot serve an intended transmission.
 - (2) The assessment should include:
 - (i) voice-only or face-to-face situations;
 - (ii) common, concrete and work-related topics for pilots.
 - (3) The applicants should demonstrate their linguistic ability in dealing with an unexpected turn of events, and in solving apparent misunderstandings.
 - (4) The assessment should determine the applicant's speaking and listening abilities. Indirect assessments, of grammatical knowledge, reading and writing, are not appropriate.
 - (5) The assessment should determine the language skills of the applicant in the following areas:
 - (i) pronunciation:
 - (A) the extent to which the pronunciation, stress, rhythm and intonation are influenced by the applicant's first language or national variations;
 - (B) how much they interfere with ease of understanding.
 - (ii) structure:
 - (A) the ability of the applicant to use both basic and complex grammatical structures;
 - (B) the extent to which the applicant's errors interfere with the meaning.
 - (iii) vocabulary:
 - (A) the range and accuracy of the vocabulary used;
 - (B) the ability of the applicant to paraphrase successfully when lacking vocabulary.
 - (iv) fluency:
 - (A) tempo;
 - (B) hesitancy;
 - (C) rehearsed versus spontaneous speech;
 - (D) use of discourse markers and connectors.
 - (v) comprehension:
 - (A) on common, concrete and work-related topics;
 - (B) when confronted with a linguistic or situational complication or an unexpected turn of events.

Note: the accent or variety of accents used in the test material should be sufficiently intelligible for an international community of users.

- (vi) interactions:
 - (A) quality of response (immediate, appropriate, and informative);
 - (B) the ability to initiate and maintain exchanges:
 - (a) on common, concrete and work-related topics;
 - (b) when dealing with an unexpected turn of events.
 - (C) the ability to deal with apparent misunderstandings by checking, confirming or clarifying.

Note: the assessment of the language skills in the areas mentioned above is conducted using the rating scale in AMC2 FCL.055.

- (6) When the assessment is not conducted in a face-to-face situation, it should use appropriate technologies for the assessment of the applicant's abilities in listening and speaking, and for enabling interactions (for example: simulated pilot or controller communication).

ASSESSORS

- (m) It is essential that the persons responsible for language proficiency assessment ('assessors') are suitably trained and qualified. They should be either aviation specialists (for example current or former flight crew members or air traffic controllers), or language specialists with additional aviation-related training. An alternative approach would be to form an assessment team consisting of an operational expert and a language expert.
 - (1) The assessors should be trained on the specific requirements of the assessment.
 - (2) The assessors should not test applicants to whom they have given language training.

CRITERIA FOR THE ACCEPTABILITY OF LANGUAGE ASSESSMENT BODIES

- (n) To ensure an impartial assessment process, the language assessment should be independent of the language training.
 - (1) To be accepted, the language assessment bodies should demonstrate:
 - (i) appropriate management and staffing;
 - (ii) quality system established and maintained to ensure compliance with, and adequacy of, assessment requirements, standards and procedures.
 - (2) The quality system established by a language assessment body should address the following:
 - (i) management;
 - (ii) policy and strategy;
 - (iii) processes;

- (iv) the relevant provisions of ICAO or Part-FCL, standards and assessment procedures;
 - (v) organisational structure;
 - (vi) responsibility for the development, establishment and management of the quality system;
 - (vii) documentation;
 - (viii) quality assurance programme;
 - (ix) human resources and training (initial and recurrent);
 - (x) assessment requirements;
 - (xi) customer satisfaction.
- (3) The assessment documentation and records should be kept for a period of time determined by the competent authority and made available to this competent authority, on request.
- (4) The assessment documentation should include at least the following:
- (i) assessment objectives;
 - (ii) assessment layout, time scale, technologies used, assessment samples, voice samples;
 - (iii) assessment criteria and standards (at least for the levels 4, 5 and 6 of the rating scale mentioned in AMC2 FCL.055);
 - (iv) documentation demonstrating the assessment validity, relevance and reliability;
 - (v) assessment procedures and responsibilities:
 - (A) preparation of individual assessment;
 - (B) administration: location(s), identity check and invigilation, assessment discipline, confidentiality or security;
 - (C) reporting and documentation provided to the competent authority or to the applicant, including sample certificate;
 - (D) retention of documents and records.

Note: refer to the 'Manual on the Implementation of ICAO Language Proficiency Requirements' (ICAO Doc 9835) for further guidance.

AMC1 FCL.060(b)(1) Recent experience

When a pilot needs to carry out one or more flights with an instructor or an examiner to comply with the requirement of FCL.060(b)(1) before the pilot can carry passengers, the instructor or examiner on board those flights will not be considered as a passenger.

GM1 FCL.060(b)(1) Recent experience

AEROPLANES, HELICOPTERS, POWERED-LIFT, AIRSHIPS AND SAILPLANES

If a pilot or a PIC is operating under the supervision of an instructor to comply with the required three take-offs, approaches and landings, no passengers may be on board.

SUBPART B – LIGHT AIRCRAFT PILOT LICENCE – LAPL**AMC1 FCL.115; FCL.120****SYLLABUS OF THEORETICAL KNOWLEDGE FOR THE LAPL**

- (a) The training and examination should cover aspects related to non-technical skills in an integrated manner, taking into account the particular risks associated with the licence and the activity. The theoretical knowledge instruction provided by the ATO should include a certain element of formal classroom work but may also include other methods of delivery for example interactive video, slide or tape presentation, computer-based training and other media distance learning courses. The training organisation responsible for the training has to check if all the appropriate elements of the training course of theoretical knowledge instruction have been completed to a satisfactory standard before recommending the applicant for the examination.
- (b) The following tables contain the syllabi for the courses of theoretical knowledge, as well as for the theoretical knowledge examinations for the LAPL(B) and LAPL(S). The syllabi for the theoretical knowledge instruction and examination for the PPL(A) and PPL(H) in AMC1 FCL.210 and FCL.215 should be used for the LAPL(A) and the LAPL(H), respectively.

I. COMMON SUBJECTS

[FOR LAPL(S) AND LAPL(B)]

1.	AIR LAW AND ATC PROCEDURES
1.1.	International law: conventions, agreements and organisations
1.2.	Airworthiness of aircraft
1.3.	Aircraft nationality and registration marks
1.4.	Personnel licensing
1.5.	Rules of the air
1.6.	Procedures for air navigation: aircraft operations
1.7.	Air traffic regulations: airspace structure
1.8.	ATS and air traffic management
1.9.	AIS
1.10.	Aerodromes, external take-off sites
1.11.	Search and rescue
1.12.	Security
1.13.	Accident reporting
1.14.	National law
2.	HUMAN PERFORMANCE
2.1.	Human factors: basic concepts
2.2.	Basic aviation physiology and health maintenance

2.3.	Basic aviation psychology
3.	METEOROLOGY
3.1.	The atmosphere
3.2.	Wind
3.3.	Thermodynamics
3.4.	Clouds and fog
3.5.	Precipitation
3.6.	Air masses and fronts
3.7.	Pressure systems
3.8.	Climatology
3.9.	Flight hazards
3.10.	Meteorological information
4.	COMMUNICATIONS
4.1.	VFR communications
4.2.	Definitions
4.3.	General operating procedures
4.4.	Relevant weather information terms (VFR)
4.5.	Action required to be taken in case of communication failure
4.6.	Distress and urgency procedures
4.7.	General principles of VHF propagation and allocation of frequencies

II. ADDITIONAL SUBJECTS FOR EACH CATEGORY

II.A. SAILPLANES

5.	PRINCIPLES OF FLIGHT - SAILPLANE
5.1.	Aerodynamics (airflow)
5.2.	Flight mechanics
5.3.	Stability
5.4.	Control
5.5.	Limitations (load factor and manoeuvres)
5.6.	Stalling and spinning
6.	OPERATIONAL PROCEDURES - SAILPLANE
6.1.	General requirements
6.2.	Launch methods
6.3.	Soaring techniques
6.4.	Circuits and landing
6.5.	Outlanding

AMC1 FCL.120; FCL.125

THEORETICAL KNOWLEDGE EXAMINATION AND SKILL TEST FOR THE LAPL

(a) Theoretical knowledge examination

- (1) The examinations should be in written form and should comprise a total of 120 multiple-choice questions covering all the subjects.
- (2) For the subject 'communication' practical classroom testing may be conducted.
- (3) The competent authority should inform applicants of the language(s) in which the examinations will be conducted.

(b) Skill test

Further training may be required following any failed skill test or part thereof. There should be no limit to the number of skill tests that may be attempted.

(c) Conduct of the test

- (1) If the applicant chooses to terminate a skill test for reasons considered inadequate by the FE, the applicant should retake the entire skill test. If the test is terminated for reasons considered adequate by the FE, only those sections not completed should be tested in a further flight.
- (2) Any manoeuvre or procedure of the test may be repeated once by the applicant. The FE may stop the test at any stage if it is considered that the applicant's demonstration of flying skill requires a complete retest.
- (3) An applicant should be required to fly the aircraft from a position where the PIC functions can be performed and to carry out the test as if there is no other crew member. Responsibility for the flight should be allocated in accordance with national regulations.

AMC1 FCL.125 LAPL — Skill test

CONTENTS OF THE SKILL TEST FOR THE ISSUE OF A LAPL(A)

- (a) The route to be flown for the skill test should be chosen by the FE. The route should end at the aerodrome of departure or at another aerodrome. The applicant should be responsible for the flight planning and should ensure that all equipment and documentation for the execution of the flight are on board. The navigation section of the test should have a duration of at least 30 minutes which allows the pilot to demonstrate his/her ability to complete a route with at least two identified waypoints and may, as agreed between applicant and FE, be flown as a separate test.
- (b) An applicant should indicate to the FE the checks and duties carried out, including the identification of radio facilities. Checks should be completed in accordance with the flight manual or the authorised checklist for the aeroplane or TMG on which the test is being taken. During pre-flight preparation for the test the applicant should be required to determine power settings and speeds. Performance data for take-off, approach and landing should be calculated by the applicant in compliance with the operations manual or flight manual for the aeroplane or TMG used.

FLIGHT TEST TOLERANCE

- (c) The applicant should demonstrate the ability to:
- (1) operate the aeroplane or TMG within its limitations;
 - (2) complete all manoeuvres with smoothness and accuracy;
 - (3) exercise good judgment and airmanship;
 - (4) apply aeronautical knowledge;
 - (5) maintain control of the aeroplane or TMG at all times in such a manner that the successful outcome of a procedure or manoeuvre is never seriously in doubt.
- (d) The following limits are for general guidance. The FE should make allowance for turbulent conditions and the handling qualities and performance of the aeroplane or TMG used:
- (1) height:

normal flight	± 150 ft
---------------	--------------
 - (2) speed:
 - (i) take-off and approach $+15/-5$ knots
 - (ii) all other flight regimes ± 15 knots

CONTENT OF THE SKILL TEST

- (e) The skill test contents and sections set out in this AMC should be used for the skill test for the issue of a LAPL(A):

SECTION 1 PRE-FLIGHT OPERATIONS AND DEPARTURE	
Use of checklist, airmanship, control of aeroplane or TMG by external visual reference, anti/de-icing procedures, etc. apply in all sections.	
a	Pre-flight documentation, NOTAM and weather briefing
b	Mass and balance and performance calculation
c	Aeroplane or TMG inspection and servicing
d	Engine starting and after starting procedures
e	Taxiing and aerodrome procedures, pre-take-off procedures
f	Take-off and after take-off checks
g	Aerodrome departure procedures
h	ATC liaison: compliance

SECTION 2 GENERAL AIRWORK	
a	ATC liaison
b	Straight and level flight, with speed changes
c	Climbing: i. best rate of climb; ii. climbing turns; iii. levelling off.
d	Medium (30° bank) turns, look-out procedures and collision avoidance
e	Steep (45 ° bank) turns
f	Flight at critically low air speed with and without flaps
g	Stalling: i. clean stall and recover with power; ii. approach to stall descending turn with bank angle 20 °, approach configuration; iii. approach to stall in landing configuration.
h	Descending: i. with and without power; ii. descending turns (steep gliding turns); iii. levelling off.
SECTION 3 EN-ROUTE PROCEDURES	
a	Flight plan, dead reckoning and map reading
b	Maintenance of altitude, heading and speed
c	Orientation, airspace structure, timing and revision of ETAs, log keeping
d	Diversion to alternate aerodrome (planning and implementation)
e	Flight management (checks, fuel systems, carburettor icing, etc.)
f	ATC liaison: compliance

SECTION 4 APPROACH AND LANDING PROCEDURES	
a	Aerodrome arrival procedures
b	Collision avoidance (look-out procedures)
c	Precision landing (short field landing) and crosswind, if suitable conditions available
d	Flapless landing (if applicable)
e	Approach to landing with idle power
f	Touch and go
g	Go-around from low height
h	ATC liaison
i	Actions after flight
SECTION 5 ABNORMAL AND EMERGENCY PROCEDURES	
This section may be combined with Sections 1 through 4	
a	Simulated engine failure after take-off
b	* Simulated forced landing
c	* Simulated precautionary landing
d	Simulated emergencies
e	Oral questions

* These items may be combined, at the discretion of the FE.

AMC1 FCL.125; FCL.235**CONTENTS OF THE SKILL TEST FOR THE ISSUE OF A LAPL(S) AND OF AN SPL**

- (a) An applicant should be responsible for the flight planning and should ensure that all equipment and documentation for the execution of the flight are on board.
- (b) The applicant should indicate to the FE the checks and duties carried out. Checks should be completed in accordance with the flight manual or the authorised checklist for the sailplane on which the test is being taken.

FLIGHT TEST TOLERANCE

- (c) The applicant should demonstrate the ability to:
 - (1) operate the sailplane within its limitations;
 - (2) complete all manoeuvres with smoothness and accuracy;
 - (3) exercise good judgment and airmanship;
 - (4) apply aeronautical knowledge;
 - (5) maintain control of the sailplane at all times in such a manner that the successful outcome of a procedure or manoeuvre is never seriously in doubt.

CONTENT OF THE SKILL TEST

- (d) The skill test contents and sections set out in this AMC should be used for the skill test for the issue of a LAPL(S) and of an SPL:

SECTION 1 PRE-FLIGHT OPERATIONS AND DEPARTURE	
Use of checklist, airmanship (control of sailplane by external visual reference), look-out. Apply in all sections.	
a	Pre-flight sailplane (daily) inspection, documentation, NOTAM and weather briefing
b	Verifying in-limits mass and balance and performance calculation
c	Sailplane servicing compliance
d	Pre-take-off checks
SECTION 2 LAUNCH METHOD	
Note: at least for one of the three launch methods all the mentioned items are fully exercised during the skill test	
SECTION 2 (A) WINCH OR CAR LAUNCH	
a	Signals before and during launch, including messages to winch driver

b	Adequate profile of winch launch
c	Simulated launch failure
d	Situational awareness
SECTION 2 (B) AEROTOW LAUNCH	
a	Signals before and during launch, including signals to or communications with tow plane pilot for any problems
b	Initial roll and take-off climb
c	Launch abandonment (simulation only or 'talk-through')
d	Correct positioning during straight flight and turns
e	Out of position and recovery
f	Correct release from tow
g	Look-out and airmanship through whole launch phase
SECTION 2 (C) SELF-LAUNCH (powered sailplanes only)	
a	ATC compliance (if applicable)
b	Aerodrome departure procedures
c	Initial roll and take-off climb
d	Look-out and airmanship during the whole take-off
e	Simulated engine failure after take-off
f	Engine shut down and stowage
SECTION 3 GENERAL AIRWORK	
a	Maintain straight flight: attitude and speed control
b	Coordinated medium (30 ° bank) turns, look-out procedures and collision avoidance
c	Turning on to selected headings visually and with use of compass
d	Flight at high angle of attack (critically low air speed)
e	Clean stall and recovery

f	Spin avoidance and recovery
g	Steep (45 ° bank) turns, look-out procedures and collision avoidance
h	Local area navigation and awareness
SECTION 4 CIRCUIT, APPROACH AND LANDING	
a	Aerodrome circuit joining procedure
b	Collision avoidance: look-out procedures
c	Pre-landing checks
d	Circuit, approach control and landing
e	Precision landing (simulation of out-landing and short field)
f	Crosswind landing if suitable conditions available

AMC1 FCL.110.A LAPL(A) — Experience requirements and crediting**FLIGHT INSTRUCTION FOR THE LAPL (A)**

(a) Entry to training

Before being accepted for training an applicant should be informed that the appropriate medical certificate must be obtained before solo flying is permitted.

(b) Flight instruction

- (1) The LAPL (A) flight instruction syllabus should take into account the principles of threat and error management and also cover:
 - (i) pre-flight operations, including mass and balance determination, aircraft inspection and servicing;
 - (ii) aerodrome and traffic pattern operations, collision avoidance precautions and procedures;
 - (iii) control of the aircraft by external visual reference;
 - (iv) flight at critically low air speeds, recognition of, and recovery from, incipient and full stalls;
 - (v) flight at critically high air speeds, recognition of, and recovery from, spiral dive;
 - (vi) normal and crosswind take-offs and landings;
 - (vii) maximum performance (short field and obstacle clearance) take-offs, short-field landings;
 - (viii) cross-country flying using visual reference, dead reckoning and radio navigation aids;
 - (ix) emergency operations, including simulated aeroplane equipment malfunctions;
 - (x) operations to, from and transiting controlled aerodromes, compliance with air traffic services procedures and communication procedures.
- (2) **Before allowing the applicant to undertake his/her first solo flight, the FI should ensure that the applicant can operate the required systems and equipment.**

(c) Syllabus of flight instruction

- (1) The numbering of exercises should be used primarily as an exercise reference list and as a broad instructional sequencing guide; therefore the demonstrations and practices need not necessarily be given in the order listed. The actual order and content will depend upon the following interrelated factors:
 - (i) the applicant's progress and ability;
 - (ii) the weather conditions affecting the flight;
 - (iii) the flight time available;
 - (iv) instructional technique considerations;
 - (v) the local operating environment;
 - (vi) applicability of the exercises to the aeroplane or TMG type.

- (2) Each of the exercises involves the need for the applicant to be aware of the needs of good airmanship and look-out, which should be emphasised at all times.
- (i) Exercise 1a: Familiarisation with the aeroplane or TMG:
 - (A) characteristics of the aeroplane or TMG;
 - (B) cockpit layout;
 - (C) systems;
 - (D) checklists, drills and controls.
 - (ii) Exercise 1b: Emergency drills:
 - (A) action if fire on the ground and in the air;
 - (B) engine cabin and electrical system fire;
 - (C) systems failure;
 - (D) escape drills, location and use of emergency equipment and exits.
 - (iii) Exercise 2: Preparation for and action after flight:
 - (A) flight authorisation and aeroplane or TMG acceptance;
 - (B) serviceability documents;
 - (C) equipment required, maps, etc.;
 - (D) external checks;
 - (E) internal checks;
 - (F) harness, seat or rudder panel adjustments;
 - (G) starting and warm-up checks;
 - (H) power checks;
 - (I) running down system checks and switching off the engine;
 - (J) parking, security and picketing (for example tie down);
 - (K) completion of authorisation sheet and serviceability documents.
 - (iv) Exercise 3: Air experience: flight exercise.
 - (v) Exercise 4: Effects of controls:
 - (A) primary effects when laterally level and when banked;
 - (B) further effects of aileron and rudder;
 - (C) effects of:
 - (a) air speed;
 - (b) slipstream;
 - (c) power;
 - (d) trimming controls;
 - (e) flaps;
 - (f) other controls, as applicable.
 - (D) operation of:
 - (a) mixture control;

- (b) carburettor heat;
 - (c) cabin heating or ventilation.
- (vi) Exercise 5a: Taxiing:
 - (A) pre-taxi checks;
 - (B) starting, control of speed and stopping;
 - (C) engine handling;
 - (D) control of direction and turning;
 - (E) turning in confined spaces;
 - (F) parking area procedure and precautions;
 - (G) effects of wind and use of flying controls;
 - (H) effects of ground surface;
 - (I) freedom of rudder movement;
 - (J) marshalling signals;
 - (K) instrument checks;
 - (L) air traffic control procedures.
- (vii) Exercise 5b: Emergencies: brake and steering failure.
- (viii) Exercise 6: Straight and level:
 - (A) at normal cruising power, attaining and maintaining straight and level flight;
 - (B) flight at critically high air speeds;
 - (C) demonstration of inherent stability;
 - (D) control in pitch, including use of trim;
 - (E) lateral level, direction and balance, trim;
 - (F) at selected air speeds (use of power);
 - (G) during speed and configuration changes;
 - (H) use of instruments for precision.
- (ix) Exercise 7: Climbing:
 - (A) entry, maintaining the normal and max rate climb, levelling off;
 - (B) levelling off at selected altitudes;
 - (C) en-route climb (cruise climb);
 - (D) climbing with flap down;
 - (E) recovery to normal climb;
 - (F) maximum angle of climb;
 - (G) use of instruments for precision.
- (x) Exercise 8: Descending:
 - (A) entry, maintaining and levelling off;
 - (B) levelling off at selected altitudes;

- (C) glide, powered and cruise descent (including effect of power and air speed);
 - (D) side slipping (on suitable types);
 - (E) use of instruments for precision flight.
- (xi) Exercise 9: Turning:
- (A) entry and maintaining medium level turns;
 - (B) resuming straight flight;
 - (C) faults in the turn (in correct pitch, bank and balance);
 - (D) climbing turns;
 - (E) descending turns;
 - (F) slipping turns (for suitable types);
 - (G) turns onto selected headings, use of gyro heading indicator and compass;
 - (H) use of instruments for precision.
- (xii) Exercise 10a: Slow flight:
- Note: the objective is to improve the student's ability to recognise inadvertent flight at critically low speeds and provide practice in maintaining the aeroplane or TMG in balance while returning to normal air speed.
- (A) safety checks;
 - (B) introduction to slow flight;
 - (C) controlled flight down to critically slow air speed;
 - (D) application of full power with correct attitude and balance to achieve normal climb speed.
- (xiii) Exercise 10b: Stalling:
- (A) safety checks;
 - (B) symptoms;
 - (C) recognition;
 - (D) clean stall and recovery without power and with power;
 - (E) recovery when a wing drops;
 - (F) approach to stall in the approach and in the landing configurations, with and without power and recovery at the incipient stage.
- (xiv) Exercise 11: Spin avoidance:
- (A) safety checks;
 - (B) stalling and recovery at the incipient spin stage (stall with excessive wing drop, about 45°);
 - (C) instructor induced distractions during the stall.
- (xv) Exercise 12: Take-off and climb to downwind position:
- (A) pre-take-off checks;
 - (B) into wind take-off;

- (C) safeguarding the nose wheel (if applicable);
- (D) crosswind take-off;
- (E) drills during and after take-off;
- (F) short take-off and soft field procedure or techniques including performance calculations;
- (G) noise abatement procedures.

(xvi) Exercise 13: Circuit, approach and landing:

- (A) circuit procedures, downwind and base leg;
- (B) powered approach and landing;
- (C) safeguarding the nose wheel (if applicable);
- (D) effect of wind on approach and touchdown speeds and use of flaps;
- (E) crosswind approach and landing;
- (F) glide approach and landing;
- (G) short landing and soft field procedures or techniques;
- (H) flapless approach and landing;
- (I) wheel landing (tail wheel aeroplanes);
- (J) missed approach and go-around;
- (K) noise abatement procedures.

(xvii) Exercise 12/13: Emergencies:

- (A) abandoned take-off;
- (B) engine failure after take-off;
- (C) mislanding and go-around;
- (D) missed approach.

Note: in the interests of safety, it will be necessary for pilots trained on nose wheel aeroplanes or TMGs to undergo dual conversion training before flying tail wheel aeroplanes or TMGs, and vice versa.

(xviii) **Exercise 14: First solo:**

- (A) instructor's briefing including limitations;
- (B) use of required equipment;
- (C) observation of flight and de-briefing by instructor.

Note: during flights immediately following the solo circuit consolidation the following should be revised:

- (A) procedures for leaving and rejoining the circuit;
- (B) the local area, restrictions, map reading;
- (C) use of radio aids for homing;
- (D) turns using magnetic compass, compass errors.

(xix) Exercise 15: Advanced turning:

- (A) steep turns (45 °), level and descending;
- (B) stalling in the turn and recovery;

- (C) recoveries from unusual attitudes, including spiral dives.
- (xx) Exercise 16: Forced landing without power:
 - (A) forced landing procedure;
 - (B) choice of landing area, provision for change of plan;
 - (C) gliding distance;
 - (D) descent plan;
 - (E) key positions;
 - (F) engine cooling;
 - (G) engine failure checks;
 - (H) use of radio;
 - (I) base leg;
 - (J) final approach;
 - (K) landing;
 - (L) actions after landing.
- (xxi) Exercise 17: Precautionary landing:
 - (A) full procedure away from aerodrome to break-off height;
 - (B) occasions necessitating a precautionary landing;
 - (C) in-flight conditions;
 - (D) landing area selection:
 - (a) normal aerodrome;
 - (b) disused aerodrome;
 - (c) ordinary field.
 - (E) circuit and approach;
 - (F) actions after landing.
- (xxii) Exercise 18a: Navigation:
 - (A) flight planning:
 - (a) weather forecast and actuals;
 - (b) map selection and preparation:
 - (1) choice of route;
 - (2) airspace structure;
 - (3) safety altitudes.
 - (c) calculations:
 - (1) magnetic heading(s) and time(s) en-route;
 - (2) fuel consumption;
 - (3) mass and balance;
 - (4) mass and performance.
 - (d) flight information:
 - (1) NOTAMs, etc.;

- (2) radio frequencies;
 - (3) selection of alternate aerodromes.
 - (e) aeroplane or TMG documentation;
 - (f) notification of the flight:
 - (1) pre-flight administrative procedures;
 - (2) flight plan form.
 - (B) departure:
 - (a) organisation of cockpit workload;
 - (b) departure procedures:
 - (1) altimeter settings;
 - (2) ATC liaison in regulated airspace;
 - (3) setting heading procedure;
 - (4) noting of ETAs.
 - (c) maintenance of altitude and heading;
 - (d) revisions of ETA and heading;
 - (e) log keeping;
 - (f) use of radio;
 - (g) minimum weather conditions for continuation of flight;
 - (h) in-flight decisions;
 - (i) transiting controlled or regulated airspace;
 - (j) diversion procedures;
 - (k) uncertainty of position procedure;
 - (l) lost procedure.
 - (C) arrival and aerodrome joining procedure:
 - (a) ATC liaison in regulated airspace;
 - (b) altimeter setting;
 - (c) entering the traffic pattern;
 - (d) circuit procedures;
 - (e) parking;
 - (f) security of aeroplane or TMG;
 - (g) refuelling;
 - (h) closing of flight plan, if appropriate;
 - (i) post-flight administrative procedures.
- (xxiii) **Exercise 18b: Navigation problems at lower levels and in reduced visibility:**
- (A) actions before descending;
 - (B) hazards (for example obstacles, and terrain);
 - (C) difficulties of map reading;
 - (D) effects of wind and turbulence;

- (E) vertical situational awareness (avoidance of controlled flight into terrain);
 - (F) avoidance of noise sensitive areas;
 - (G) joining the circuit;
 - (H) bad weather circuit and landing.
- (xxiv) Exercise 18c: Radio navigation (basics):
- (A) use of GNSS or VOR/ADF:
 - (a) selection of waypoints or stations;
 - (b) to or from indications and orientation;
 - (c) error messages.
 - (B) use of VHF/DF:
 - (a) availability, AIP and frequencies;
 - (b) R/T procedures and ATC liaison;
 - (c) obtaining a QDM and homing.
 - (C) use of en-route or terminal radar:
 - (a) availability and AIP;
 - (b) procedures and ATC liaison;
 - (c) pilot's responsibilities;
 - (d) secondary surveillance radar:
 - (1) transponders;
 - (2) code selection;
 - (3) interrogation and reply.
- (xxv) Exercise 19: Stopping and restarting the engine (in the case of TMGs only):
- (A) engine cooling;
 - (B) switching-off procedure;
 - (C) restarting of the engine.

AMC2 FCL.110.A LAPL(A) — Experience requirements and crediting

CREDITING: PRE-ENTRY FLIGHT TEST

The pre-entry flight test referred to in FCL.110.A(c) should cover the total content of the syllabus of flight instruction for the issuance of the LAPL(A), in accordance with AMC1 FCL.110.A.

GM1 FCL.135.A; FCL.135.H

DIFFERENCES AND FAMILIARISATION TRAINING

- (a) Differences training requires the acquisition of additional knowledge and training on an appropriate training device or the aircraft.
- (b) Familiarisation training requires the acquisition of additional knowledge.

AMC1 FCL.110.S LAPL(S) — Experience requirements and crediting

CREDITING: PRE-ENTRY FLIGHT TEST

The pre-entry flight test referred to in FCL.110.S(c) should cover the total content of the syllabus of flight instruction for the issuance of the LAPL(S), in accordance with AMC1 FCL.110.S and FCL.210.S.

AMC1 FCL.110.S; FCL.210.S

FLIGHT INSTRUCTION FOR THE LAPL(S) AND THE SPL

(a) Entry to training

Before being accepted for training an applicant should be informed that the appropriate medical certificate must be obtained before solo flying is permitted.

(b) Flight instruction

(1) The LAPL (S) and SPL flight instruction syllabus should take into account the principles of threat and error management and also cover:

- (i) pre-flight operations, including verifying mass and balance, aircraft inspection and servicing, airspace and weather briefing;
- (ii) aerodrome and traffic pattern operations, collision avoidance precautions and procedures;
- (iii) control of the aircraft by external visual reference;
- (iv) flight at high angle of attack (critically low air speeds), recognition of, and recovery from, incipient and full stalls and spins;
- (v) flight at critically high air speeds, recognition of, and recovery from spiral dive;
- (vi) normal and crosswind take-offs in respect with the different launch methods;
- (vii) normal and crosswind landings;
- (viii) short field landings and outlandings: field selection, circuit and landing hazards and precautions;
- (ix) cross-country flying using visual reference, dead reckoning and available navigation aids;
- (x) soaring techniques as appropriate to site conditions;
- (xi) emergency actions;
- (xii) compliance with air traffic services procedures and communication procedures.

(2) Before allowing the applicant to undertake his/her first solo flight, the FI should ensure that the applicant can operate the required systems and equipment.

(c) Syllabus of flight instruction

(1) The numbering of exercises should be used primarily as an exercise reference list and as a broad instructional sequencing guide; therefore the demonstrations and practices need not necessarily be given in the order listed. The actual order and content will depend upon the following interrelated factors:

- (i) the applicant's progress and ability;
- (ii) the weather conditions affecting the flight;
- (iii) the flight time available;
- (iv) instructional technique considerations;

- (v) the local operating environment;
 - (vi) applicability of the exercises to the sailplane type.
- (2) At the discretion of the instructors some of the exercises may be combined and some other exercises may be done in several flights.
- (3) At least the exercises 1 to 12 have to be completed before the first solo flight.
- (4) Each of the exercises involves the need for the applicant to be aware of the needs for good airmanship and look-out, which should be emphasised at all times.
- (i) Exercise 1: Familiarisation with the sailplane:
 - (A) characteristics of the sailplane;
 - (B) cockpit layout: instruments and equipment;
 - (C) light controls: stick, pedals, airbrakes, flaps and trim;
 - (D) cable release and undercarriage;
 - (E) checklists, drills and controls.
 - (ii) Exercise 2: Procedures if emergencies:
 - (A) use of safety equipment (parachute);
 - (B) action if system failures;
 - (C) bail-out procedures.
 - (iii) Exercise 3: Preparation for flight:
 - (A) pre-flight briefings;
 - (B) required documents on board;
 - (C) equipment required for the intended flight;
 - (D) ground handling, movements, tow out, parking and security;
 - (E) pre-flight external and internal checks;
 - (F) verifying in-limits mass and balance;
 - (G) harness, seat or rudder panel adjustments;
 - (H) passenger handling;
 - (I) pre-launch checks.
 - (iv) Exercise 4: Initial air experience:
 - (A) area familiarisation;
 - (B) look-out procedures.
 - (v) Exercise 5: Effects of controls:
 - (A) look-out procedures;
 - (B) use of visual references;
 - (C) primary effects when laterally level and when banked;
 - (D) reference attitude and effect of elevator;
 - (E) relationship between attitude and speed;
 - (F) effects of:

- (a) flaps (if available);
 - (b) airbrakes.
- (vi) Exercise 6: Coordinated rolling to and from moderate angles of bank:
- (A) look-out procedures;
 - (B) further effects of aileron (adverse yaw) and rudder (roll);
 - (C) coordination;
 - (D) rolling to and from moderate angles of bank and return to straight flight.
- (vii) Exercise 7: Straight flying:
- (A) look-out procedures;
 - (B) maintaining straight flight;
 - (C) flight at critically high air speeds;
 - (D) demonstration of inherent pitch stability;
 - (E) control in pitch, including use of trim;
 - (F) lateral level, direction and balance and trim;
 - (G) air speed: instrument monitoring and control.
- (viii) Exercise 8: Turning:
- (A) look-out procedures;
 - (B) demonstration and correction of adverse yaw;
 - (C) entry to turn (medium level turns);
 - (D) stabilising turns;
 - (E) exiting turns;
 - (F) faults in the turn (slipping and skidding);
 - (G) turns on to selected headings and use of compass;
 - (H) use of instruments (ball indicator or slip string) for precision.
- (ix) Exercise 9a: Slow flight:
- Note: the objective is to improve the student's ability to recognise inadvertent flight at critically low speeds (high angle of attack) and to provide practice in maintaining the sailplane in balance while returning to normal attitude (speed).
- (A) safety checks;
 - (B) introduction to characteristics of slow flight;
 - (C) controlled flight down to critically high angle of attack (slow air speed).
- (x) Exercise 9b: Stalling:
- (A) safety checks;
 - (B) pre-stall symptoms, recognition and recovery;
 - (C) stall symptoms, recognition and recovery;
 - (D) recovery when a wing drops;

- (E) approach to stall in the approach and in the landing configurations;
 - (F) recognition and recovery from accelerated stalls.
- (xi) Exercise 10: Spin recognition and spin avoidance:
- (A) safety checks;
 - (B) stalling and recovery at the incipient spin stage (stall with excessive wing drop, about 45°);
 - (C) entry into fully developed spins (if suitable training aircraft available);
 - (D) recognition of full spins (if suitable training aircraft available);
 - (E) standard spin recovery (if suitable training aircraft available);
 - (F) instructor induced distractions during the spin entry (if suitable training aircraft available).

Note: consideration of manoeuvre limitations and the need to refer to the sailplane manual and mass and balance calculations. If no suitable training aircraft is available to demonstrate the fully developed spin, all the aspects related to these training items have to be covered by specific theoretical instruction.

- (xii) Exercise 11: Take-off or launch methods:

At least one launch method must be taught containing all the subjects below.

- (xiii) Exercise 11a: Winch launch:

- (A) signals or communication before and during launch;
- (B) use of the launching equipment;
- (C) pre-take-off checks;
- (D) into wind take-off;
- (E) crosswind take-off;
- (F) optimum profile of winch launch and limitations;
- (G) release procedures;
- (H) launch failure procedures.

- (xiv) Exercise 11b: Aero tow:

- (A) signals or communication before and during launch;
- (B) use of the launch equipment;
- (C) pre-take-off checks;
- (D) into wind take-off;
- (E) crosswind take-off;
- (F) on tow: straight flight, turning and slip stream;
- (G) out of position in tow and recovery;
- (H) descending on tow (towing aircraft and sailplane);
- (I) release procedures;

- (J) launch failure and abandonment.
- (xv) Exercise 11c: Self-launch:
 - (A) engine extending and retraction procedures;
 - (B) engine starting and safety precautions;
 - (C) pre-take-off checks;
 - (D) noise abatement procedures;
 - (E) checks during and after take-off;
 - (F) into wind take-off;
 - (G) crosswind take-off;
 - (H) power failures and procedures;
 - (I) abandoned take-off;
 - (J) maximum performance (short field and obstacle clearance) take-off;
 - (K) short take-off and soft field procedure or techniques and performance calculations.
- (xvi) Exercise 11d: Car launch:
 - (A) signals before and during launch;
 - (B) use of the launch equipment;
 - (C) pre-take-off checks;
 - (D) into wind take-off;
 - (E) crosswind take-off;
 - (F) optimum launch profile and limitations;
 - (G) release procedures;
 - (H) launch failure procedures.
- (xvii) Exercise 11e: Bungee launch:
 - (A) signals before and during launch;
 - (B) use of the launch equipment;
 - (C) pre-take-off checks;
 - (D) into wind take-off.
- (xviii) Exercise 12: Circuit, approach and landing:
 - (A) procedures for rejoining the circuit;
 - (B) collision avoidance, look-out techniques and procedures;
 - (C) pre-landing checks: circuit procedures, downwind and base leg;
 - (D) effect of wind on approach and touchdown speeds;
 - (E) use of flaps (if applicable);
 - (F) visualisation of an aiming point;
 - (G) approach control and use of airbrakes;
 - (H) normal and crosswind approach and landing;

- (I) short landing procedures or techniques.
- (xix) **Exercise 13: First solo:**
 - (A) instructor's briefing including limitations;
 - (B) awareness of local area and restrictions;
 - (C) use of required equipment;
 - (D) observation of flight and debriefing by instructor.
- (xx) Exercise 14: Advanced turning:
 - (A) steep turns (45°);
 - (B) stalling and spin avoidance in the turn and recovery;
 - (C) recoveries from unusual attitudes, including spiral dives.
- (xxi) Exercise 15: Soaring techniques:

At least one of the three soaring techniques must be taught containing all subjects below.
- (xxii) Exercise 15a: Thermalling:
 - (A) look-out procedures;
 - (B) detection and recognition of thermals;
 - (C) use of audio soaring instruments;
 - (D) joining a thermal and giving way;
 - (E) flying in close proximity to other sailplanes;
 - (F) centring in thermals;
 - (G) leaving thermals.
- (xxiii) Exercise 15b: Ridge flying:
 - (A) look-out procedures;
 - (B) practical application of ridge flying rules;
 - (C) optimisation of flight path;
 - (D) speed control.
- (xxiv) Exercise 15C: Wave flying:
 - (A) look-out procedures;
 - (B) wave access techniques;
 - (C) speed limitations with increasing height;
 - (D) use of oxygen.
- (xxv) **Exercise 16: Out-landings:**
 - (A) gliding range;
 - (B) restart procedures (**only for self-launching and self-sustaining sailplanes**);
 - (C) selection of landing area;
 - (D) circuit judgement and key positions;
 - (E) circuit and approach procedures;
 - (F) actions after landing.

(xxvi) Exercise 17: Cross-country flying:

If the required cross-country flight will be conducted as a solo cross-country flight, all the subjects below must be taught before.

(xxvii) Exercise 17a: Flight planning:

- (A) weather forecast and actuals;
- (B) NOTAMs and airspace considerations;
- (C) map selection and preparation;
- (D) route planning;
- (E) radio frequencies (if applicable);
- (F) pre-flight administrative procedure;
- (G) flight plan where required;
- (H) mass and performance;
- (I) alternate aerodromes and landing areas;
- (J) safety altitudes.

(xxviii) Exercise 17b: In-flight navigation:

- (A) maintaining track and re-routing considerations;
- (B) use of radio and phraseology (if applicable);
- (C) in-flight planning;
- (D) procedures for transiting regulated airspace or ATC liaison where required;
- (E) uncertainty of position procedure;
- (F) lost procedure;
- (G) use of additional equipment where required;
- (H) joining, arrival and circuit procedures at remote aerodrome.

(xix) Exercise 17c: Cross-country techniques:

- (A) look-out procedures;
- (B) maximising potential cross-country performance;
- (C) risk reduction and threat reaction.

AMC1 FCL.135.S; FCL.205.S(a)

EXTENSION OF PRIVILEGES TO TMG: LAPL(S) AND SPL

- (a) The aim of the flight training is to qualify LAPL(S) or SPL holders to exercise the privileges of the licence on a TMG.
- (b) The ATO should issue a certificate of satisfactory completion of the training.
- (c) Theoretical knowledge

The theoretical knowledge syllabus should cover the revision or explanation of:

- (1) Principles of flight:
 - (i) operating limitations (addition TMG);
 - (ii) propellers;
 - (iii) flight mechanics.
- (2) Operational procedures for TMG:
 - (i) special operational procedures and hazards;
 - (ii) emergency procedures.
- (3) Flight performance and planning:
 - (i) mass and balance considerations;
 - (ii) loading;
 - (iii) CG calculation;
 - (iv) load and trim sheet;
 - (v) performance of TMGs;
 - (vi) flight planning for VFR flights;
 - (vii) fuel planning;
 - (viii) pre-flight preparation;
 - (ix) ICAO flight plan;
 - (x) flight monitoring and in-flight re-planning.
- (4) Aircraft general knowledge:
 - (i) system designs, loads, stresses, maintenance;
 - (ii) airframe;
 - (iii) landing gear, wheels, tyres, brakes;
 - (iv) fuel system;
 - (v) electrics;
 - (vi) piston engines;
 - (vii) propellers;
 - (viii) instrument and indication systems.

- (5) Navigation:
 - (i) dead reckoning navigation (addition powered flying elements);
 - (ii) in-flight navigation (addition powered flying elements);
 - (iii) basic radio propagation theory;
 - (iv) radio aids (basics);
 - (v) radar (basics);
 - (vi) GNSS.
- (d) Flight instruction
 - (1) The numbering of exercises should be used primarily as an exercise reference list and as a broad instructional sequencing guide; therefore the demonstrations and practices need not necessarily be given in the order listed.
 - (2) The flying exercises should cover the revision or explanation of the following exercises:
 - (i) Exercise 1: Familiarisation with the TMG:
 - (A) characteristics of the TMG;
 - (B) cockpit layout;
 - (C) systems;
 - (D) checklists, drills and controls.
 - (ii) Exercise 1e: Emergency drills:
 - (A) action if fire on the ground and in the air;
 - (B) engine cabin and electrical system fire;
 - (C) systems failure;
 - (D) escape drills, location and use of emergency equipment and exits.
 - (iii) Exercise 2: Preparation for and action after flight:
 - (A) serviceability documents;
 - (B) equipment required, maps, etc.;
 - (C) external checks;
 - (D) internal checks;
 - (E) harness and seat or rudder panel adjustments;
 - (F) starting and warm-up checks;
 - (G) power checks;
 - (H) running down system checks and switching off the engine;
 - (I) parking, security and picketing (for example tie down);
 - (J) completion of authorisation sheet and serviceability documents.
 - (iv) Exercise 3: Taxiing:
 - (A) pre-taxi checks;
 - (B) starting, control of speed and stopping;

- (C) engine handling;
 - (D) control of direction and turning;
 - (E) turning in confined spaces;
 - (F) parking area procedure and precautions;
 - (G) effects of wind and use of flying controls;
 - (H) effects of ground surface;
 - (I) freedom of rudder movement;
 - (J) marshalling signals;
 - (K) instrument checks;
 - (L) air traffic control procedures (if applicable).
- (v) Exercise 3e: Emergencies: brake and steering failure.
- (vi) Exercise 4: Straight and level:
- (A) at normal cruising power, attaining and maintaining straight and level flight;
 - (B) flight at critically high air speeds;
 - (C) demonstration of inherent stability;
 - (D) control in pitch, including use of trim;
 - (E) lateral level, direction and balance and trim;
 - (F) at selected air speeds (use of power);
 - (G) during speed and configuration changes;
 - (H) use of instruments for precision.
- (vii) Exercise 5: Climbing:
- (A) entry, maintaining the normal and max rate climb and levelling off;
 - (B) levelling off at selected altitudes;
 - (C) en-route climb (cruise climb);
 - (D) climbing with flap down;
 - (E) recovery to normal climb;
 - (F) maximum angle of climb;
 - (G) use of instruments for precision.
- (viii) Exercise 6: Descending:
- (A) entry, maintaining and levelling off;
 - (B) levelling off at selected altitudes;
 - (C) glide, powered and cruise descent (including effect of power and air speed);
 - (D) side slipping (on suitable types);
 - (E) use of instruments for precision flight.
- (ix) Exercise 7: Turning:
- (A) entry and maintaining medium level turns;

- (B) resuming straight flight;
- (C) faults in the turn (incorrect pitch, bank and balance);
- (D) climbing turns;
- (E) descending turns;
- (F) slipping turns (on suitable types);
- (G) turns onto selected headings, use of gyro heading indicator or compass;
- (H) use of instruments for precision.

(x) Exercise 8a: Slow flight:

Note: the objective is to improve the pilot's ability to recognise inadvertent flight at critically low speeds and provide practice in maintaining the TMG in balance while returning to normal air speed.

- (A) safety checks;
- (B) introduction to slow flight;
- (C) controlled flight down to critically slow air speed;
- (D) application of full power with correct attitude and balance to achieve normal climb speed.

(xi) Exercise 8b: Stalling:

- (A) airmanship;
- (B) safety checks;
- (C) symptoms;
- (D) recognition;
- (E) clean stall and recovery without power and with power;
- (F) recovery when a wing drops;
- (G) approach to stall in the approach and in the landing configurations, with and without power, recovery at the incipient stage.

(xii) Exercise 9: Take-off and climb to downwind position:

- (A) pre-take-off checks;
- (B) into wind take-off;
- (C) safeguarding the nose wheel (if applicable);
- (D) crosswind take-off;
- (E) drills during and after take-off;
- (F) short take-off and soft field procedure or techniques including performance calculations;
- (G) noise abatement procedures.

(xiii) Exercise 10: Circuit, approach and landing:

- (A) circuit procedures, downwind and base leg;
- (B) powered approach and landing;
- (C) safeguarding the nose wheel (if applicable);
- (D) effect of wind on approach and touchdown speeds;

- (E) use of airbrakes, flaps, slats or spoilers;
- (F) crosswind approach and landing;
- (G) glide approach and landing (engine stopped);
- (H) short landing and soft field procedures or techniques;
- (I) flapless approach and landing (if applicable);
- (J) wheel landing (tail wheel aeroplanes);
- (K) missed approach and go-around;
- (L) noise abatement procedures.

(xiv) Exercise 9/10e: Emergencies:

- (A) abandoned take-off;
- (B) engine failure after take-off;
- (C) mislanding and go-around;
- (D) missed approach.

Note: in the interests of safety it will be necessary for pilots trained on nose wheel TMGs to undergo dual conversion training before flying tail wheel TMGs, and vice versa.

(xv) Exercise 11: Advanced turning:

- (A) steep turns (45 °), level and descending;
- (B) stalling in the turn and recovery;
- (C) recoveries from unusual attitudes, including spiral dives.

(xvi) Exercise 12: Stopping and restarting the engine:

- (A) engine cooling procedures;
- (B) switching off procedure in-flight;
- (C) sailplane operating procedures;
- (D) restarting procedure.

(xvii) Exercise 13: Forced landing without power:

- (A) forced landing procedure;
- (B) choice of landing area, provision for change of plan;
- (C) gliding distance;
- (D) descent plan;
- (E) key positions;
- (F) engine failure checks;
- (G) use of radio;
- (H) base leg;
- (I) final approach;
- (J) landing;
- (K) actions after landing.

(xviii) Exercise 14: Precautionary landing:

- (A) full procedure away from aerodrome to break-off height;

- (B) occasions necessitating;
 - (C) in-flight conditions;
 - (D) landing area selection:
 - (a) normal aerodrome;
 - (b) disused aerodrome;
 - (c) ordinary field.
 - (E) circuit and approach;
 - (F) actions after landing.
- (xix) Exercise 15a: Navigation
- (A) Flight planning
 - (a) weather forecast and actuals;
 - (b) map selection and preparation:
 - (1) choice of route;
 - (2) airspace structure;
 - (3) safety altitudes.
 - (c) calculations:
 - (1) magnetic heading(s) and time(s) en-route;
 - (2) fuel consumption;
 - (3) mass and balance;
 - (4) mass and performance.
 - (d) flight information:
 - (1) NOTAMs, etc.;
 - (2) radio frequencies;
 - (3) selection of alternate aerodromes.
 - (e) TMG documentation;
 - (f) notification of the flight:
 - (1) pre-flight administrative procedures;
 - (2) flight plan form.
 - (B) Departure:
 - (a) organisation of cockpit workload;
 - (b) departure procedures:
 - (1) altimeter settings;
 - (2) ATC liaison in regulated airspace;
 - (3) setting heading procedure;
 - (4) noting of ETAs.
 - (C) En-route:
 - (a) maintenance of altitude and heading;
 - (b) revisions of ETA and heading;

- (c) log keeping;
 - (d) use of radio or compliance with ATC procedures;
 - (e) minimum weather conditions for continuation of flight;
 - (f) in-flight decisions;
 - (g) transiting controlled or regulated airspace;
 - (h) diversion procedures;
 - (i) uncertainty of position procedure;
 - (j) lost procedure.
- (D) Arrival, aerodrome joining procedure:
- (a) ATC liaison in regulated airspace;
 - (b) altimeter setting;
 - (c) entering the traffic pattern;
 - (d) circuit procedures;
 - (e) parking;
 - (f) security of TMG;
 - (g) refuelling;
 - (h) closing of flight plan, if appropriate;
 - (i) post-flight administrative procedures.
- (xx) **Exercise 15b: Navigation problems at lower levels and in reduced visibility:**
- (A) actions before descending;
 - (B) hazards (for example obstacles and terrain);
 - (C) difficulties of map reading;
 - (D) effects of wind and turbulence;
 - (E) vertical situational awareness (avoidance of controlled flight into terrain);
 - (F) avoidance of noise sensitive areas;
 - (G) joining the circuit;
 - (H) bad weather circuit and landing.
- (xxi) Exercise 15c: Radio navigation (basics):
- (A) Use of GNSS or VOR/NDB;
 - (a) selection of waypoints;
 - (b) to or from indications or orientation;
 - (c) error messages.
 - (B) Use of VHF/DF:
 - (a) availability, AIP and frequencies;
 - (b) R/T procedures and ATC liaison;
 - (c) obtaining a QDM and homing.
 - (C) Use of en-route or terminal radar:

- (a) availability and AIP;
- (b) procedures and ATC liaison;
- (c) pilot's responsibilities;
- (d) secondary surveillance radar;
 - (1) transponders;
 - (2) code selection;
 - (3) interrogation and reply.

SUBPART C — PRIVATE PILOT LICENCE (PPL), SAILPLANE PILOT LICENCE (SPL) and BALLOON PILOT LICENCE (BPL)

AMC1 FCL.210; FCL.215

SYLLABUS OF THEORETICAL KNOWLEDGE FOR THE PPL(A) AND PPL(H)

The following tables contain the syllabi for the courses of theoretical knowledge, as well as for the theoretical knowledge examinations for the PPL(A) and PPL(H). The training and examination should cover aspects related to non-technical skills in an integrated manner, taking into account the particular risks associated to the licence and the activity. An approved course shall comprise at least 100 hours of theoretical knowledge instruction. This theoretical knowledge instruction provided by the ATO should include a certain element of formal classroom work but may include also such facilities as interactive video, slide or tape presentation, computer-based training and other media distance learning courses. The training organisation responsible for the training has to check if all the appropriate elements of the training course of theoretical knowledge instruction have been completed to a satisfactory standard before recommending the applicant for the examination.

The applicable items for each licence are marked with 'x'. An 'x' on the main title of a subject means that all the sub-divisions are applicable.

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
1.	AIR LAW AND ATC PROCEDURES				
	International law: conventions, agreements and organisations				
	The Convention on international civil aviation (Chicago) Doc. 7300/6				
	Part I Air Navigation: relevant parts of the following chapters: (a) general principles and application of the convention; (b) flight over territory of Contracting States; (c) nationality of aircraft; (d) measures to facilitate air navigation; (e) conditions to be fulfilled on aircraft; (f) international standards and recommended practices; (g) validity of endorsed certificates and licences; (h) notification of differences.	x		x	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Part II The International Civil Aviation Organisation (ICAO): objectives and composition	X		X	
	Annex 8: Airworthiness of aircraft				
	Foreword and definitions	X		X	
	Certificate of airworthiness	X		X	
	Annex 7: Aircraft nationality and registration marks				
	Foreword and definitions	X		X	
	Common- and registration marks	X		X	
	Certificate of registration and aircraft nationality	X		X	
	Annex 1: Personnel licensing				
	Definitions	X		X	
	Relevant parts of Annex 1 connected to Part-FCL and Part-Medical	X		X	
	Annex 2: Rules of the air				
	Essential definitions, applicability of the rules of the air, general rules (except water operations), visual flight rules, signals and interception of civil aircraft	X		X	
	Procedures for air navigation: aircraft operations doc. 8168-ops/611, volume 1				
	Altimeter setting procedures (including IACO doc. 7030 – regional supplementary procedures)				
	Basic requirements (except tables), procedures applicable to operators and pilots (except tables)	X		X	
	Secondary surveillance radar transponder operating procedures (including ICAO Doc. 7030 – regional supplementary procedures)				
	Operation of transponders	X		X	
	Phraseology	X		X	
	Annex 11: Doc. 4444 air traffic management				
	Definitions	X		X	
	General provisions for air traffic services	X		X	
	Visual separation in the vicinity of aerodromes	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Procedures for aerodrome control services	X		X	
	Radar services	X		X	
	Flight information service and alerting service	X		X	
	Phraseologies	X		X	
	Procedures related to emergencies, communication failure and contingencies	X		X	
	Annex 15: Aeronautical information service				
	Introduction, essential definitions	X		X	
	AIP, NOTAM, AIRAC and AIC	X		X	
	Annex 14, volume 1 and 2: Aerodromes				
	Definitions	X		X	
	Aerodrome data: conditions of the movement area and related facilities	X		X	
	Visual aids for navigation: (a) indicators and signalling devices; (b) markings; (c) lights; (d) signs; (e) markers.	X		X	
	Visual aids for denoting obstacles: (a) marking of objects; (b) lighting of objects.	X		X	
	Visual aids for denoting restricted use of areas	X		X	
	Emergency and other services: (a) rescue and fire fighting; (b) apron management service.	X		X	
	Annex 12: Search and rescue				
	Essential definitions	X		X	
	Operating procedures: (a) procedures for PIC at the scene of an accident; (b) procedures for PIC intercepting a distress transmission; (c) search and rescue signals.	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Search and rescue signals: (a) signals with surface craft; (b) ground or air visual signal code; (c) air or ground signals.	X		X	
	Annex 17: Security				
	General: aims and objectives	X		X	
	Annex 13: Aircraft accident investigation				
	Essential definitions	X		X	
	Applicability	X		X	
	National law				
	National law and differences to relevant ICAO Annexes and relevant EU regulations.	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
2.	HUMAN PERFORMANCE				
	Human factors: basic concepts				
	Human factors in aviation				
	Becoming a competent pilot	x		x	
	Basic aviation physiology and health maintenance				
	The atmosphere: (a) composition; (b) gas laws.	x		x	
	Respiratory and circulatory systems: (a) oxygen requirement of tissues; (b) functional anatomy; (c) main forms of hypoxia (hypoxic and anaemic): (1) sources, effects and counter-measures of carbon monoxide; (2) counter measures and hypoxia; (3) symptoms of hypoxia. (d) hyperventilation; (e) the effects of accelerations on the circulatory system; (f) hypertension and coronary heart disease.	x		x	
	Man and environment				
	Central, peripheral and autonomic nervous systems	x		x	
	Vision: (a) functional anatomy; (b) visual field, foveal and peripheral vision; (c) binocular and monocular vision; (d) monocular vision cues; (e) night vision; (f) visual scanning and detection techniques and importance of 'look-out'; (g) defective vision.	x		x	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Hearing: (a) descriptive and functional anatomy; (b) flight related hazards to hearing; (c) hearing loss.	X		X	
	Equilibrium: (a) functional anatomy; (b) motion and acceleration; (c) motion sickness.	X		X	
	Integration of sensory inputs: (a) spatial disorientation: forms, recognition and avoidance;	X		X	
	(b) illusions: forms, recognition and avoidance: (1) physical origin; (2) physiological origin; (3) psychological origin. (c) approach and landing problems.				
	Health and hygiene				
	Personal hygiene: personal fitness	X		X	
	Body rhythm and sleep: (a) rhythm disturbances; (b) symptoms, effects and management.	X		X	
	Problem areas for pilots: (a) common minor ailments including cold, influenza and gastro-intestinal upset; (b) entrapped gases and barotrauma, (scuba diving); (c) obesity; (d) food hygiene; (e) infectious diseases; (f) nutrition; (g) various toxic gases and materials.	X		X	
	Intoxication:	X		X	
	(a) prescribed medication; (b) tobacco; (c) alcohol and drugs;				

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	(d) caffeine; (e) self-medication.				
	Basic aviation psychology				
	Human information processing				
	Attention and vigilance: (a) selectivity of attention; (b) divided attention.	X		X	
	Perception: (A) perceptual illusions; (B) subjectivity of perception; (C) processes of perception.	X		X	
	Memory: (a) sensory memory; (b) working or short term memory; (c) long term memory to include motor memory (skills).	X		X	
	Human error and reliability				
	Reliability of human behaviour	X		X	
	Error generation: social environment (group, organisation)	X		X	
	Decision making				
	Decision-making concepts:	X		X	
	(a) structure (phases);				
	(b) limits; (c) risk assessment; (d) practical application.				
	Avoiding and managing errors: cockpit management				
	Safety awareness: (a) risk area awareness; (b) situational awareness.	X		X	
	Communication: verbal and non-verbal communication	X		X	
	Human behaviour				
	Personality and attitudes: (a) development;	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	(b) environmental influences.				
	Identification of hazardous attitudes (error proneness)	X		X	
	Human overload and underload				
	Arousal	X		X	
	Stress: (a) definition(s); (b) anxiety and stress; (c) effects of stress.	X		X	
	Fatigue and stress management: (a) types, causes and symptoms of fatigue; (b) effects of fatigue; (c) coping strategies; (d) management techniques; (e) health and fitness programmes;	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
3.	METEOROLOGY				
	The atmosphere				
	Composition, extent and vertical division				
	Structure of the atmosphere	X		X	
	Troposphere	X		X	
	Air temperature				
	Definition and units	X		X	
	Vertical distribution of temperature	X		X	
	Transfer of heat	X		X	
	Lapse rates, stability and instability	X		X	
	Development of inversions and types of inversions	X		X	
	Temperature near the earth's surface, surface effects, diurnal and seasonal variation, effect of clouds and effect of wind	X		X	
	Atmospheric pressure				
	Barometric pressure and isobars	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Pressure variation with height	X		X	
	Reduction of pressure to mean sea level	X		X	
	Relationship between surface pressure centres and pressure centres aloft	X		X	
	Air density				
	Relationship between pressure, temperature and density	X		X	
	ISA				
	ICAO standard atmosphere	X		X	
	Altimetry				
	Terminology and definitions	X		X	
	Altimeter and altimeter settings	X		X	
	Calculations	X		X	
	Effect of accelerated airflow due to topography	X		X	
	Wind				
	Definition and measurement of wind				
	Definition and measurement	X		X	
	Primary cause of wind				
	Primary cause of wind, pressure gradient, coriolis force and gradient wind	X		X	
	Variation of wind in the friction layer	X		X	
	Effects of convergence and divergence	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
4.	COMMUNICATIONS				
	VFR COMMUNICATIONS				
	Definitions				
	Meanings and significance of associated terms	X		X	
	ATS abbreviations	X		X	
	Q-code groups commonly used in RTF air-ground communications	X		X	
	Categories of messages	X		X	
	General operating procedures				

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Transmission of letters	X		X	
	Transmission of numbers (including level information)	X		X	
	Transmission of time	X		X	
	Transmission technique	X		X	
	Standard words and phrases (relevant RTF phraseology included)	X		X	
	R/T call signs for aeronautical stations including use of abbreviated call signs	X		X	
	R/T call signs for aircraft including use of abbreviated call signs	X		X	
	Transfer of communication	X		X	
	Test procedures including readability scale	X		X	
	Read back and acknowledgement requirements	X		X	
	Relevant weather information terms (VFR)				
	Aerodrome weather	X		X	
	Weather broadcast	X		X	
	Action required to be taken in case of communication failure	X		X	
	Distress and urgency procedures				
	Distress (definition, frequencies, watch of distress frequencies, distress signal and distress message)	X		X	
	Urgency (definition, frequencies, urgency signal and urgency message)	X		X	
	General principles of VHF propagation and allocation of frequencies	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
5.	PRINCIPLES OF FLIGHT				
5.1.	PRINCIPLES OF FLIGHT: AEROPLANE				
	Subsonic aerodynamics				
	Basics concepts, laws and definitions				
	Laws and definitions:	X	X		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	(a) conversion of units; (b) Newton's laws; (c) Bernoulli's equation and venture; (d) static pressure, dynamic pressure and total pressure; (e) density; (f) IAS and TAS.				
	Basics about airflow: (a) streamline; (b) two-dimensional airflow; (c) three-dimensional airflow.	x	x		
	Aerodynamic forces on surfaces: (a) resulting airforce; (b) lift; (c) drag; (d) angle of attack.	x	x		
	Shape of an aerofoil section: (a) thickness to chord ratio; (b) chord line; (c) camber line; (d) camber; (e) angle of attack.	x	x		
	The wing shape: (a) aspect ratio; (b) root chord; (c) tip chord; (d) tapered wings; (e) wing planform.	x	x		
	The two-dimensional airflow about an aerofoil				
	Streamline pattern	x	x		
	Stagnation point	x	x		
	Pressure distribution	x	x		
	Centre of pressure	x	x		
	Influence of angle of attack	x	x		
	Flow separation at high angles of attack	x	x		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	The lift – α graph	x	x		
	The coefficients				
	The lift coefficient C_l ; the lift formula	x	x		
	The drag coefficient C_d ; the drag formula	x	x		
	The three-dimensional airflow round a wing and a fuselage				
	Streamline pattern: (a) span-wise flow and causes; (b) tip vortices and angle of attack; (c) upwash and downwash due to tip vortices; (d) wake turbulence behind an aeroplane (causes, distribution and duration of the phenomenon).	x	x		
	Induced drag: (a) influence of tip vortices on the angle of attack; (b) the induced local α ; (c) influence of induced angle of attack on the direction of the lift vector; (d) induced drag and angle of attack.	x	x		
	Drag				
	The parasite drag: (a) pressure drag; (b) interference drag; (c) friction drag.	x	x		
	The parasite drag and speed	x	x		
	The induced drag and speed	x	x		
	The total drag	x	x		
	The ground effect				
	Effect on take off and landing characteristics of an aeroplane	x	x		
	The stall				
	Flow separation at increasing angles of attack: (a) the boundary layer: (1) laminar layer;	x	x		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	(2) turbulent layer; (3) transition. (b) separation point; (c) influence of angle of attack; (d) influence on: (1) pressure distribution; (2) location of centre of pressure; (3) C_L ; (4) C_D ; (5) pitch moments. (e) buffet; (f) use of controls.				
	The stall speed: (a) in the lift formula; (b) 1g stall speed; (c) influence of: (1) the centre of gravity; (2) power setting; (3) altitude (IAS); (4) wing loading; (5) load factor n: (i) definition; (ii) turns; (iii) forces.	x	x		
	The initial stall in span-wise direction: (a) influence of planform; (b) geometric twist (wash out); (c) use of ailerons.	x	x		
	Stall warning: (a) importance of stall warning; (b) speed margin; (c) buffet; (d) stall strip; (e) flapper switch; (f) recovery from stall.	x	x		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Special phenomena of stall: (a) the power-on stall; (b) climbing and descending turns; (c) t-tailed aeroplane; (d) avoidance of spins: (1) spin development; (2) spin recognition; (3) spin recovery. (e) ice (in stagnation point and on surface): (1) absence of stall warning; (2) abnormal behaviour of the aircraft during stall.	x	x		
	C_L augmentation				
	Trailing edge flaps and the reasons for use in take-off and landing: (a) influence on C _L - α -graph; (b) different types of flaps; (c) flap asymmetry; (d) influence on pitch movement.	x	x		
	Leading edge devices and the reasons for use in take-off and landing	x	x		
	The boundary layer				
	Different types: (a) laminar; (b) turbulent.	x	x		
	Special circumstances				
	Ice and other contamination: (a) ice in stagnation point; (b) ice on the surface (frost, snow and clear ice); (c) rain; (d) contamination of the leading edge; (e) effects on stall; (f) effects on loss of controllability; (g) effects on control surface moment; (h) influence on high lift devices during take-off, landing and low speeds.	x	x		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Stability				
	Condition of equilibrium in steady horizontal flight				
	Precondition for static stability	x	x		
	Equilibrium: (a) lift and weight; (b) drag and thrust.	x	x		
	Methods of achieving balance				
	Wing and empennage (tail and canard)	x	x		
	Control surfaces	x	x		
	Ballast or weight trim	x	x		
	Static and dynamic longitudinal stability				
	Basics and definitions: (a) static stability, positive, neutral and negative; (b) precondition for dynamic stability; (c) dynamic stability, positive, neutral and negative.	x	x		
	Location of centre of gravity: (a) aft limit and minimum stability margin; (b) forward position; (c) effects on static and dynamic stability.	x	x		
	Dynamic lateral or directional stability				
	Spiral dive and corrective actions	x	x		
	Control				
	General				
	Basics, the three planes and three axis	x	x		
	Angle of attack change	x	x		
	Pitch control				
	Elevator	x	x		
	Downwash effects	x	x		
	Location of centre of gravity	x	x		
	Yaw control				
	Pedal or rudder	x	x		
	Roll control				

	Aeroplane		Helicopter	
	PPL	Bridge course	PPL	Bridge course
Ailerons: function in different phases of flight	x	x		
Adverse yaw	x	x		
Means to avoid adverse yaw: (a) frise ailerons; (b) differential ailerons deflection.	x	x		
Means to reduce control forces				
Aerodynamic balance: (a) balance tab and anti-balance tab; (b) servo tab.	x	x		
Mass balance				
Reasons to balance: means	x	x		
Trimming				
Reasons to trim	x	x		
Trim tabs	x	x		
Limitations				
Operating limitations				
Flutter	x	x		
V_{fe}	x	x		
V_{no} , V_{ne}	x	x		
Manoeuvring envelope				
Manoeuvring load diagram: (a) load factor; (b) accelerated stall speed; (c) v_a ; (d) manoeuvring limit load factor or certification category.	x	x		
Contribution of mass	x	x		
Gust envelope				
Gust load diagram	x	x		
Factors contributing to gust loads	x	x		
Propellers				
Conversion of engine torque to thrust				
Meaning of pitch	x	x		
Blade twist	x	x		
Effects of ice on propeller	x	x		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Engine failure or engine stop				
	Windmilling drag	X	X		
	Moments due to propeller operation				
	Torque reaction	X	X		
	Asymmetric slipstream effect	X	X		
	Asymmetric blade effect	X	X		
	Flight mechanics				
	Forces acting on an aeroplane				
	Straight horizontal steady flight	X	X		
	Straight steady climb	X	X		
	Straight steady descent	X	X		
	Straight steady glide	X	X		
	Steady coordinated turn: (a) bank angle; (b) load factor; (c) turn radius; (d) rate one turn.	X	X		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
6.	OPERATIONAL PROCEDURES				
	General				
	Operation of aircraft: ICAO Annex 6, General requirements				
	Definitions	X	X	X	X
	Applicability	X	X	X	X
	Special operational procedures and hazards (general aspects)	X	X	X	X
	Noise abatement				
	Noise abatement procedures	X	X	X	X
	Influence of the flight procedure (departure, cruise and approach)	X	X	X	X
	Runway incursion awareness (meaning of surface markings and signals)	X	X	X	X
	Fire or smoke				
	Carburettor fire	X	X	X	X
	Engine fire	X	X	X	X
	Fire in the cabin and cockpit, (choice of extinguishing agents according to fire classification and use of the extinguishers)	X	X	X	X
	Smoke in the cockpit and (effects and action to be taken) and smoke in the cockpit and cabin (effects and actions taken)	X	X	X	X
	Windshear and microburst				
	Effects and recognition during departure and approach	X	X	X	X
	Actions to avoid and actions taken during encounter	X	X	X	X
	Wake turbulence				
	Cause	X	X	X	X
	List of relevant parameters	X	X	X	X
	Actions taken when crossing traffic, during take-off and landing	X	X	X	X
	Emergency and precautionary landings				
	Definition	X	X	X	X
	Cause	X	X	X	X
	Passenger information	X	X	X	X

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Evacuation	X	X	X	X
	Action after landing	X	X	X	X
	Contaminated runways				
	Kinds of contamination	X	X		
	Estimated surface friction and friction coefficient	X	X		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
7.	FLIGHT PERFORMANCE AND PLANNING				
7.1.	MASS AND BALANCE: AEROPLANES OR HELICOPTERS				
	Purpose of mass and balance considerations				
	Mass limitations				
	Importance in regard to structural limitations	X	X	X	X

		Aeroplane	Helicopter		
		PPL	Bridge course	PPL	Bridge course
	Importance in regard to performance limitations	x	x	x	x
	CG limitations				
	Importance in regard to stability and controllability	x	x	x	x
	Importance in regard to performance	x	x	x	x
	Loading				
	Terminology				
	Mass terms	x	x	x	x
	Load terms (including fuel terms)	x	x	x	x
	Mass limits				
	Structural limitations	x	x	x	x
	Performance limitations	x	x	x	x
	Baggage compartment limitations	x	x	x	x
	Mass calculations				
	Maximum masses for take-off and landing	x	x	x	x
	Use of standard masses for passengers, baggage and crew	x	x	x	x
	Fundamentals of CG calculations				
	Definition of centre of gravity	x	x	x	x
	Conditions of equilibrium (balance of forces and balance of moments)	x	x	x	x
	Basic calculations of CG	x	x	x	x
	Mass and balance details of aircraft				
	Contents of mass and balance documentation				
	Datum and moment arm	x	x	x	x
	CG position as distance from datum	x	x	x	x
	Extraction of basic mass and balance data from aircraft documentation				
	BEM	x	x	x	x
	CG position or moment at BEM	x	x	x	x
	Deviations from standard configuration	x	x	x	x
	Determination of CG position				
	Methods				

		Aeroplane	Helicopter		
		PPL	Bridge course	PPL	Bridge course
	Arithmetic method	x	x	x	x
	Graphic method	x	x	x	x
	Load and trim sheet				
	General considerations	x	x	x	x
	Load sheet and CG envelope for light aeroplanes and for helicopters	x	x	x	x
7.2.	PERFORMANCE: AEROPLANES				
	Introduction				
	Performance classes	x	x		
	Stages of flight	x	x		
	Effect of aeroplane mass, wind, altitude, runway slope and runway conditions	x	x		
	Gradients	x	x		
	SE aeroplanes				
	Definitions of terms and speeds	x	x		
	Take-off and landing performance				
	Use of aeroplane flight manual data	x	x		
	Climb and cruise performance				
	Use of aeroplane flight data	x	x		
	Effect of density altitude and aeroplane mass	x	x		
	Endurance and the effects of the different recommended power or thrust settings	x	x		
	Still air range with various power or thrust settings	x	x		
7.3.	FLIGHT PLANNING AND FLIGHT MONITORING				
	Flight planning for VFR flights				
	VFR navigation plan				
	Routes, airfields, heights and altitudes from VFR charts	x	x	x	x
	Courses and distances from VFR charts	x	x	x	x
	Aerodrome charts and aerodrome directory	x	x	x	x
	Communications and radio navigation planning data	x	x	x	x

		Aeroplane	Helicopter		
		PPL	Bridge course	PPL	Bridge course
	Completion of navigation plan	x	x	x	x
	Fuel planning				
	General knowledge	x	x	x	x
	Pre-flight calculation of fuel required				
	Calculation of extra fuel	x	x	x	x
	Completion of the fuel section of the navigation plan (fuel log) and calculation of total fuel	x	x	x	x
	Pre-flight preparation				
	AIP and NOTAM briefing				
	Ground facilities and services	x	x	x	x
	Departure, destination and alternate aerodromes	x	x	x	x
	Airway routings and airspace structure	x	x	x	x
	Meteorological briefing				
	Extraction and analysis of relevant data from meteorological documents	x	x	x	x
	ICAO flight plan (ATS flight plan)				
	Individual flight plan				
	Format of flight plan	x	x	x	x
	Completion of the flight plan	x	x	x	x
	Submission of the flight plan	x	x	x	x
	Flight monitoring and in-flight re-planning				
	Flight monitoring				
	Monitoring of track and time	x	x	x	x
	In-flight fuel management	x	x	x	x
	In-flight re-planning in case of deviation from planned data	x	x	x	x
7.4.	PERFORMANCE: HELICOPTERS				
	General				
	Introduction				
	Stages of flight			x	x
	Effect on performance of atmospheric, airport or heliport and helicopter conditions			x	x

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Applicability of airworthiness requirements			X	X
	Definitions and terminology			X	X
	Performance: SE helicopters				
	Definitions of terms (a) masses; (b) velocities: v_x , v_y ;			X	X
	(c) velocity of best range and of maximum endurance; (d) power limitations; (e) altitudes.				
	Take-off, cruise and landing performance Use and interpretation of diagrams and tables: (a) Take-off: (1) take-off run and distance available; (2) take-off and initial climb; (3) effects of mass, wind and density altitude; (4) effects of ground surface and gradient. (b) Landing: (1) effects of mass, wind, density altitude and approach speed; (2) effects of ground surface and gradient. (c) In-flight: (1) relationship between power required and power available; (2) performance diagram; (3) effects of configuration, mass, temperature and altitude; (4) reduction of performance during climbing turns; (5) autorotation; (6) adverse effects (icing, rain and condition of the airframe).			X	X

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
8.	AIRCRAFT GENERAL KNOWLEDGE				
8.1.	AIRFRAME AND SYSTEMS, ELECTRICS, POWERPLANT AND EMERGENCY EQUIPMENT				
	System design, loads, stresses, maintenance				
	Loads and combination loadings applied to an aircraft's structure	X	X	X	X
	Airframe				
	Wings, tail surfaces and control surfaces				
	Design and constructions	X	X		
	Structural components and materials	X	X		
	Stresses	X	X		
	Structural limitations	X	X		
	Fuselage, doors, floor, wind-screen and windows				
	Design and constructions	X	X	X	X
	Structural components and materials	X	X	X	X
	Stresses	X	X	X	X
	Structural limitations	X	X	X	X
	Flight and control surfaces				
	Design and constructions			X	X
	Structural components and materials			X	X
	Stresses and aero elastic vibrations			X	X
	Structural limitations			X	X
	Hydraulics				
	Hydromechanics: basic principles	X	X	X	X
	Hydraulic systems	X	X	X	X
	Hydraulic fluids: types and characteristics, limitations	X	X	X	X
	System components: design, operation, degraded modes of operation, indications and warnings	X	X	X	X
	Landing gear, wheels, tyres and brakes				
	Landing gear				
	Types and materials	X	X	X	X

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Nose wheel steering: design and operation	X	X		
	Brakes				
	Types and materials	X	X	X	X
	System components: design, operation, indications and warnings	X	X	X	X
	Wheels and tyres				
	Types and operational limitations	X	X	X	X
	Helicopter equipments			X	X
	Flight controls				
	Mechanical or powered	X	X	X	X
	Control systems and mechanical	X	X	X	X
	System components: design, operation, indications and warnings, degraded modes of operation and jamming	X	X	X	X
	Secondary flight controls				
	System components: design, operation, degraded modes of operation, indications and warnings	X	X		
	Anti-icing systems				
	Types and operation (pitot and windshield)	X	X	X	X
	Fuel system				
	Piston engine				
	System components: design, operation, degraded modes of operation, indications and warnings	X	X	X	X
	Turbine engine				
	System components: design, operation, degraded modes of operation, indications and warnings			X	X
	Electrics				
	Electrics: general and definitions				
	Direct current: voltage, current, resistance, conductivity, Ohm's law, power and work	X	X	X	X
	Alternating current: voltage, current, amplitude, phase, frequency and resistance	X	X	X	X
	Circuits: series and parallel	X	X	X	X
	Magnetic field: effects in an electrical circuit	X	X	X	X

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Batteries				
	Types, characteristics and limitations	X	X	X	X
	Battery chargers, characteristics and limitations	X	X	X	X
	Static electricity: general				
	Basic principles	X	X	X	X
	Static dischargers	X	X	X	X
	Protection against interference	X	X	X	X
	Lightning effects	X	X	X	X
	Generation: production, distribution and use				
	DC generation: types, design, operation, degraded modes of operation, indications and warnings	X	X	X	X
	AC generation: types, design, operation, degraded modes of operation, indications and warnings	X	X	X	X
	Electric components				
	Basic elements: basic principles of switches, circuit-breakers and relays	X	X	X	X
	Distribution				
	General: (a) bus bar, common earth and priority; (b) AC and DC comparison.	X	X	X	X
	Piston engines				
	General				
	Types of internal combustion engine: basic principles and definitions	X	X	X	X
	Engine: design, operation, components and materials	X	X	X	X
	Fuel				
	Types, grades, characteristics and limitations	X	X	X	X
	Alternate fuel: characteristics and limitations	X	X	X	X
	Carburettor or injection system				
	Carburettor: design, operation, degraded modes of operation, indications and warnings	X	X	X	X
	Injection: design, operation, degraded modes of operation, indications and warnings	X	X	X	X

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Icing	X	X	X	X
	Air cooling systems				
	Design, operation, degraded modes of operation, indications and warnings	X	X	X	X
	Lubrication systems				
	Lubricants: types, characteristics and limitations	X	X	X	X
	Design, operation, degraded modes of operation, indications and warnings	X	X	X	X
	Ignition circuits				
	Design, operation, degraded modes of operation	X	X	X	X
	Mixture				
	Definition, characteristic mixtures, control instruments, associated control levers and indications	X	X	X	X
	Propellers				
	Definitions and general: (a) aerodynamic parameters; (b) types; (c) operating modes.	X	X		
	Constant speed propeller: design, operation and system components	X	X		
	Propeller handling: associated control levers, degraded modes of operation, indications and warnings	X	X		
	Performance and engine handling				
	Performance: influence of engine parameters, influence of atmospheric conditions, limitations and power augmentation systems	X	X	X	X
	Engine handling: power and mixture settings during various flight phases and operational limitations	X	X	X	X

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
8.2.	INSTRUMENTATION				
	Instrument and indication systems				
	Pressure gauge				
	Different types, design, operation, characteristics and accuracy	X	X	X	X
	Temperature sensing				
	Different types, design, operation, characteristics and accuracy	X	X	X	X
	Fuel gauge				
	Different types, design, operation, characteristics and accuracy	X	X	X	X
	Flow meter				
	Different types, design, operation, characteristics and accuracy	X	X	X	X
	Position transmitter				
	Different types, design, operation, characteristics and accuracy	X	X	X	X
	Torque meter				
	Design, operation, characteristics and accuracy			X	X
	Tachometer				
	Design, operation, characteristics and accuracy	X	X	X	X
	Measurement of aerodynamic parameters				
	Pressure measurement				
	Static pressure, dynamic pressure, density and definitions	X	X	X	X
	Design, operation, errors and accuracy	X	X	X	X
	Temperature measurement: aeroplane				
	Design, operation, errors and accuracy	X	X		
	Displays	X	X		

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Altimeter				
	Standard atmosphere	x	x	x	x
	The different barometric references (QNH, QFE and 1013.25)	x	x	x	x
	Height, indicated altitude, true altitude, pressure altitude and density altitude	x	x	x	x
	Design, operation, errors and accuracy	x	x	x	x
	Displays	x	x	x	x
	Vertical speed indicator				
	Design, operation, errors and accuracy	x	x	x	x
	Displays	x	x	x	x
	Air speed indicator				
	The different speeds IAS, CAS, TAS: definition, usage and relationships	x	x	x	x
	Design, operation, errors and accuracy	x	x	x	x
	Displays	x	x	x	x
	Magnetism: direct reading compass				
	Earth magnetic field	x	x	x	x
	Direct reading compass				
	Design, operation, data processing, accuracy and deviation	x	x	x	x
	Turning and acceleration errors	x	x	x	x
	Gyroscopic instruments				
	Gyroscope: basic principles				
	Definitions and design	x	x	x	x
	Fundamental properties	x	x	x	x
	Drifts	x	x	x	x
	Turn and bank indicator				
	Design, operation and errors	x	x	x	x
	Attitude indicator				
	Design, operation, errors and accuracy	x	x	x	x
	Directional gyroscope				

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Design, operation, errors and accuracy	X	X	X	X
	Communication systems				
	Transmission modes: VHF, HF and SATCOM				
	Principles, bandwidth, operational limitations and use	X	X	X	X
	Voice communication				
	Definitions, general and applications	X	X	X	X
	Alerting systems and proximity systems				
	Flight warning systems				
	Design, operation, indications and alarms	X	X	X	X
	Stall warning				
	Design, operation, indications and alarms	X	X		
	Integrated instruments: electronic displays				
	Display units				
	Design, different technologies and limitations	X	X	X	X

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
9.	NAVIGATION				
9.1.	GENERAL NAVIGATION				
	Basics of navigation				
	The solar system				
	Seasonal and apparent movements of the sun	X		X	
	The earth				
	Great circle, small circle and rhumb line	X		X	
	Latitude and difference of latitude	X		X	
	Longitude and difference of longitude	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Use of latitude and longitude co-ordinates to locate any specific position	X		X	
	Time and time conversions				
	Apparent time	X		X	
	UTC	X		X	
	LMT	X		X	
	Standard times	X		X	
	Dateline	X		X	
	Definition of sunrise, sunset and civil twilight	X		X	
	Directions				
	True north, magnetic north and compass north	X		X	
	Compass deviation	X		X	
	Magnetic poles, isogonals, relationship between true and magnetic	X		X	
	Distance				
	Units of distance and height used in navigation: nautical miles, statute miles, kilometres, metres and ft	X		X	
	Conversion from one unit to another	X		X	
	Relationship between nautical miles and minutes of latitude and minutes of longitude	X		X	
	Magnetism and compasses				
	General principles				
	Terrestrial magnetism	X		X	
	Resolution of the earth's total magnetic force into vertical and horizontal components	X		X	
	Variation-annual change	X		X	
	Aircraft magnetism				
	The resulting magnetic fields	X		X	
	Keeping magnetic materials clear of the compass	X		X	
	Charts				
	General properties of miscellaneous types of projections				
	Direct Mercator	X		X	
	Lambert conformal conic	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	The representation of meridians, parallels, great circles and rhumb lines				
	Direct Mercator	X		X	
	Lambert conformal conic	X		X	
	The use of current aeronautical charts				
	Plotting positions	X		X	
	Methods of indicating scale and relief (ICAO topographical chart)	X		X	
	Conventional signs	X		X	
	Measuring tracks and distances	X		X	
	Plotting bearings and distances	X		X	
	DR navigation				
	Basis of DR				
	Track	X		X	
	Heading (compass, magnetic and true)	X		X	
	Wind velocity	X		X	
	Air speed (IAS, CAS and TAS)	X		X	
	Groundspeed	X		X	
	ETA	X		X	
	Drift and wind correction angle	X		X	
	DR position fix	X		X	
	Use of the navigational computer				
	Speed	X		X	
	Time	X		X	
	Distance	X		X	
	Fuel consumption	X		X	
	Conversions	X		X	
	Air speed	X		X	
	Wind velocity	X		X	
	True altitude	X		X	
	The triangle of velocities				
	Heading	X		X	
	Ground speed	X		X	
	Wind velocity	X		X	
	Track and drift angle	X		X	

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Measurement of DR elements				
	Calculation of altitude	X		X	
	Determination of appropriate speed	X		X	
	In-flight navigation				
	Use of visual observations and application to in-flight navigation	X		X	
	Navigation in cruising flight, use of fixes to revise navigation data				
	Ground speed revision	X		X	
	Off-track corrections	X		X	
	Calculation of wind speed and direction	X		X	
	ETA revisions	X		X	
	Flight log	X		X	
9.2.	RADIO NAVIGATION				
	Basic radio propagation theory				
	Antennas				
	Characteristics	X		X	
	Wave propagation				
	Propagation with the frequency bands	X		X	
	Radio aids				
	Ground DF				
	Principles	X		X	
	Presentation and interpretation	X		X	
	Coverage	X		X	
	Range	X		X	
	Errors and accuracy	X		X	
	Factors affecting range and accuracy	X		X	
	NDB/ADF				
	Principles	X		X	
	Presentation and interpretation	X		X	
	Coverage	X		X	
	Range	X		X	
	Errors and accuracy	X		X	
	Factors affecting range and accuracy	X		X	
	VOR				

		Aeroplane		Helicopter	
		PPL	Bridge course	PPL	Bridge course
	Principles	X		X	
	Presentation and interpretation	X		X	
	Coverage	X		X	
	Range	X		X	
	Errors and accuracy	X		X	
	Factors affecting range and accuracy	X		X	
	DME				
	Principles	X		X	
	Presentation and interpretation	X		X	
	Coverage	X		X	
	Range	X		X	
	Errors and accuracy	X		X	
	Factors affecting range and accuracy	X		X	
	Radar				
	Ground radar				
	Principles	X		X	
	Presentation and interpretation	X		X	
	Coverage	X		X	
	Range	X		X	
	Errors and accuracy	X		X	
	Factors affecting range and accuracy	X		X	
	Secondary surveillance radar and transponder				
	Principles	X		X	
	Presentation and interpretation	X		X	
	Modes and codes	X		X	
	GNSS				
	GPS, GLONASS OR GALILEO				
	Principles	X		X	
	Operation	X		X	
	Errors and accuracy	X		X	
	Factors affecting accuracy	X		X	

AMC3 FCL.210; FCL.215

SYLLABUS OF THEORETICAL KNOWLEDGE FOR THE BPL AND SPL

The syllabi for the theoretical knowledge instruction and examination for the LAPL(B) and LAPL(S) in AMC1 FCL.115 and FCL.120 should be used for the BPL and SPL, respectively.

AMC1 FCL.215; FCL.235

THEORETICAL KNOWLEDGE EXAMINATION AND SKILL TEST FOR THE PPL

(a) Theoretical knowledge examination

- (1) The examinations should comprise a total of 120 multiple-choice questions covering all the subjects.
- (2) Communication practical classroom testing may be conducted.
- (3) The period of 18 months mentioned in FCL.025(b)(2) should be counted from the end of the calendar month when the applicant first attempted an examination.

(b) Skill test

Further training may be required following any failed skill test or part thereof. There should be no limit to the number of skill tests that may be attempted.

(c) Conduct of the test

- (1) If the applicant chooses to terminate a skill test for reasons considered inadequate by the FE, the applicant should retake the entire skill test. If the test is terminated for reasons considered adequate by the FE, only those sections not completed should be tested in a further flight.
- (2) Any manoeuvre or procedure of the test may be repeated once by the applicant. The FE may stop the test at any stage if it is considered that the applicant's demonstration of flying skill requires a complete retest.
- (3) An applicant should be required to fly the aircraft from a position where the PIC functions can be performed and to carry out the test as if there is no other crew member. Responsibility for the flight should be allocated in accordance with national regulations.

AMC1 FCL.235 Skill test

CONTENTS OF THE SKILL TEST FOR THE ISSUE OF A PPL(A)

- (a) The route to be flown for the navigation test should be chosen by the FE. The route may end at the aerodrome of departure or at another aerodrome. The applicant should be responsible for the flight planning and should ensure that all equipment and documentation for the execution of the flight are on board. The navigation section of the test should have a duration that allows the pilot to demonstrate his/her ability to complete a route with at least three identified waypoints and may, as agreed between the applicant and FE, be flown as a separate test.
- (b) An applicant should indicate to the FE the checks and duties carried out, including the identification of radio facilities. Checks should be completed in accordance with the authorised checklist for the aeroplane on which the test is being taken. During pre-flight preparation for the test the applicant should be required to determine power settings and speeds. Performance data for take-off, approach and landing should be calculated by the applicant in compliance with the operations manual or flight manual for the aeroplane used.

FLIGHT TEST TOLERANCE

- (c) The applicant should demonstrate the ability to:
- (1) operate the aeroplane within its limitations;
 - (2) complete all manoeuvres with smoothness and accuracy;
 - (3) exercise good judgment and airmanship;
 - (4) apply aeronautical knowledge;
 - (5) maintain control of the aeroplane at all times in such a manner that the successful outcome of a procedure or manoeuvre is never seriously in doubt.
- (d) The following limits are for general guidance. The FE should make allowance for turbulent conditions and the handling qualities and performance of the aeroplane used:
- (1) height:

(i) normal flight	± 150 ft
(ii) with simulated engine failure	± 200 ft (if ME aeroplane is used)
 - (2) heading or tracking of radio aids:

(i) normal flight	$\pm 10^\circ$
(ii) with simulated engine failure	$\pm 15^\circ$ (if ME aeroplane is used)
 - (3) speed:

(i) take-off and approach	+15/–5 knots
(ii) all other flight regimes	± 15 knots

CONTENT OF THE SKILL TEST

- (e) The skill test contents and sections set out in this AMC should be used for the skill test for the issue of a PPL(A) on SE and ME aeroplanes or on TMGs.

SECTION 1 PRE-FLIGHT OPERATIONS AND DEPARTURE	
Use of checklist, airmanship, control of aeroplane by external visual reference, anti/de-icing procedures, etc. apply in all sections.	
a	Pre-flight documentation, NOTAM and weather briefing
b	Mass and balance and performance calculation
c	Aeroplane inspection and servicing
d	Engine starting and after starting procedures
e	Taxiing and aerodrome procedures, pre-take-off procedures
f	Take-off and after take-off checks
g	Aerodrome departure procedures
h	ATC compliance and R/T procedures

SECTION 2 GENERAL AIRWORK	
a	ATC compliance and R/T procedures
b	Straight and level flight, with speed changes
c	Climbing: i. best rate of climb; ii. climbing turns; iii. levelling off.
d	Medium (30 ° bank) turns
e	Steep (45 ° bank) turns (including recognition and recovery from a spiral dive)
f	Flight at critically low air speed with and without flaps
g	Stalling: i. clean stall and recover with power; ii. approach to stall descending turn with bank angle 20°, approach configuration; iii. approach to stall in landing configuration.
h	Descending: i. with and without power; ii. descending turns (steep gliding turns); iii. levelling off.
SECTION 3 EN-ROUTE PROCEDURES	
a	Flight plan, dead reckoning and map reading
b	Maintenance of altitude, heading and speed
c	Orientation, timing and revision of ETAs and log keeping
d	Diversion to alternate aerodrome (planning and implementation)
e	Use of radio navigation aids
f	Basic instrument flying check (180 ° turn in simulated IMC)
g	Flight management (checks, fuel systems and carburettor icing, etc.)
h	ATC compliance and R/T procedures

SECTION 4 APPROACH AND LANDING PROCEDURES	
a	Aerodrome arrival procedures
b	* Precision landing (short field landing), crosswind, if suitable conditions available
c	* Flapless landing
d	* Approach to landing with idle power (SE only)
e	Touch and go
f	Go-around from low height
g	ATC compliance and R/T procedures
h	Actions after flight
SECTION 5 ABNORMAL AND EMERGENCY PROCEDURES	
This section may be combined with sections 1 through 4	
a	Simulated engine failure after take-off (SE only)
b	* Simulated forced landing (SE only)
c	Simulated precautionary landing (SE only)
d	Simulated emergencies
e	Oral questions

SECTION 6 SIMULATED ASYMMETRIC FLIGHT AND RELEVANT CLASS OR TYPE ITEMS	
This section may be combined with sections 1 through 5	
a	Simulated engine failure during take-off (at a safe altitude unless carried out in an FFS)
b	Asymmetric approach and go-around
c	Asymmetric approach and full stop landing
d	Engine shutdown and restart
e	ATC compliance, R/T procedures or airmanship
f	As determined by the FE: any relevant items of the class or type rating skill test to include, if applicable: <ul style="list-style-type: none"> i. aeroplane systems including handling of auto pilot; ii. operation of pressurisation system; iii. use of de-icing and anti-icing system.
g	Oral questions

* These items may be combined, at the discretion of the FE.

AMC1 FCL.210.A PPL(A) — Experience requirements and crediting

FLIGHT INSTRUCTION FOR THE PPL(A)

(a) Entry to training

Before being accepted for training an applicant should be informed that the appropriate medical certificate must be obtained before solo flying is permitted.

(b) Flight instruction

(1) The PPL(A) flight instruction syllabus takes into account the principles of threat and error management and also covers:

- (i) pre-flight operations, including mass and balance determination, aircraft inspection and servicing;
- (ii) aerodrome and traffic pattern operations, collision avoidance precautions and procedures;
- (iii) control of the aircraft by external visual reference;
- (iv) flight at critically low air speeds, recognition of, and recovery from, incipient and full stalls;
- (v) flight at critically high air speeds, recognition of, and recovery from, spiral dive;
- (vi) normal and crosswind take-offs and landings;
- (vii) maximum performance (short field and obstacle clearance) take-offs, short-field landings;
- (viii) flight by reference solely to instruments, including the completion of a level 180 ° turn;
- (ix) cross-country flying using visual reference, dead reckoning and radio navigation aids;
- (x) emergency operations, including simulated aeroplane equipment malfunctions;
- (xi) operations to, from and transiting controlled aerodromes, compliance with air traffic services procedures, communication procedures and phraseology.

(2) Before allowing the applicant for a PPL(A) to undertake his/her first solo flight, the FI should ensure that the applicant can use R/T communication.

(c) Syllabus of flight instruction

(1) The numbering of exercises should be used primarily as an exercise reference list and as a broad instructional sequencing guide; therefore the demonstrations and practices need not necessarily be given in the order listed. The actual order and content will depend upon the following interrelated factors:

- (i) the applicant's progress and ability;
- (ii) the weather conditions affecting the flight;
- (iii) the flight time available;
- (iv) instructional technique considerations;

- (v) the local operating environment;
 - (vi) applicability of the exercises to the aeroplane.
- (2) Each of the exercises involves the need for the applicant to be aware of the needs of good airmanship and look-out, which should be emphasised at all times.
- (i) Exercise 1a: Familiarisation with the aeroplane:
 - (A) characteristics of the aeroplane;
 - (B) cockpit layout;
 - (C) systems;
 - (D) checklists, drills and controls.
 - (ii) Exercise 1b: Emergency drills:
 - (A) action if fire on the ground and in the air;
 - (B) engine cabin and electrical system fire;
 - (C) systems failure;
 - (D) escape drills, location and use of emergency equipment and exits.
 - (iii) Exercise 2: Preparation for and action after flight:
 - (A) flight authorisation and aeroplane acceptance;
 - (B) serviceability documents;
 - (C) equipment required, maps, etc.;
 - (D) external checks;
 - (E) internal checks;
 - (F) harness, seat or rudder panel adjustments;
 - (G) starting and warm-up checks;
 - (H) power checks;
 - (I) running down system checks and switching off the engine;
 - (J) parking, security and picketing (for example tie down);
 - (K) completion of authorisation sheet and serviceability documents.
 - (iv) Exercise 3: Air experience: flight exercise.
 - (v) Exercise 4: Effects of controls:
 - (A) primary effects when laterally level and when banked;
 - (B) further effects of aileron and rudder;
 - (C) effects of:
 - (a) air speed;
 - (b) slipstream;
 - (c) power;
 - (d) trimming controls;
 - (e) flaps;
 - (f) other controls, as applicable.

- (D) operation of:
 - (a) mixture control;
 - (b) carburettor heat;
 - (c) cabin heating or ventilation.
- (vi) Exercise 5a: Taxiing:
 - (A) pre-taxi checks;
 - (B) starting, control of speed and stopping;
 - (C) engine handling;
 - (D) control of direction and turning;
 - (E) turning in confined spaces;
 - (F) parking area procedure and precautions;
 - (G) effects of wind and use of flying controls;
 - (H) effects of ground surface;
 - (I) freedom of rudder movement;
 - (J) marshalling signals;
 - (K) instrument checks;
 - (L) air traffic control procedures.
- (vii) Exercise 5b: Emergencies: brake and steering failure.
- (viii) Exercise 6: Straight and level:
 - (A) at normal cruising power, attaining and maintaining straight and level flight;
 - (B) flight at critically high air speeds;
 - (C) demonstration of inherent stability;
 - (D) control in pitch, including use of trim;
 - (E) lateral level, direction and balance and trim;
 - (F) at selected air speeds (use of power);
 - (G) during speed and configuration changes;
 - (H) use of instruments for precision.
- (ix) Exercise 7: Climbing:
 - (A) entry, maintaining the normal and max rate climb and levelling off;
 - (B) levelling off at selected altitudes;
 - (C) en-route climb (cruise climb);
 - (D) climbing with flap down;
 - (E) recovery to normal climb;
 - (F) maximum angle of climb;
 - (G) use of instruments for precision.
- (x) Exercise 8: Descending:
 - (A) entry, maintaining and levelling off;

- (B) levelling off at selected altitudes;
 - (C) glide, powered and cruise descent (including effect of power and air speed);
 - (D) side slipping (on suitable types);
 - (E) use of instruments for precision flight.
- (xi) Exercise 9: Turning:
- (A) entry and maintaining medium level turns;
 - (B) resuming straight flight;
 - (C) faults in the turn (for example in correct pitch, bank and balance);
 - (D) climbing turns;
 - (E) descending turns;
 - (F) faults in the turns (slipping and skidding on suitable types);
 - (G) turns onto selected headings, use of gyro heading indicator and compass;
 - (H) use of instruments for precision.

(xii) Exercise 10a: Slow flight:

Note: the objective is to improve the student's ability to recognise inadvertent flight at critically low speeds and provide practice in maintaining the aeroplane in balance while returning to normal air speed.

- (A) safety checks;
- (B) introduction to slow flight;
- (C) controlled flight down to critically slow air speed;
- (D) application of full power with correct attitude and balance to achieve normal climb speed.

(xiii) Exercise 10b: Stalling:

- (A) safety checks;
- (B) symptoms;
- (C) recognition;
- (D) clean stall and recovery without power and with power;
- (E) recovery when a wing drops;
- (F) approach to stall in the approach and in the landing configurations, with and without power and recovery at the incipient stage.

(xiv) Exercise 11: Spin avoidance:

- (A) safety checks;
- (B) stalling and recovery at the incipient spin stage (stall with excessive wing drop, about 45 °);
- (C) instructor induced distractions during the stall.

Note 1: at least two hours of stall awareness and spin avoidance flight training should be completed during the course.

Note 2: consideration of manoeuvre limitations and the need to refer to the aeroplane manual and mass and balance calculations.

(xv) Exercise 12: Take-off and climb to downwind position:

- (A) pre-take-off checks;
- (B) into wind take-off;
- (C) safeguarding the nose wheel;
- (D) crosswind take-off;
- (E) drills during and after take-off;
- (F) short take-off and soft field procedure/techniques including performance calculations;
- (G) noise abatement procedures.

(xvi) Exercise 13: Circuit, approach and landing:

- (A) circuit procedures, downwind and base leg;
- (B) powered approach and landing;
- (C) safeguarding the nose wheel;
- (D) effect of wind on approach and touchdown speeds and use of flaps;
- (E) crosswind approach and landing;
- (F) glide approach and landing;
- (G) short landing and soft field procedures or techniques;
- (H) flapless approach and landing;
- (I) wheel landing (tail wheel aeroplanes);
- (J) missed approach and go-around;
- (K) noise abatement procedures.

(xvii) Exercise 12/13: Emergencies:

- (A) abandoned take-off;
- (B) engine failure after take-off;
- (C) mislanding and go-around;
- (D) missed approach.

Note: in the interests of safety it will be necessary for pilots trained on nose wheel aeroplanes to undergo dual conversion training before flying tail wheel aeroplanes, and vice-versa.

(xviii) Exercise 14: First solo:

- (A) instructor's briefing, observation of flight and de-briefing;

Note: during flights immediately following the solo circuit consolidation the following should be revised:

- (B) procedures for leaving and rejoining the circuit;
- (C) the local area, restrictions, map reading;
- (D) use of radio aids for homing;
- (E) turns using magnetic compass, compass errors.

- (xix) Exercise 15: Advanced turning:
 - (A) steep turns (45 °), level and descending;
 - (B) stalling in the turn and recovery;
 - (C) recoveries from unusual attitudes, including spiral dives.
- (xx) Exercise 16: Forced landing without power:
 - (A) forced landing procedure;
 - (B) choice of landing area, provision for change of plan;
 - (C) gliding distance;
 - (D) descent plan;
 - (E) key positions;
 - (F) engine cooling;
 - (G) engine failure checks;
 - (H) use of radio;
 - (I) base leg;
 - (J) final approach;
 - (K) landing;
 - (L) actions after landing.
- (xxi) Exercise 17: Precautionary landing:
 - (A) full procedure away from aerodrome to break-off height;
 - (B) occasions necessitating;
 - (C) in-flight conditions;
 - (D) landing area selection:
 - (a) normal aerodrome;
 - (b) disused aerodrome;
 - (c) ordinary field.
 - (E) circuit and approach;
 - (F) actions after landing.
- (xxii) Exercise 18a: Navigation:
 - (A) flight planning:
 - (a) weather forecast and actuals;
 - (b) map selection and preparation:
 - (1) choice of route;
 - (2) controlled airspace;
 - (3) danger, prohibited and restricted areas;
 - (4) safety altitudes.
 - (c) calculations:
 - (1) magnetic heading(s) and time(s) en-route;
 - (2) fuel consumption;

- (3) mass and balance;
 - (4) mass and performance.
- (d) flight information:
 - (1) NOTAMs etc.;
 - (2) radio frequencies;
 - (3) selection of alternate aerodromes.
- (e) aeroplane documentation;
- (f) notification of the flight:
 - (1) pre-flight administrative procedures;
 - (2) flight plan form.
- (B) departure:
 - (a) organisation of cockpit workload;
 - (b) departure procedures:
 - (1) altimeter settings;
 - (2) ATC liaison in controlled or regulated airspace;
 - (3) setting heading procedure;
 - (4) noting of ETAs.
 - (c) maintenance of altitude and heading;
 - (d) revisions of ETA and heading;
 - (e) log keeping;
 - (f) use of radio;
 - (g) use of nav aids;
 - (h) minimum weather conditions for continuation of flight;
 - (i) in-flight decisions;
 - (j) transiting controlled or regulated airspace;
 - (k) diversion procedures;
 - (l) uncertainty of position procedure;
 - (m) lost procedure.
- (C) arrival and aerodrome joining procedure:
 - (a) ATC liaison in controlled or regulated airspace;
 - (b) altimeter setting;
 - (c) entering the traffic pattern;
 - (d) circuit procedures;
 - (e) parking;
 - (f) security of aeroplane;
 - (g) refuelling;
 - (h) closing of flight plan, if appropriate;
 - (i) post-flight administrative procedures.

- (xxiii) Exercise 18b: Navigation problems at lower levels and in reduced visibility:
- (A) actions before descending;
 - (B) hazards (for example obstacles and terrain);
 - (C) difficulties of map reading;
 - (D) effects of wind and turbulence;
 - (E) vertical situational awareness (avoidance of controlled flight into terrain);
 - (F) avoidance of noise sensitive areas;
 - (G) joining the circuit;
 - (H) bad weather circuit and landing.
- (xxiv) Exercise 18c: Radio navigation:
- (A) use of GNSS:
 - (a) selection of waypoints;
 - (b) to or from indications and orientation;
 - (c) error messages.
 - (B) use of VHF omni range:
 - (a) availability, AIP and frequencies;
 - (b) selection and identification;
 - (c) OBS;
 - (d) to or from indications and orientation;
 - (e) CDI;
 - (f) determination of radial;
 - (g) intercepting and maintaining a radial;
 - (h) VOR passage;
 - (i) obtaining a fix from two VORs.
 - (C) use of ADF equipment: NDBs:
 - (a) availability, AIP and frequencies;
 - (b) selection and identification;
 - (c) orientation relative to the beacon;
 - (d) homing.
 - (D) use of VHF/DF:
 - (a) availability, AIP, frequencies;
 - (b) R/T procedures and ATC liaison;
 - (c) obtaining a QDM and homing.
 - (E) use of en-route or terminal radar:
 - (a) availability and AIP;
 - (b) procedures and ATC liaison;
 - (c) pilot's responsibilities;

- (d) secondary surveillance radar:
 - (1) transponders;
 - (2) code selection;
 - (3) interrogation and reply.
- (F) use of DME:
 - (a) station selection and identification;
 - (b) modes of operation: distance, groundspeed and time to run.
- (xxv) Exercise 19: Basic instrument flight:
 - (A) physiological sensations;
 - (B) instrument appreciation; attitude instrument flight;
 - (C) instrument limitations;
 - (D) basic manoeuvres:
 - (a) straight and level at various air speeds and configurations;
 - (b) climbing and descending;
 - (c) standard rate turns, climbing and descending, onto selected headings;
 - (d) recoveries from climbing and descending turns.
- (d) BITD
 - (1) A BITD may be used for flight training for:
 - (i) flight by reference solely to instruments;
 - (ii) navigation using radio navigation aids;
 - (iii) basic instrument flight.
 - (2) The use of the BITD should be subject to the following:
 - (i) the training should be complemented by exercises on an aeroplane;
 - (ii) the record of the parameters of the flight must be available;
 - (iii) A FI(A) or STI(A) should conduct the instruction.

AMC1 FCL.205.S(b) SPL — Privileges and conditions**CONTENTS OF THE PROFICIENCY CHECK FOR THE EXTENSION OF SPL PRIVILEGES TO EXERCISE COMMERCIAL PRIVILEGES ON A SAILPLANE**

- (a) The applicant should be responsible for the flight planning and should ensure that all equipment and documentation for the execution of the flight are on board.
- (b) An applicant should indicate to the FE the checks and duties carried out. Checks should be completed in accordance with the authorised checklist for the sailplane on which the test is being taken.

FLIGHT TEST TOLERANCE

- (c) The applicant should demonstrate the ability to:
- (1) operate the sailplane within its limitations;
 - (2) complete all manoeuvres with smoothness and accuracy;
 - (3) exercise good judgment and airmanship;
 - (4) apply aeronautical knowledge;
 - (5) maintain control of the sailplane at all times in such a manner that the successful outcome of a procedure or manoeuvre is never seriously in doubt.

CONTENT OF THE SKILL TEST

- (d) The applicant should demonstrate his/her skill in at least the winch or aerotow method of launching.

SECTION 1 PRE-FLIGHT OPERATIONS AND TAKE-OFF	
Use of checklist, airmanship, control of sailplane by external visual reference, look-out procedures, etc. apply in all sections.	
a	Pre-flight sailplane (daily) inspection, documentation, NOTAM and weather briefing
b	Verifying in-limits mass and balance and performance calculation
c	Passenger briefing
d	Sailplane servicing compliance
e	Pre-take-off checks
SECTION 2 LAUNCH METHOD	
Note: at least for one of the three launch methods all the mentioned items are fully exercised during the skill test.	
SECTION 2 (a) WINCH OR CAR LAUNCH	
a	Signals before and during launch, including messages to winch driver
b	Initial roll and take-off climb
c	Adequate profile of winch launch

d	Launch failures (simulated)
e	Situational awareness
SECTION 2 (b) AEROTOW LAUNCH	
a	Signals before and during launch, including signals to or communications with tow plane pilot for any problems
b	Initial roll and take-off climb
c	Launch abandonment (simulation only or 'talk-through')
d	Correct positioning during straight flight and turns
e	Out of position and recovery
f	Correct release from tow
g	Lookout and airmanship through whole launch phase
SECTION 2 (c) SELF LAUNCH (TMGs excluded)	
a	ATC compliance
b	Aerodrome departure procedures
c	Initial roll and take-off climb
d	Simulated engine failure after take-off
e	Engine shut down and stowage
f	Lookout and airmanship through whole launch phase
SECTION 3 GENERAL AIRWORK	
a	Maintain straight flight: attitude and speed control
b	Steep (45 ° bank) turns, look-out procedures and collision avoidance
c	Turning on to selected headings visually and with use of compass
d	Flight at high angle of attack (critically low air speed)
e	Clean stall and recovery
f	Spin avoidance and recovery
g	Local area navigation and awareness
SECTION 4 CIRCUIT, APPROACH AND LANDING	
a	Aerodrome circuit joining procedure
b	Collision avoidance: look-out procedures
c	Pre-landing checks
d	Circuit, approach control and landing
e	Precision landing (simulation of out-landing: short field)
f	Cross wind landing if suitable conditions available

SUBPART H — CLASS AND TYPE RATINGS**GM1 FCL.700 Circumstances in which class or type ratings are required**

LIST OF CLASS OR TYPE RATINGS

The following tables contain lists of aeroplanes or TMG that are included in class ratings.

(a) Class ratings (aeroplane): SP and SEP or MEP aeroplane (land or sea):

Manufacturer	Aeroplanes		Licence Endorsement
All manufacturers	SEP (land)	(D)	SEP (land)
	SEP (land) with variable pitch propellers		
	SEP (land) with retractable undercarriage		
	SEP (land) with turbo or super charged engines		
	SEP (land) with cabin pressurisation		
	SEP (land) with tail wheels		
	SEP (land) with EFIS		
	SEP (land) with SLPC		
	SEP (sea)	(D)	SEP (sea)
	SEP (sea) with variable pitch propellers		
	SEP (sea) with turbo or super charged engines		
	SEP (sea) with cabin pressurisation		
	SEP (sea) with EFIS		
	SEP (sea) with SLPC		
All manufacturers	MEP (land)	(D)	MEP (land)
	MEP (sea)	(D)	MEP (sea)

(b) Class ratings (aeroplane): SP and SEP TMG (land):

Manufacturer	Aeroplanes		Licence Endorsement
All manufacturers	All TMGs having an integrally mounted, non-retractable engine and a non- retractable propeller		TMG

- (c) Additional class and type rating lists and endorsement lists are published by the Agency.
- (d) Whenever (D) is indicated in one of the lists mentioned in paragraphs (a) to (c), it indicates that differences training in accordance with FCL.710 is required.

GM1 FCL.710 Class and type ratings — variants

Differences and familiarisation training

- (a) Differences training requires the acquisition of additional knowledge and training on an appropriate training device or the aircraft.
- (b) Familiarisation training requires the acquisition of additional knowledge.

AMC1 FCL.725(a) Requirements for the issue of class and type ratings

SYLLABUS OF THEORETICAL KNOWLEDGE FOR CLASS OR TYPE RATINGS

I. SE AND ME AEROPLANES

- (a) Detailed listing for aeroplane structure and equipment, normal operation of systems and malfunctions:
- (1) dimensions: minimum required runway width for 180 ° turn.
 - (2) engine including auxiliary power unit:
 - (i) type of engine or engines;
 - (ii) in general, function of the following systems or components:
 - (A) engine;
 - (B) auxiliary power unit;
 - (C) oil system;
 - (D) fuel system;
 - (E) ignition system;
 - (F) starting system;
 - (G) fire warning and extinguishing system;
 - (H) generators and generator drives;
 - (I) power indication;
 - (J) reverse thrust;
 - (K) water injection.
 - (iii) on piston or turbine-propeller engines additionally:
 - (A) propeller system;
 - (B) feathering system.
 - (iv) engine controls (including starter), engine instruments and indications in the cockpit, their function, interrelation and interpretation;
 - (v) engine operation, including APU, during engine start, start and engine malfunctions, procedures for normal operation in the correct sequence.
 - (3) fuel system:
 - (i) location of the fuel tanks, fuel pumps, fuel lines to the engines, tank capacities, valves and measuring;
 - (ii) location of the following systems:
 - (A) filtering;
 - (B) heating;
 - (C) fuelling and defueling;
 - (D) dumping;
 - (E) venting.
 - (iii) in the cockpit:

- (A) the monitors and indicators of the fuel system;
 - (B) quantity and flow indication, interpretation.
- (iv) procedures:
 - (A) fuel procedures distribution into the various tanks;
 - (B) fuel supply, temperature control and fuel dumping.
- (4) pressurisation and air conditioning:
 - (i) components of the system and protection devices;
 - (ii) cockpit monitors and indicators;
 - (iii) interpretation about the operational condition;
 - (iv) normal operation of the system during start, cruise, approach and landing, air conditioning airflow and temperature control.
- (5) ice and rain protection, windshield wipers and rain repellent:
 - (i) ice protected components of the aeroplane including engines, heat sources, controls and indications;
 - (ii) operation of the anti-icing or de-icing system during take-off, climb, cruise and descent, conditions requiring the use of the protection systems;
 - (iii) controls and indications of the windshield wipers and rain repellent systems operation.
- (6) hydraulic system:
 - (i) components of the hydraulic system(s), quantities and system pressure, hydraulically actuated components associated to the respective hydraulic system;
 - (ii) controls, monitors and indicators in the cockpit, function and interrelation and interpretation of indications.
- (7) landing gear:
 - (i) main components of the:
 - (A) main landing gear;
 - (B) nose gear;
 - (C) gear steering;
 - (D) wheel brake system, including anti-skid.
 - (ii) gear retraction and extension (including changes in trim and drag caused by gear operation);
 - (iii) required tyre pressure, or location of the relevant placard;
 - (iv) controls and indicators including warning indicators in the cockpit in relation to the retraction or extension condition of the landing gear and brakes;
 - (v) components of the emergency extension system.
- (8) flight controls and high lift devices:
 - (i) (A) aileron system;
 - (B) elevator system;
 - (C) rudder system;

- (D) trim system;
 - (E) spoiler system;
 - (F) lift devices;
 - (G) stall warning system;
 - (H) take-off configuration warning system.
- (ii) flight control system from the cockpit controls to the flight control or surfaces;
 - (iii) controls, monitors and indicators including warning indicators of the systems mentioned under (8) (i), interrelation and dependencies.
- (9) electrical power supply:
- (i) number, power, voltage, frequency and location of the main power system (AC or DC), auxiliary power system location and external power system;
 - (ii) location of the controls, monitors and indicators in the cockpit;
 - (iii) flight instruments, communication and navigation systems, main and back-up power sources;
 - (iv) location of vital circuit breakers;
 - (v) generator operation and monitoring procedures of the electrical power supply.
- (10) flight instruments, communication, radar and navigation equipment, autoflight and flight data recorders:
- (i) visible antennae;
 - (ii) controls and instruments of the following equipment in the cockpit during normal operation:
 - (A) flight instruments;
 - (B) flight management systems;
 - (C) radar equipment, including radio altimeter;
 - (D) communication and navigation systems;
 - (E) autopilot;
 - (F) flight data recorder, cockpit voice recorder and data-link communication recording function;
 - (G) TAWS;
 - (H) collision avoidance system;
 - (I) warning systems.
- (11) cockpit, cabin and cargo compartment:
- (i) operation of the exterior, cockpit, cabin and cargo compartment lighting and the emergency lighting;
 - (ii) operation of the cabin and cargo doors, stairs, windows and emergency exits;
 - (iii) main components of the oxygen system and their location, oxygen masks and operation of the oxygen systems for the crew

and passengers, required amount of oxygen by means of a table or diagram.

- (12) emergency equipment operation and correct application of the following emergency equipment in the aeroplane:
- (i) portable fire extinguisher;
 - (ii) first-aid kits;
 - (iii) portable oxygen equipment;
 - (iv) emergency ropes;
 - (v) life-jacket;
 - (vi) life rafts;
 - (vii) emergency transmitters;
 - (viii) crash axes;
 - (ix) megaphones;
 - (x) emergency signals.
- (13) pneumatic system:
- (i) components of the pneumatic system, pressure source and actuated components;
 - (ii) controls, monitors and indicators in the cockpit and function of the system;
 - (iii) vacuum system.
- (b) Limitations:
- (1) general limitations:
- (i) certification of the aeroplane, category of operation, noise certification and maximum and minimum performance data for all flight profiles, conditions and aircraft systems:
 - (A) maximum tail and crosswind-components at take-off and landing;
 - (B) maximum speeds for flap extension v_{fo} ;
 - (C) at various flap settings v_{fe} ;
 - (D) for landing gear operation v_{lo} , M_{lo} ;
 - (E) for extended landing gear v_{le} , M_{le} ;
 - (F) for maximum rudder deflection v_a , M_a ;
 - (G) for tyres;
 - (H) one propeller feathered.
 - (ii) (A) minimum control speed air v_{mca} ;
 - (B) minimum control speed ground v_{mcg} ;
 - (C) stall speed under various conditions v_{so} , v_{s1} ;
 - (D) maximum speed v_{ne} , M_{ne} ;
 - (E) maximum speed for normal operation v_{mo} , M_{mo} ;
 - (F) altitude and temperature limitations;
 - (G) stick shaker activation.

- (iii) (A) maximum airport pressure altitude, runway slope;
 - (B) maximum taxi mass;
 - (C) maximum take-off mass;
 - (D) maximum lift off mass;
 - (E) maximum landing mass;
 - (F) zero fuel mass;
 - (G) maximum dumping speed v_{dco} , M_{dco} , v_{dce} , M_{dce} ;
 - (H) maximum load factor during operation;
 - (I) certificated range of centre of gravity.
- (2) engine limitations:
- (i) operating data of the engines:
 - (A) time limits and maximum temperatures;
 - (B) minimum RPMs and temperatures;
 - (C) torque;
 - (D) maximum power for take-off and go-around on pressure altitude or flight altitude and temperature;
 - (E) piston engines: certified range of mixture;
 - (F) minimum and maximum oil temperature and pressure;
 - (G) maximum starter time and required cooling;
 - (H) time between two start attempts for engines and auxiliary power unit;
 - (I) for propeller: maximum RPM of propeller triggering of automatic feathering device.
 - (ii) certified oil grades.
- (3) systems limitations:
- (i) operating data of the following systems:
 - (A) pressurisation, air conditioning maximum pressures;
 - (B) electrical power supply, maximum load of main power system (AC or DC);
 - (C) maximum time of power supply by battery in case of emergency;
 - (D) mach trim system and yaw damper speed limits;
 - (E) autopilot limitations of various modes;
 - (F) ice protection;
 - (G) speed and temperature limits of window heat;
 - (H) temperature limits of engine and wing anti-ice.
 - (ii) fuel system: certified fuel specifications, minimum and maximum pressures and temperature of the fuel.
- (4) minimum equipment list.
- (c) Performance, flight planning and monitoring:

- (1) performance calculation about speeds, gradients, masses in all conditions for take-off, en-route, approach and landing according to the documentation available (for example for take-off V_1 , V_{mbe} , V_r , V_{lof} , V_2 , take-off distance, maximum take-off mass and the required stop distance) on the following factors:
 - (i) accelerate or stop distance;
 - (ii) take-off run and distance available (TORA, TODA);
 - (iii) ground temperature, pressure altitude, slope, wind;
 - (iv) maximum load and maximum mass (for example ZFM);
 - (v) minimum climb gradient after engine failure;
 - (vi) influence of snow, slush, moisture and standing water on the runway;
 - (vii) possible single or dual engine failure during cruise flight;
 - (viii) use of anti-icing systems;
 - (ix) failure of water injection system or antiskid system;
 - (x) speeds at reduced thrust, V_1 , V_{1red} , V_{mbe} , V_{mu} , V_r , V_{lof} , V_2 ;
 - (xi) safe approach speed V_{ref} , on V_{mca} and turbulent conditions;
 - (xii) effects of excessive approach speed and abnormal glideslope on the landing distance;
 - (xiii) minimum climb gradient during approach and landing;
 - (xiv) limiting values for a go-around with minimum fuel;
 - (xv) maximum allowable landing mass and the landing distance for the destination and alternate aerodrome on the following factors:
 - (A) available landing distance;
 - (B) ground temperature, pressure altitude, runway slope and wind;
 - (C) fuel consumption to destination or alternate aerodrome;
 - (D) influence of moisture on the runway, snow, slush and standing water;
 - (E) failure of the water injection system or the anti skid system;
 - (F) influence of thrust reverser and spoilers.
- (2) flight planning for normal and abnormal conditions:
 - (i) optimum or maximum flight level;
 - (ii) minimum required flight altitude;
 - (iii) drift down procedure after an engine failure during cruise flight;
 - (iv) power setting of the engines during climb, cruise and holding under various circumstances, as well as the most economic cruising flight level;
 - (v) calculation of a short range or long range flight plan;
 - (vi) optimum and maximum flight level and power setting of the engines after engine failure.
- (3) flight monitoring.

- (d) Load and balance and servicing:
- (1) load and balance:
 - (i) load and trim sheet on the maximum masses for take-off and landing;
 - (ii) centre of gravity limits;
 - (iii) influence of fuel consumption on the centre of gravity;
 - (iv) lashing points, load clamping, maximum ground load.
 - (2) servicing on ground, servicing connections for:
 - (i) fuel;
 - (ii) oil;
 - (iii) water;
 - (iv) hydraulic;
 - (v) oxygen;
 - (vi) nitrogen;
 - (vii) conditioned air;
 - (viii) electric power;
 - (ix) start air;
 - (x) toilet and safety regulations.
- (e) Emergency procedures:
- (1) recognition of the situation as well as immediate memory actions in correct sequence and for those conditions recognised as emergencies by the manufacturer and competent authority for certification:
 - (i) engine failure during take-off before and after v_1 , as well as in-flight;
 - (ii) malfunctions of the propeller system;
 - (iii) engine overheat, engine fire on ground and in-flight;
 - (iv) wheel well fire;
 - (v) electrical smoke or fire;
 - (vi) rapid decompression and emergency descent;
 - (vii) air-conditioning overheat, anti-ice system overheat;
 - (viii) fuel pump failure;
 - (ix) fuel freezing overheat;
 - (x) electric power failure;
 - (xi) equipment cooling failure;
 - (xii) flight instrument failure;
 - (xiii) partial or total hydraulic failure;
 - (xiv) failures at the lift devices and flight controls including boosters;
 - (xv) cargo compartment smoke or fire.
 - (2) actions according to the approved abnormal and emergency checklist:
 - (i) engine restart in-flight;

- (ii) landing gear emergency extension;
 - (iii) application of the emergency brake system;
 - (iv) emergency extension of lift devices;
 - (v) fuel dumping;
 - (vi) emergency descent.
- (f) Special requirements for extension of a type rating for instrument approaches down to decision heights of less than 200 ft (60 m):
- (1) airborne and ground equipment:
 - (i) technical requirements;
 - (ii) operational requirements;
 - (iii) operational reliability;
 - (iv) fail operational;
 - (v) fail passive;
 - (vi) equipment reliability;
 - (vii) operating procedures;
 - (viii) preparatory measures;
 - (ix) operational downgrading;
 - (x) communications.
 - (2) procedures and limitations:
 - (i) operational procedures;
 - (ii) crew coordination.
- (g) Special requirements for 'glass cockpit' aeroplanes with EFIS
- Additional learning objectives:
- (1) general rules of aeroplanes computer hardware and software design;
 - (2) logic of all crew information and alerting systems and their limitations;
 - (3) interaction of the different aeroplane computer systems, their limitations, the possibilities of computer fault recognition and the actions to be performed on computer failures;
 - (4) normal procedures including all crew coordination duties;
 - (5) aeroplane operation with different computer degradations (basic flying).
- (h) Flight management systems.

AMC1 FCL.740(b)(1) Validity and renewal of class and type ratings**RENEWAL OF CLASS AND TYPE RATINGS: REFRESHER TRAINING**

- (a) Paragraph (b)(1) of FCL.740 determines that if a class or type rating has lapsed, the applicant shall take refresher training at an ATO. The objective of the training is to reach the level of proficiency necessary to safely operate the relevant type or class of aircraft. The amount of refresher training needed should be determined on a case-by-case basis by the ATO, taking into account the following factors:
- (1) the experience of the applicant. To determine this, the ATO should evaluate the pilot's log book, and, if necessary, conduct a test in an FSTD;
 - (2) the complexity of the aircraft;
 - (3) the amount of time lapsed since the expiry of the validity period of the rating. The amount of training needed to reach the desired level of proficiency should increase with the time lapsed. In some cases, after evaluating the pilot, and when the time lapsed is very limited (less than 3 months), the ATO may even determine that no further refresher training is necessary. When determining the needs of the pilot, the following items can be taken into consideration:
 - (i) **expiry shorter than 3 months: no supplementary requirements;**
 - (ii) expiry longer than 3 months but shorter than 1 year: a minimum of two training sessions;
 - (iii) expiry longer than 1 year but shorter than 3 years: a minimum of three training sessions in which the most important malfunctions in the available systems are covered;
 - (iv) expiry longer than 3 years: the applicant should again undergo the training required for the initial issue of the rating or, in case of helicopter, the training required for the 'additional type issue', according to other valid ratings held.
- (b) Once the ATO has determined the needs of the applicant, it should develop an individual training programme that should be based on the initial training for the issue of the rating and focus on the aspects where the applicant has shown the greatest needs.
- (c) After successful completion of the training, the ATO should give a certificate, or other documental evidence that the training has been successfully achieved to the applicant, to be submitted to the competent authority when applying for the renewal. The certificate or documental evidence needs to contain a description of the training programme.

AMC1 FCL.725.A(b) Theoretical knowledge and flight instruction for the issue of class and type ratings — aeroplanes

CLASS RATING SEA

- (a) The theoretical knowledge instruction should be conducted by an instructor having appropriate experience of class rating sea.
- (b) Depending on the equipment and systems installed, the instruction should include, but not be limited to, the following content:
 - (1) theoretical knowledge:
 - (i) the aim of the training is to teach:
 - (A) the importance of preparation for flight and the safe planning taking into consideration all the factors for manoeuvring the aircraft on the wind, tidal currents, high and low water times and water movements at sea, river estuaries and lakes. In addition, icing conditions, ice covered water and broken ice flows;
 - (B) the techniques about the most critical moments at take-off, landing, taxiing and mooring the aircraft;
 - (C) the construction methods and characteristics of floats and water rudders and the importance of checking for leaks in the floats;
 - (D) the necessary requirements for the compliance of the rules for the avoidance of collisions at sea, in regard to sea charts, buoys and lights and horns.
 - (ii) after completing the training, the student should be able to:
 - (A) describe the factors that have significance for planning and decision about initiation of seaplane flying and alternative measures for completion of flight;
 - (B) describe how the water level is affected by air pressure, wind, tide, regularisations and the flight safety depending on changes in the water level;
 - (C) describe the origin of different ice conditions in water areas;
 - (D) interpret nautical charts and maps about depths and shoals and risk for water currents, shifts of the wind, turbulence;
 - (E) decide what required equipment to bring during seaplane flying according to the operational requirements;
 - (F) describe the origin and extension of water waves, swells and water currents and their effect on the aeroplane;
 - (G) describe how water and air forces effect the aeroplane on water;
 - (H) describe the effect of water resistance on the aeroplanes' performance on glassy water and during different wave conditions;
 - (I) describe the consequences of taxiing with too high engine RPM;

- (J) describe the effect of pressure and temperature on performance at take-off and climb from lakes located at higher altitude;
 - (K) describe the effect of wind, turbulence, and other meteorological conditions of special importance for flight over lakes, islands in mountain areas and other broken ground;
 - (L) describe the function of the water rudder and its handling, including the effect of lowered water rudder at take-off and landing;
 - (M) describe the parts of the float installation and their function;
 - (N) describe the effect of the floats on the aeroplanes' aerodynamics and performance in water and in air;
 - (O) describe the consequences of water in the floats and fouling of float bottoms;
 - (P) describe aviation requirements that apply specifically for the conduct of aircraft activity on water;
 - (Q) describe requirements about animal, nature and environment protection of significance for flight by seaplane, including flight in national parks;
 - (R) describe the meaning of navigation buoys;
 - (S) describe the organisation and working methods of the Sea Rescue Service;
 - (T) describe the requirements in ICAO Annex 2 as set out in paragraph 3.2.6 'Water operation', including relevant parts of the Convention on the International Regulations for Preventing Collisions at Sea.
- (2) practical training:
- (i) the aim of the practical training is to learn:
 - (A) the skills in manoeuvring aeroplanes on water and in mooring the aeroplane;
 - (B) the skills required for the reconnaissance of landing and mooring areas from the air, including the take-off area;
 - (C) the skills for assessing the effects of different water depths, shoals, wind, height of waves and swell;
 - (D) the skills for flying with floats about their effect on performance and flight characteristics;
 - (E) the skills for flying in broken ground during different wind and turbulence conditions;
 - (F) the skills for take-off and landing on glassy water, different ° of swell and water current conditions.
 - (ii) after the training, the student should be able to:
 - (A) handle the equipment that shall be brought during seaplane flying;

- (B) perform pre-flight daily inspection on aeroplane, float installation and special seaplane equipment, including emptying of floats;
 - (C) sail, taxi and turn the aeroplane at swell with correct handling of the water rudder;
 - (D) taxi on the step and perform turns;
 - (E) establish the wind direction with the aeroplane;
 - (F) take necessary actions if loss of steering ability and person falling overboard;
 - (G) make land and moor aeroplane at bridge, buoy and beach with the use of appropriate knots to secure the aircraft;
 - (H) maintain given rate of descent by means of variometer only;
 - (I) perform take-off and landing on glassy water with and without outer references;
 - (J) perform take-off and landing under swell;
 - (K) perform power-off landing;
 - (L) from the air, reconnaissance of landing, mooring and take-off areas, observing;
 - (M) wind direction and strength during landing and take-off;
 - (N) surrounding terrain;
 - (O) overhead wires and other obstacles above and under water;
 - (P) congested areas;
 - (Q) determine wind direction and assess wind strength from water level and when airborne;
 - (R) state, for the aeroplane type in question;
 - (a) maximum wave height allowed;
 - (b) maximum number of ERPM allowed during taxi;
 - (S) describe how flying with floats affects the performance and flight characteristics of the aeroplane;
 - (T) take corrective action at critical moments due to wind shear and turbulence;
 - (U) navigate on the water with reference to buoys markers, obstacles and other traffic on the water.
- (c) For the initial issue of class rating sea for SP, SE and ME aeroplanes, the number of multi-choice questions in the written or computer-based examination should at least comprise thirty questions, and may be conducted by the training organisation. The pass mark should be 75 %.

SUBPART I — ADDITIONAL RATINGS

AMC1 FCL.800 Aerobatic rating

THEORETICAL KNOWLEDGE AND FLYING TRAINING

- (a) The aim of the aerobatic training is to qualify licence holders to perform aerobatic manoeuvres.
- (b) The ATO should issue a certificate of satisfactory completion of the instruction to licence endorsement.
- (c) Theoretical knowledge

The theoretical knowledge syllabus should cover the revision or explanation of:

- (1) human factors and body limitation:
 - (i) spatial disorientation;
 - (ii) airsickness;
 - (iii) body stress and G-forces, positive and negative;
 - (iv) effects of grey- and blackouts.
- (2) technical subjects:
 - (i) legislation affecting aerobatic flying to include environmental and noise subjects;
 - (ii) principles of aerodynamics to include slow flight, stalls and spins, flat and inverted;
 - (iii) general airframe and engine limitations (if applicable).
- (3) limitations applicable to the specific aircraft category (and type):
 - (i) air speed limitations (aeroplane, helicopter, TMG and sailplane, as applicable);
 - (ii) symmetric load factors (type-related, as applicable);
 - (iii) rolling Gs (type-related, as applicable).
- (4) aerobatic manoeuvres and recovery:
 - (i) entry parameters;
 - (ii) planning systems and sequencing of manoeuvres;
 - (iii) rolling manoeuvres;
 - (iv) looping manoeuvres;
 - (v) combination manoeuvres;
 - (vi) entry and recovery from developed spins, flat, accelerated and inverted.
- (5) emergency procedures:
 - (i) recovery from unusual attitudes;
 - (ii) drills to include the use of parachutes (if worn) and aircraft abandonment.

(d) Flying training

The exercises of the aerobatic flying training syllabus should be repeated as necessary until the applicant achieves a safe and competent standard. Having completed the flight training, the student pilot should be able to perform a solo flight containing a sequence of aerobatic manoeuvres. The dual training and the supervised solo training flights should be tailored to the category of aircraft and limited to the permitted manoeuvres of that type of aircraft. The exercises should comprise at least the following practical training items:

- (1) confidence manoeuvres and recoveries:
 - (i) slow flights and stalls;
 - (ii) steep turns;
 - (iii) side slips;
 - (iv) engine restart in-flight (if applicable);
 - (v) spins and recovery;
 - (vi) recovery from spiral dives;
 - (vii) recovery from unusual attitudes.
- (2) aerobatic manoeuvres:
 - (i) Chandelle;
 - (ii) Lazy Eight;
 - (iii) rolls;
 - (iv) loops;
 - (v) inverted flight;
 - (vi) Hammerhead turn;
 - (vii) Immelmann.

AMC1 FCL.805 Sailplane towing and banner towing rating

THEORETICAL KNOWLEDGE AND FLYING TRAINING

- (a) The aim of the towing instruction is to qualify licence holders to tow banners or sailplanes.
- (b) The ATO should issue a certificate of satisfactory completion of the instruction that can be used for licence endorsement.
- (c) Theoretical knowledge: towing of sailplanes

The theoretical knowledge syllabus for towing of sailplanes should cover the revision or explanation of:

- (1) regulations about towing flights;
- (2) equipment for the towing activity;
- (3) sailplane towing techniques, including:
 - (i) signals and communication procedures;
 - (ii) take-off (normal and crosswind);
 - (iii) in-flight launch procedures;
 - (iv) descending on tow;
 - (v) sailplane release procedure;
 - (vi) tow rope release procedure;
 - (vii) landing with tow rope connected (if applicable);
 - (viii) emergency procedures during tow, including equipment malfunctions;
 - (ix) safety procedures;
 - (x) flight performance of the applicable aircraft type when towing sailplanes;
 - (xi) look-out and collision avoidance;
 - (xii) performance data sailplanes, including:
 - (A) suitable speeds;
 - (B) stall characteristics in turns.
- (d) Theoretical knowledge: banner towing

The theoretical knowledge syllabus for banner towing should cover the revision or explanation of:

 - (1) regulations about banner towing;
 - (2) equipment for the banner towing activity;
 - (3) ground crew coordination;
 - (4) pre-flight procedures;
 - (5) banner towing techniques, including:
 - (i) take-off launch;
 - (ii) banner pickup manoeuvres;
 - (iii) flying with a banner in tow;

AMC1 FCL.815 Mountain rating

THEORETICAL KNOWLEDGE AND FLYING TRAINING

THEORETICAL KNOWLEDGE	
WHEEL	SKI
<i>1. Equipment</i>	
W.1.1 Personal equipment for the flight	S.1.1 Personal equipment for the flight
W.1.2 Aircraft equipment for the flight	S.1.2 Aircraft equipment for the flight
<i>2. Take-off techniques</i>	
W.2.1 Technique for approach and landing on a mountain surface	S.2.1 Technique for approach and landing on a mountain surface
W.2.2 Rolling techniques of the aircraft on various runway profiles	S.2.2 Landing technique on skis
W.2.3 Take-off technique	S.2.3 Rolling techniques of the aircraft on skis about the snow nature
W.2.4 Aircraft and engine performances about altitude	S.2.4 Take-off technique on surfaces covered with snow
	S.2.5. Aircraft and engine performances about altitude
<i>3. Rules</i>	
W.3.1 Mountain rating	S.3.1 Mountain rating
W.3.2 Overflight rules	S.3.2 Overflight rules
W.3.3 Surfaces classification	S.3.3 Surfaces classification
W.3.4 PIC responsibilities	S.3.4 PIC responsibilities
W.3.5 Responsibilities of the surface manager	S.3.5 Responsibilities of the surface manager
W.3.6 Flight plan	S.3.6 Flight plan
	S.3.7 Certification of the ski mounted aeroplanes
<i>4. Meteorology</i>	
W.4.1 Movements of the air mass	S.4.1 Movements of the air mass
W.4.2 Flight consequences	S.4.2 Flight consequences
W.4.3 Relief effect on the movement of the air masses	S.4.3 Relief effect on the movement of the air masses
W.4.4 Altimetry	S.4.4 Altimetry
<i>5. Human Performance and Limitations</i>	
W.5.1 The cold	S.5.1 The cold
W.5.2 The food	S.5.2 The food
W.5.3 The hypoxia	S.5.3 The hypoxia
W.5.4 The radiance	S.5.4 The radiance
W.5.5 The thirst	S.5.5 The thirst
W.5.6 The tiredness	S.5.6 The tiredness
W.5.7 Turbulence effects in altitude	S.5.7 Turbulence effects in altitude
<i>6. Navigation</i>	
W.6.1 Progress of the flight	S.6.1 Progress of the flight
W.6.2 Dead reckoning	S.6.2 Dead reckoning
W.6.3 The path over the relief	S.6.3 The path over the relief

W.6.4 Progress in the valleys W.6.5 Detection of obstacles (high voltage lines, chairlifts, cables, etc.).	S.6.4 Progress in the valleys S.6.5 Detection of obstacles (high voltage lines, chairlifts, cables, etc.)
<i>7. Specific items</i>	
	S.7.1 Knowledge of the snow and assessment of the snow nature in-flight S.7.2 Knowledge of the glacier S.7.3 Life of the glacier S.7.4 Formation of the cracks S.7.5 Snow bridges S.7.6 Avalanches
<i>8. Survival</i>	
	S.8.1 Ways of survival (psychological aspects) S.8.2 Use of the equipments S.8.3 Removal of snow from the aircraft S.8.4 Building of a shelter S.8.5 How to eat and feed
FLIGHT INSTRUCTION	
WHEEL	SKI
<i>I.- Navigation</i>	
W.I.1 Flight techniques in the valleys W.I.2 Flight over mountain passes and ridges W.I.3 U-turn in narrow valleys W.I.4 Choice of the flight path of aerology W.I.5 Map reading	S.I.1 Flight techniques in the valleys S.I.2 Flight over mountain passes and ridges. S.I.3 U-turn in narrow valleys S.I.4 Choice of the flight path of aerology S.I.5 Map reading
<i>II. – Arrival and reconnaissance</i>	
W.II.1 Choice of the altitude of arrival W.II.2 Choice of the arrival and overflight pattern W.II.3 Choice of the landing pattern W.II.4 Aerology awareness W.II.5 Evaluation of the length of the runway W.II.6 Evaluation of the runway profile (slope and banking) W.II.7 Collision avoidance. W.II.8 Definition of the references for the landing (touchdown point) W.II.9 Determination of the circuit pattern altitude W.II.10 Choice of the final speed depending on the runway profile	S.II.1 Choice of the arrival altitude S.II.2 Choice of the arrival and overflight pattern S.II.3 Description of the circuit pattern S.II.4 Aerology awareness S.II.5 Evaluation of the runway length S.II.6 Evaluation of the runway profile (slope and banking) S.II.7 Collision avoidance S.II.8 Definition of the references for the landing (touchdown point) S.II.9 Determination of the circuit pattern altitude S.II.10 Choice of the final speed depending on the runway profile S.II.11 Choice of the take-off axis S.II.12. Choice of the landing axis S.II.13 Choice of the parking area S.II.14 Observation of the obstacles on the ground (cracks, snow bridges, avalanches) S.II.15 Estimation of the snow nature

	S.II.16 Observation of the way to reach a refuge from the landing area
<i>III – Approach and landing</i>	
W.III.1 Landing pattern altitude	S.III.1 Landing pattern altitude
W.III.2 Precision of flight along the landing path	S.III.2 Precision of flight along the landing path
W.III.3 Corrections on the landing path (accuracy and effectiveness)	S.III.3 Corrections on the landing path (accuracy and effectiveness)
W.III.4 Landing (precision of the flare and of the touchdown point)	S.III.4 Landing (precision of the flare and of the touchdown point)
W.III.5 Taxiing (use of the engine power) on various profiles	S.III.5 Taxi of the aircraft on various snows and various runway profiles
W.III.6 Parking of the aircraft (depending on the runway profile, the traffic, etc.)	S.III.6 Parking of the aircraft (depending on the snow nature and the profile of the apron)
	S.III.7 Turns on various snow nature and various ground profiles
<i>IV. – Take-off</i>	
W.IV.1 Safety checks before take-off	S. IV.1 Safety checks before take-off.
	S.IV.2 Lining up on the runway
	S.IV.3 Control of the runway axis during take-off
	S.IV.4 Choice and use of the visual references of the take-off axis
W.IV.2 Lining up on the runway	S.IV.5 Acceleration depending on the nature of the snow
W.IV.3 Control of the runway axis during take-off	S.IV.6 Short take-off
W.IV.4 Choice and use of the visual references of the take-off axis	S.IV.7 Take-off avoiding the skid of the skis
<i>V. - Survival</i>	
	S.V.1 Use of the snowshoes
	S.V.2 Use of the markings

AMC2 FCL.815 Mountain rating

SKILL TEST AND PROFICIENCY CHECK

The skill test for the issue or the proficiency check for the revalidation or renewal of a mountain rating should contain the following elements:

(a) oral examination

This part should be done before the flight and should cover all the relevant parts of the theoretical knowledge. At least one question for each of the following sections should be asked:

- (1) specific equipment for a mountain flight (personal and aircraft);
- (2) rules of the mountain flight.

If the oral examination reveals a lack in theoretical knowledge, the flight test should not be done and the skill test is failed.

(b) practical skill test

During the flight test, two sites different from the departure airport should be used for recognition, approach, landing and take-off. For the mountain rating ski or the extension from wheel to ski, one of the two different sites should be a glacier.

SUBPART J — INSTRUCTORS

GM1 FCL.900 Instructor certificates

GENERAL

- (a) Nine instructor categories are recognised:
- (1) FI certificate: aeroplane (FI(A)), helicopter (FI(H)), airship (FI(As)), sailplane (FI(S)) and balloon (FI(B));
 - (2) TRI certificate: aeroplane (TRI(A)), helicopter (TRI(H)), powered-lift aircraft (TRI(PL));
 - (3) CRI certificate: aeroplane (CRI(A));
 - (4) IRI certificate: aeroplane (IRI(A)), helicopter (IRI(H)) and airship (IRI(As));
 - (5) SFI certificate: aeroplane (SFI(A)), helicopter (SFI(H)) and powered-lift aircraft (SFI(PL));
 - (6) MCCI certificate: aeroplanes (MCCI(A)), helicopters (MCCI(H)), powered-lift aircraft (MCCI(PL)) and airships (MCCI(As));
 - (7) STI certificate: aeroplane (STI(A)) and helicopter (STI(H));
 - (8) MI certificate: (MI);
 - (9) FTI certificate: (FTI).
- (b) For categories (1) to (4) and for (8) and (9) the applicant needs to hold a pilot licence. For categories (5) to (7) no licence is needed, only an instructor certificate.
- (c) A person may hold more than one instructor certificate.

SPECIAL CONDITIONS

- (a) When new aircraft are introduced, requirements such as to hold a licence and rating equivalent to the one for which instruction is being given, or to have adequate flight experience, may not be possible to comply with. In this case, to allow for the first instruction courses to be given to applicants for licences or ratings for these aircraft, competent authorities need the possibility to issue a specific certificate that does not have to comply with the requirements established in this Subpart.
- (b) The competent authority should only give these certificates to holders of other instruction qualifications. As far as possible, preference should be given to persons with at least 100 hours of experience in similar types or classes of aircraft.
- (c) When the new aircraft type introduced in an operator's fleet already existed in a Member State, the competent authority should only give the specific certificate to an applicant that is qualified as PIC on that aircraft.
- (d) The certificate should ideally be limited in validity to the time needed to qualify the first instructors for the new aircraft in accordance with this Subpart, but in any case it should not exceed the 1 year established in the rule.

AMC1 FCL.920 Instructor competencies and assessment

- (a) Training should be both theoretical and practical. Practical elements should include the development of specific instructor skills, particularly in the area of teaching and assessing threat and error management and CRM.
- (b) The training and assessment of instructors should be made against the following performance standards:

Competence	Performance	Knowledge
Prepare resources	(a) ensures adequate facilities; (b) prepares briefing material; (c) manages available tools.	(a) understand objectives; (b) available tools; (c) competency-based training methods.
Create a climate conducive to learning	(a) establishes credentials, role models appropriate behaviour; (b) clarifies roles; (c) states objectives; (d) ascertains and supports trainees needs.	(a) barriers to learning; (b) learning styles.
Present knowledge	(a) communicates clearly; (b) creates and sustains realism; (c) looks for training opportunities.	teaching methods.
Integrate TEM or CRM	makes TEM or CRM links with technical training.	HF, TEM or CRM.
Manage time to achieve training objectives	allocates time appropriate to achieving competency objective.	syllabus time allocation.
Facilitate learning	(a) encourages trainee participation; (b) shows motivating, patient, confident and assertive manner; (c) conducts one-to-one coaching; (d) encourages mutual support.	(a) facilitation; (b) how to give constructive feedback; (c) how to encourage trainees to ask questions and seek advice;
Assesses trainee performance	(a) assesses and encourages trainee self-assessment of performance against competency standards; (b) makes assessment decision and provide clear feedback; (c) observes CRM behaviour.	(a) observation techniques; (b) methods for recording observations.
Monitor and review progress	(a) compares individual outcomes to defined objectives;	(a) learning styles; (b) strategies for

	(b) identifies individual differences in learning rates; (c) applies appropriate corrective action.	training adaptation to meet individual needs.
Evaluate training sessions	(a) elicits feedback from trainees; (b) tracks training session processes against competence criteria; (c) keeps appropriate records.	(a) competency unit and associated elements; (b) performance criteria.
Report outcome	reports accurately using only observed actions and events.	(a) phase training objectives; (b) individual versus systemic weaknesses.

AMC3 FCL.935 Assessment of competence

CONTENT OF THE ASSESSMENT FOR THE FI

(a) In the case of the FI, the content of the assessment of competence should be the following:

SECTION 1 THEORETICAL KNOWLEDGE ORAL	
1.1	Air law
1.2	Aircraft general knowledge
1.3	Flight performance and planning
1.4	Human performance and limitations
1.5	Meteorology
1.6	Navigation
1.7	Operational procedures
1.8	Principles of flight
1.9	Training administration

Sections 2 and 3 selected main exercises:

SECTION 2 PRE-FLIGHT BRIEFING	
2.1	Visual presentation
2.3	Technical accuracy
2.4	Clarity of explanation
2.5	Clarity of speech
2.6	Instructional technique
2.7	Use of models and aids
2.8	Student participation

SECTION 3 FLIGHT	
3.1	Arrangement of demo
3.2	Synchronisation of speech with demo
3.3	Correction of faults
3.4	Aircraft handling
3.5	Instructional technique
3.6	General airmanship and safety
3.7	Positioning and use of airspace

SECTION 4 ME EXERCISES	
4.1	Actions following an engine failure shortly after take-off ¹
4.2	SE approach and go-around ¹
4.3	SE approach and landing ¹

¹ These exercises are to be demonstrated at the assessment of competence for FI for ME aircraft.

SECTION 5 POST-FLIGHT DE-BRIEFING	
5.1	Visual presentation
5.2	Technical accuracy
5.3	Clarity of explanation
5.4	Clarity of speech
5.5	Instructional technique
5.6	Use of models and aids
5.7	Student participation

(b) Section 1, the oral theoretical knowledge examination part of the assessment of competence, is for all FI and is subdivided into two parts:

- (1) The applicant is required to give a lecture under test conditions to other 'student(s)', one of whom will be the examiner. The test lecture is to be selected from items of section 1. The amount of time for

preparation of the test lecture is agreed upon beforehand with the examiner. Appropriate literature may be used by the applicant. The test lecture should not exceed 45 minutes;

- (2) The applicant is tested orally by an examiner for knowledge of items of section 1 and the 'core instructor competencies: teaching and learning' content given in the instructor courses.
- (c) Sections 2, 3 and 5 are for all FIs. These sections comprise exercises to demonstrate the ability to be an FI (for example instructor demonstration exercises) chosen by the examiner from the flight syllabus of the FI training courses. The applicant is required to demonstrate FI abilities, including briefing, flight instruction and de-briefing.
- (d) Section 4 comprises additional instructor demonstration exercises for an FI for ME aircraft. This section, if applicable, is done in an ME aircraft, or an FFS or FNPT II simulating an ME aircraft. This section is completed in addition to sections 2, 3 and 5.

AMC1 FCL.930.FI FI — Training course

FI(A), FI(H) AND FI(AS) TRAINING COURSE

GENERAL

- (a) The aim of the FI training course is to train aircraft licence holders to the level of competence defined in FCL.920.
- (b) The training course should develop safety awareness throughout by teaching the knowledge, skills and attitudes relevant to the FI task including at least the following:
 - (1) refresh the technical knowledge of the student instructor;
 - (2) train the student instructor to teach the ground subjects and air exercises;
 - (3) ensure that the student instructor's flying is of a sufficiently high standard;
 - (4) teach the student instructor the principles of basic instruction and to apply them at the PPL level.

FLIGHT INSTRUCTION

- (c) The remaining 5 hours in FCL.930.FI (b)(3) may be mutual flying (that is, two applicants flying together to practice flight demonstrations).
- (d) The skill test is additional to the course training time.

CONTENT

- (e) The training course consists of two parts:
 - (1) Part 1, theoretical knowledge, including the teaching and learning instruction that should comply with AMC1 FCL.920;
 - (2) Part 2, flight instruction.

Part 1

TEACHING AND LEARNING

- (a) The course should include at least 125 hours of theoretical knowledge instruction, including at least 25 hours teaching and learning instruction.

CONTENT OF THE TEACHING AND LEARNING INSTRUCTIONS (INSTRUCTIONAL TECHNIQUES):

- (b) The learning process:
- (1) motivation;
 - (2) perception and understanding;
 - (3) memory and its application;
 - (4) habits and transfer;
 - (5) obstacles to learning;
 - (6) incentives to learning;
 - (7) learning methods;
 - (8) rates of learning.
- (c) The teaching process:
- (1) elements of effective teaching;
 - (2) planning of instructional activity;
 - (3) teaching methods;
 - (4) teaching from the 'known' to the 'unknown';
 - (5) use of 'lesson plans'.
- (d) Training philosophies:
- (1) value of a structured (approved) course of training;
 - (2) importance of a planned syllabus;
 - (3) integration of theoretical knowledge and flight instruction;
- (e) Techniques of applied instruction:
- (1) theoretical knowledge: classroom instruction techniques:
 - (i) use of training aids;
 - (ii) group lectures;
 - (iii) individual briefings;
 - (iv) student participation or discussion.
 - (2) flight: airborne instruction techniques:
 - (i) the flight or cockpit environment;
 - (ii) techniques of applied instruction;
 - (iii) post-flight and in-flight judgement and decision making.
- (f) Student evaluation and testing:
- (1) assessment of student performance:

- (i) the function of progress tests;
 - (ii) recall of knowledge;
 - (iii) translation of knowledge into understanding;
 - (iv) development of understanding into actions;
 - (v) the need to evaluate rate of progress.
- (2) analysis of student errors:
 - (i) establish the reason for errors;
 - (ii) tackle major faults first, minor faults second;
 - (iii) avoidance of over criticism;
 - (iv) the need for clear concise communication.
- (g) Training programme development:
 - (1) lesson planning;
 - (2) preparation;
 - (3) explanation and demonstration;
 - (4) student participation and practice;
 - (5) evaluation.
- (h) Human performance and limitations relevant to flight instruction:
 - (1) physiological factors:
 - (i) psychological factors;
 - (ii) human information processing;
 - (iii) behavioural attitudes;
 - (iv) development of judgement and decision making.
 - (2) threat and error management.
- (i) Specific hazards involved in simulating systems failures and malfunctions in the aircraft during flight:
 - (i) importance of 'touch drills';
 - (ii) situational awareness;
 - (iii) adherence to correct procedures.
- (j) Training administration:
 - (1) flight or theoretical knowledge instruction records;
 - (2) pilot's personal flying logbook;
 - (3) the flight or ground curriculum;
 - (4) study material;
 - (5) official forms;
 - (6) flight manual or equivalent document (for example owner's manual or pilot's operating handbook);
 - (7) flight authorisation papers;
 - (8) aircraft documents;
 - (9) the private pilot's licence regulations.

A. Aeroplanes

Part 2

AIR EXERCISES

- (a) The air exercises are similar to those used for the training of PPL(A) but with additional items designed to cover the needs of an FI.
- (b) The numbering of exercises should be used primarily as an exercise reference list and as a broad instructional sequencing guide: therefore the demonstrations and practices need not necessarily be given in the order listed. The actual order and content will depend upon the following interrelated factors:
 - (1) the applicant's progress and ability;
 - (2) the weather conditions affecting the flight;
 - (3) the flight time available;
 - (4) instructional technique considerations;
 - (5) the local operating environment.
- (c) It follows that student instructors will eventually be faced with similar interrelated factors. They should be shown and taught how to construct flight lesson plans, taking these factors into account, so as to make the best use of each flight lesson, combining parts of the set exercises as necessary.

GENERAL

- (d) The briefing normally includes a statement of the aim and a brief allusion to principles of flight only if relevant. An explanation is to be given of exactly what air exercises are to be taught by the instructor and practised by the student during the flight. It should include information on how the flight will be conducted, who is to fly the aeroplane and what airmanship, weather and flight safety aspects currently apply. The nature of the lesson will govern the order in which the constituent parts are to be taught.
- (e) The four basic components of the briefing will be:
 - (1) the aim;
 - (2) principles of flight (briefest reference only);
 - (3) the air exercise(s) (what, and how and by whom);
 - (4) airmanship (weather, flight safety etc.).

PLANNING OF FLIGHT LESSONS

- (f) The preparation of lesson plans is an essential prerequisite of good instruction and the student instructor is to be given supervised practice in the planning and practical application of flight lesson plans.

GENERAL CONSIDERATIONS

- (g) The student instructor should complete flight training to practise the principles of basic instruction at the PPL(A) level.
- (h) During this training, except when acting as a student pilot for mutual flights, the student instructor occupies the seat normally occupied by the FI(A).
- (i) It is to be noted that airmanship and look-out is a vital ingredient of all flight operations. Therefore, in the following air exercises the relevant aspects of airmanship are to be stressed at all times.
- (j) If the privileges of the FI(A) certificate are to include instruction for night flying, exercises 19 and 20 of the flight instruction syllabus should be undertaken at night in addition to by day either as part of the course or subsequent to certification issue.
- (k) The student instructor should learn how to identify common errors and how to correct them properly, which should be emphasised at all times.

SYLLABUS OF FLIGHT INSTRUCTION CONTENTS

LONG BRIEFINGS AND AIR EXERCISES

Note: though exercise 11b is not required for the PPL(A) course, it is a requirement for the FI course.

EXERCISE 1: FAMILIARISATION WITH THE AEROPLANE

- (a) Long briefing objectives:
- (1) introduction to the aeroplane;
 - (2) explanation of the cockpit layout;
 - (3) aeroplane and engine systems;
 - (4) checklists, drills and controls;
 - (5) propeller safety;
 - (i) precautions general;
 - (ii) precautions before and during hand turning;
 - (iii) hand swinging technique for starting (if applicable to type).
 - (6) differences when occupying the instructor's seat;
 - (7) emergency drills:
 - (i) action if fire in the air and on the ground: engine, cock or cabin and electrical fire;
 - (ii) system failure as applicable to type;
 - (iii) escape drills: location and use of emergency equipment and exits.
- (b) Air exercise: all long briefing objectives mentioned above should also be trained on site during the air exercise.

EXERCISE 2: PREPARATION FOR AND ACTION AFTER FLIGHT

- (a) Long briefing objectives:
- (1) flight authorisation and aeroplane acceptance, including technical log (if applicable) and certificate of maintenance;
 - (2) equipment required for flight (maps, etc.);
 - (3) external checks;
 - (4) internal checks;
 - (5) student comfort, harness, seat or rudder pedal adjustment;
 - (6) starting and warming up checks;
 - (7) power checks;
 - (8) running down, system checks and switching off the engine;
 - (9) leaving the aeroplane, parking, security and picketing;

- (10) completion of authorisation sheet and aeroplane serviceability documents.
- (b) Air exercise: all long briefing objectives mentioned above should also be trained on site during the air exercise.

EXERCISE 3: AIR EXPERIENCE

- (a) Long briefing objectives:
Note: there is no requirement for a long briefing for this exercise.
- (b) Air exercise:
 - (1) air experience;
 - (2) cockpit layout, ergonomics and controls;
 - (3) cockpit procedures: stability and control.

EXERCISE 4: EFFECTS OF CONTROLS

- (a) Long briefing objectives:
 - (1) function of primary flying controls: when laterally level and banked;
 - (2) further effect of ailerons and rudder;
 - (3) effect of inertia;
 - (4) effect of air speed;
 - (5) effect of slipstream;
 - (6) effect of power;
 - (7) effect of trimming controls;
 - (8) effect of flaps;
 - (9) operation of mixture control;
 - (10) operation of carburettor heat control;
 - (11) operation of cabin heat or ventilation systems;
- (b) Air exercise:
 - (1) primary effects of flying controls: when laterally level and banked;
 - (2) further effects of ailerons and rudder;
 - (3) effect of air speed;
 - (4) effect of slipstream;
 - (5) effect of power;
 - (6) effect of trimming controls;
 - (7) effect of flaps;
 - (8) operation of mixture control;
 - (9) operation of carburettor heat control;
 - (10) operation of cabin heat or ventilation systems;
 - (11) effect of other controls as applicable.

EXERCISE 5: TAXIING

- (a) Long briefing objectives:
 - (1) pre-taxiing checks;
 - (2) starting, control of speed and stopping;
 - (3) engine handling;
 - (4) control of direction and turning (including manoeuvring in confined spaces);
 - (5) parking area procedures and precautions;
 - (6) effect of wind and use of flying controls;
 - (7) effect of ground surface;
 - (8) freedom of Rudder movement;
 - (9) marshalling signals;
 - (10) instrument checks;
 - (11) ATC procedures;
 - (12) emergencies: steering failure and brake failure.
- (b) Air exercise:
 - (1) pre-taxiing checks;
 - (2) starting, control of speed and stopping;
 - (3) engine handling;
 - (4) control of direction and turning;
 - (5) turning in confined spaces;
 - (6) parking area procedures and precautions;
 - (7) effect of wind and use of flying control;
 - (8) effect of ground surface;
 - (9) freedom of Rudder movement;
 - (10) marshalling signals;
 - (11) instrument checks;
 - (12) ATC procedures;
 - (13) emergencies: steering failure and brake failure.

EXERCISE 6: STRAIGHT AND LEVEL FLIGHT

- (a) Long briefing objectives:
 - (1) the forces;
 - (2) longitudinal stability and control in pitch;
 - (3) relationship of CG to control in pitch;
 - (4) lateral and directional stability (control of lateral level and balance);

- (5) attitude and balance control;
- (6) trimming;
- (7) power settings and air speeds;
- (8) drag and power curves;
- (9) range and endurance.

(b) Air exercise:

- (1) at normal cruising power;
- (2) attaining and maintaining straight and level flight;
- (3) demonstration of inherent stability;
- (4) control in pitch, including use of elevator trim control;
- (5) lateral level, direction and balance, use of rudder trim controls as applicable at selected air speeds (use of power):
 - (i) effect of drag and use of power (two air speeds for one power setting);
 - (ii) straight and level in different aeroplane configurations (flaps and landing gear);
 - (iii) use of instruments to achieve precision flight.

EXERCISE 7: CLIMBING

(a) Long briefing objectives:

- (1) the forces;
- (2) relationship between power or air speed and rate of climb (power curves maximum rate of climb (v_y));
- (3) effect of mass;
- (4) effect of flaps;
- (5) engine considerations;
- (6) effect of density altitude;
- (7) the cruise climb;
- (8) maximum angle of climb (v_x).

(b) Air exercise:

- (1) entry and maintaining the normal maximum rate climb;
- (2) levelling off;
- (3) levelling off at selected altitudes;
- (4) climbing with flaps down;
- (5) recovery to normal climb;
- (6) en-route climb (cruise climb);
- (7) maximum angle of climb;
- (8) use of instruments to achieve precision flight.

EXERCISE 8: DESCENDING

- (a) Long briefing objectives:
 - (1) the forces;
 - (2) glide descent: angle, air speed and rate of descent;
 - (3) effect of flaps;
 - (4) effect of wind;
 - (5) effect of mass;
 - (6) engine considerations;
 - (7) power assisted descent: power or air speed and rate of descent;
 - (8) cruise descent;
 - (9) sideslip.
- (b) Air exercise:
 - (1) entry and maintaining the glide;
 - (2) levelling off;
 - (3) levelling off at selected altitudes;
 - (4) descending with flaps down;
 - (5) powered descent: cruise descent (including effect of power and air speed);
 - (6) side-slipping (on suitable types);
 - (7) use of instrument to achieve precision flight.

EXERCISE 9: TURNING

- (a) Long briefing objectives:
 - (1) the forces;
 - (2) use of controls;
 - (3) use of power;
 - (4) maintenance of attitude and balance;
 - (5) medium level turns;
 - (6) climbing and descending turns;
 - (7) slipping turns;
 - (8) turning onto selected headings: use of gyro heading indicator and magnetic compass.
- (b) Air exercise:
 - (1) entry and maintaining medium level turns;
 - (2) resuming straight flight;
 - (3) faults in the turn (incorrect pitch, bank and balance);
 - (4) climbing turns;
 - (5) descending turns;

- (6) slipping turns (on suitable types);
- (7) turns to selected headings: use of gyro heading indicator and magnetic compass
- (8) use of instruments to achieve precision flight;

Note: stall or spin awareness and avoidance training consists of exercises 10a, 10b and 11a.

EXERCISE 10a: SLOW FLIGHT

- (a) Long briefing objectives:
 - (1) aeroplane handling characteristics during slow flight at:
 - (i) v_{s1} & $v_{s0} + 10$ knots;
 - (ii) v_{s1} & $v_{s0} + 5$ knots.
 - (2) slow flight during instructor induced distractions;
 - (2) effect of overshooting in configurations where application of engine power causes a strong 'nose-up' trim change.
- (b) Air exercise:
 - (1) safety checks;
 - (2) introduction to slow flight;
 - (3) controlled slow flight in the clean configuration at:
 - (i) $v_{s1} + 10$ knots and with flaps down;
 - (ii) $v_{s0} + 10$ knots;
 - (iii) straight and level flight;
 - (iv) level turns;
 - (v) climbing and descending;
 - (vi) climbing and descending turns.
 - (4) controlled slow flight in the clean configuration at:
 - (i) $v_{s1} + 5$ knots and with flaps down;
 - (ii) $v_{s0} + 5$ knots;
 - (iii) straight and level flight;
 - (iv) level turns;
 - (v) climbing and descending;
 - (vi) climbing and descending turns;
 - (vii) descending 'unbalanced' turns at low air speed: the need to maintain balanced flight.
 - (5) 'instructor induced distractions' during flight at low air speed: the need to maintain balanced flight and a safe air speed;
 - (6) effect of going around in configurations where application of engine power causes a strong 'nose up' trim change.

EXERCISE 10b: STALLING

- (a) Long briefing objectives:
- (1) characteristics of the stall;
 - (2) angle of attack;
 - (3) effectiveness of the controls at the stall;
 - (4) factors affecting the stalling speed:
 - (i) effect of flaps, slats and slots;
 - (ii) effect of power, mass, CG and load factor.
 - (5) effects of unbalance at the stall;
 - (6) symptoms of the stall;
 - (7) stall recognition and recovery;
 - (8) stalling and recovery:
 - (i) without power;
 - (ii) with power on;
 - (iii) with flaps down;
 - (iv) maximum power climb (straight and turning flight to the point of stall with uncompensated yaw);
 - (v) stalling and recovery during manoeuvres involving more than 1 G (accelerated stalls, including secondary stalls and recoveries);
 - (vi) recovering from incipient stalls in the landing and other configurations and conditions;
 - (vii) recovering at the incipient stage during change of configuration;
 - (viii) stalling and recovery at the incipient stage with 'instructor induced' distractions.

Note: consideration is to be given to manoeuvre limitations and references to the flight manual or equivalent document (for example owner's manual or pilot's operating handbook) in relation to mass and balance limitations. The safety checks should take into account the minimum safe altitude for initiating such exercises in order to ensure an adequate margin of safety for the recovery. If specific procedures for stalling or spinning exercises and for the recovery techniques are provided by the flight manual or equivalent document (for example owner's manual or pilot's operating handbook), they have to be taken into consideration. These factors are also covered in the next exercise spinning.

- (b) Air exercise:
- (1) safety checks;
 - (2) symptoms of the stall;
 - (3) stall recognition and recovery:
 - (i) without power;
 - (ii) with power on;

- (iii) recovery when a wing drops at the stall;
- (iv) stalling with power 'on' and recovery;
- (v) stalling with flap 'down' and recovery;
- (vi) maximum power climb (straight and turning flight) to the point of stall with uncompensated yaw: effect of unbalance at the stall when climbing power is being used;
- (vii) stalling and recovery during manoeuvres involving more than 1 G (accelerated stalls, including secondary stalls and recoveries);
- (viii) recoveries from incipient stalls in the landing and other configurations and conditions;
- (ix) recoveries at the incipient stage during change of configuration;
- (x) instructor induced distractions during stalling.

Note: consideration of manoeuvre limitations and the need to refer to the aeroplane manual and weight (mass) and balance calculations. The safety checks should take into account the minimum safe altitude for initiating such exercises in order to ensure an adequate margin of safety for the recovery. If specific procedures for stalling or spinning exercises and for the recovery techniques are provided by the flight manual or equivalent document (for example owner's manual or pilot's operating handbook), they have to be taken into consideration. These factors are to be covered in the next exercise: spinning.

EXERCISE 11a: SPIN RECOVERY AT THE INCIPIENT STAGE

- (a) Long briefing objectives:
 - (1) causes, stages, autorotation and characteristics of the spin;
 - (2) recognition and recovery at the incipient stage: entered from various flight attitudes;
 - (3) aeroplane limitations.
- (b) Air exercise:
 - (1) aeroplane limitations;
 - (2) safety checks;
 - (3) recognition at the incipient stage of a spin;
 - (4) recoveries from incipient spins entered from various attitudes with the aeroplane in the clean configuration, including instructor induced distractions.

EXERCISE 11b: SPIN RECOVERY AT THE DEVELOPED STAGE

- (a) Long briefing objectives:
 - (1) spin entry;
 - (2) recognition and identification of spin direction;
 - (3) spin recovery;

- (4) use of controls;
 - (5) effects of power or flaps (flap restriction applicable to type);
 - (6) effect of the CG upon spinning characteristics;
 - (7) spinning from various flight attitudes;
 - (8) aeroplane limitation;
 - (9) safety checks.
- (b) Air exercise:
- (1) aeroplane limitations;
 - (2) safety checks;
 - (3) spin entry;
 - (4) recognition and identification of the spin direction;
 - (5) spin recovery (reference to flight manual);
 - (6) use of controls;
 - (7) effects of power or flaps (restrictions applicable to aeroplane type);
 - (8) spinning and recovery from various flight attitudes.

EXERCISE 12: TAKE-OFF AND CLIMB TO DOWNWIND POSITION

- (a) Long briefing objectives:
- (1) handling: factors affecting the length of take-off run and initial climb;
 - (2) correct lift off speed, use of elevators (safeguarding the nose wheel), rudder and power;
 - (3) effect of wind (including crosswind component);
 - (4) effect of flaps (including the decision to use and the amount permitted);
 - (5) effect of ground surface and gradient upon the take-off run;
 - (6) effect of mass, altitude and temperature on take-off and climb performance;
 - (7) pre take-off checks;
 - (8) ATC procedure before take-off;
 - (9) drills, during and after take-off;
 - (10) noise abatement procedures;
 - (11) tail wheel considerations (as applicable);
 - (12) short or soft field take-off considerations or procedures;
 - (13) emergencies:
 - (i) aborted take-off;
 - (ii) engine failure after take-off.
 - (14) ATC procedures.
- (b) Air exercise:

- (1) take-off and climb to downwind position;
- (2) pre take-off checks;
- (3) into wind take-off;
- (4) safeguarding the nose wheel;
- (5) crosswind take-off;
- (6) drills during and after take-off;
- (7) short take-off and soft field procedure or techniques (including performance calculations);
- (8) noise abatement procedures.

EXERCISE 13: CIRCUIT, APPROACH AND LANDING

- (a) Long briefing objectives:
 - (1) downwind leg, base leg and approach: position and drills;
 - (2) factors affecting the final approach and the landing run;
 - (3) effect of mass;
 - (4) effects of altitude and temperature;
 - (5) effect of wind;
 - (6) effect of flap;
 - (7) landing;
 - (8) effect of ground surface and gradient upon the landing run;
 - (9) types of approach and landing:
 - (i) powered;
 - (ii) crosswind;
 - (iii) flapless (at an appropriate stage of the course);
 - (iv) glide;
 - (v) short field;
 - (vi) soft field.
 - (10) tail wheel aeroplane considerations (as applicable);
 - (11) missed approach;
 - (12) engine handling;
 - (13) wake turbulence awareness;
 - (14) windshear awareness;
 - (15) ATC procedures;
 - (16) mislanding and go-around;
 - (17) special emphasis on look-out.
- (b) Air exercise:
 - (1) circuit approach and landing;
 - (2) circuit procedures: downwind and base leg;

- (3) powered approach and landing;
- (4) safeguarding the nose wheel;
- (5) effect of wind on approach and touchdown speeds and use of flaps;
- (6) crosswind approach and landing;
- (7) glide approach and landing;
- (8) flapless approach and landing (short and soft field);
- (9) short field and soft field procedures;
- (10) wheel landing (tail wheel aircraft);
- (11) missed approach and go-around;
- (12) mislanding and go-around;
- (13) noise abatement procedures.

EXERCISE 14: FIRST SOLO AND CONSOLIDATION

Note: a summary of points to be covered before sending the student on first solo.

(a) Long briefing objectives:

During the flights immediately following the solo circuit consolidation period the following should be covered:

- (1) procedures for leaving and rejoining the circuit;
- (2) local area (restrictions, controlled airspace, etc.);
- (3) compass turns;
- (4) QDM meaning and use.

(b) Air exercise: all long briefing objectives mentioned above should also be trained on site during the air exercise.

EXERCISE 15: ADVANCED TURNING

(a) Long briefing objectives:

- (1) the forces;
- (2) use of power;
- (3) effect of load factor:
 - (i) structural considerations;
 - (ii) increased stalling speed.
- (4) physiological effects;
- (5) rate and radius of turn;
- (6) steep, level, descending and climbing turns;
- (7) stalling in the turn and how to avoid it;
- (8) spinning from the turn: recovery at the incipient stage;
- (9) spiral dive;

(10) unusual attitudes and recoveries.

Note: considerations are to be given to manoeuvre limitations and reference to the flight manual or equivalent document (for example owner's manual or pilot's operating handbook) in relation to mass and balance, and any other restrictions for practice entries to the spin.

- (b) Air exercise:
 - (1) level, descending and climbing steep turns;
 - (2) stalling in the turn;
 - (3) spiral dive;
 - (4) spinning from the turn;
 - (5) recovery from unusual attitudes;
 - (6) maximum rate turns.

EXERCISE 16: FORCED LANDING WITHOUT POWER

- (a) Long briefing objectives:
 - (1) selection of forced landing areas;
 - (2) provision for change of plan;
 - (3) gliding distance: consideration;
 - (4) planning the descent;
 - (5) key positions;
 - (6) engine failure checks;
 - (7) use of radio: R/T 'distress' procedure;
 - (8) base leg;
 - (9) final approach;
 - (10) go-around;
 - (11) landing considerations;
 - (12) actions after landing: aeroplane security;
 - (13) causes of engine failure.
- (b) Air exercise:
 - (1) forced landing procedures;
 - (2) selection of landing area:
 - (i) provision for change of plan;
 - (ii) gliding distance considerations.
 - (3) planning the descent;
 - (4) key positions;
 - (5) engine failure checks;
 - (6) engine cooling precautions;
 - (7) use of radio;
 - (8) base leg;

- (9) final approach;
- (10) landing;
- (11) actions after landing: when the exercise is conducted at an aerodrome;
- (12) aeroplane security.

EXERCISE 17: PRECAUTIONARY LANDING

- (a) Long briefing objectives:
 - (1) occasions when necessary (in-flight conditions);
 - (2) landing area selection and communication (R/T procedure);
 - (3) overhead inspection;
 - (4) simulated approach;
 - (5) climb away;
 - (6) landing area selection:
 - (i) normal aerodrome;
 - (ii) disused aerodrome;
 - (iii) ordinary field;
 - (7) circuit and approach;
 - (8) actions after landing; aeroplane security.
- (b) Air exercise:
 - (1) occasions when necessary (in-flight conditions):
 - (2) landing area selection
 - (3) overhead inspection
 - (4) simulated approach
 - (5) climb away
 - (6) landing area selection:
 - (i) normal aerodrome;
 - (ii) disused aerodrome;
 - (iii) ordinary field;
 - (7) circuit and approach;
 - (8) actions after landing; aeroplane security;

EXERCISE 18a: NAVIGATION

- (a) Long briefing objectives:
 - (1) flight planning;
 - (i) weather forecast and actual(s);
 - (ii) map selection, orientation, preparation and use;

- (A) choice of route;
- (B) regulated or controlled airspace;
- (C) danger, prohibited and restricted areas;
- (D) safety altitude.
- (iii) calculations:
 - (A) magnetic heading(s) and time(s) en-route;
 - (B) fuel consumption;
 - (C) mass and balance;
 - (D) mass and performance.
- (iv) flight information:
 - (A) NOTAMs etc.;
 - (B) noting of required radio frequencies;
 - (C) selection of alternate aerodrome(s).
- (v) aeroplane documentation.
- (vi) notification of the flight:
 - (A) pre-flight administration procedures;
 - (B) flight plan form (where appropriate).
- (2) departure;
 - (i) organisation of cockpit workload;
 - (ii) departure procedures:
 - (A) altimeter settings;
 - (B) setting heading procedures;
 - (C) noting of ETA(s).
 - (iii) en-route map reading: identification of ground features;
 - (iv) maintenance of altitudes and headings;
 - (v) revisions to ETA and heading, wind effect, drift angle and groundspeed checks;
 - (vi) log keeping;
 - (vii) use of radio (including VDF if applicable);
 - (viii) minimum weather conditions for continuance of flight;
 - (ix) 'in-flight' decisions;
 - (x) diversion procedures;
 - (xi) operations in regulated or controlled airspace;
 - (xii) procedures for entry, transit and departure;
 - (xiii) navigation at minimum level;
 - (xiv) uncertainty of position procedure, including R/T procedure;
 - (xv) lost procedure;
 - (xvi) use of radio nav aids.
- (3) arrival procedures and aerodrome circuit joining procedures:

- (i) ATC liaison, R/T procedure, etc.;
 - (ii) altimeter setting,
 - (iii) entering the traffic pattern (controlled or uncontrolled aerodromes);
 - (iv) circuit procedures;
 - (v) parking procedures;
 - (vi) security of aircraft;
 - (vii) refuelling;
 - (viii) booking in.
- (b) Air exercise:
- (1) flight planning:
 - (i) weather forecast and actual(s);
 - (ii) map selection and preparation:
 - (A) choice of route;
 - (B) regulated or controlled airspace;
 - (C) danger, prohibited and restricted areas;
 - (D) safety altitude.
 - (iii) calculations:
 - (A) magnetic heading(s) and time(s) en-route;
 - (B) fuel consumption;
 - (C) mass and balance;
 - (D) mass and performance.
 - (iv) flight information:
 - (A) NOTAMs etc.;
 - (B) noting of required radio frequencies;
 - (C) selection of alternate aerodromes.
 - (v) aircraft documentation;
 - (vi) notification of the flight:
 - (A) flight clearance procedures (as applicable);
 - (B) flight plans.
 - (2) aerodrome departure;
 - (i) organisation of cockpit workload;
 - (ii) departure procedures:
 - (A) altimeter settings;
 - (B) en-route;
 - (C) noting of ETA(s).
 - (iii) wind effect, drift angle and ground speed checks;
 - (iv) maintenance of altitudes and headings;
 - (v) revisions to ETA and heading;

- (vi) log keeping;
 - (vii) use of radio (including VDF if applicable);
 - (viii) minimum weather conditions for continuance of flight;
 - (ix) 'in-flight' decisions;
 - (x) diversion procedure;
 - (xi) operations in regulated or controlled airspace;
 - (xii) procedures for entry, transit and departure;
 - (xiii) uncertainty of position procedure;
 - (xiv) lost procedure;
 - (xv) use of radio nav aids.
- (3) arrival procedures and aerodrome joining procedures:
- (i) ATC liaison, R/T procedure etc.;
 - (ii) altimeter setting,
 - (iii) entering the traffic pattern;
 - (iv) circuit procedures;
 - (v) parking procedures
 - (vi) security of aircraft;
 - (vii) refuelling;
 - (viii) booking in.

EXERCISE 18b: NAVIGATION AT LOWER LEVELS AND IN REDUCED VISIBILITY

- (a) Long briefing objectives:
- (1) general considerations:
 - (i) planning requirements before flight in entry or exit lanes;
 - (ii) ATC rules, pilot qualifications and aircraft equipment;
 - (iii) entry or exit lanes and areas where specific local rules apply.
 - (2) low level familiarisation:
 - (i) actions before descending;
 - (ii) visual impressions and height keeping at low altitude;
 - (iii) effects of speed and inertia during turns;
 - (iv) effects of wind and turbulence;
 - (3) low level operation:
 - (i) weather considerations;
 - (ii) low cloud and good visibility;
 - (iii) low cloud and poor visibility;
 - (iv) avoidance of moderate to heavy rain showers;
 - (v) effects of precipitation;

- (vi) joining a circuit;
 - (vii) bad weather circuit, approach and landing.
- (b) Air exercise:
- (1) general considerations: entry or exit lanes and areas where specific local rules apply;
 - (2) low level familiarisation:
 - (i) actions before descending;
 - (ii) visual impressions and height keeping at low altitude;
 - (iii) effects of speed and inertia during turns;
 - (iv) effects of wind and turbulence;
 - (v) hazards of operating at low levels;
 - (3) low level operation:
 - (i) weather considerations;
 - (ii) low cloud and good visibility;
 - (iii) low cloud and poor visibility;
 - (iv) avoidance of moderate to heavy rain showers;
 - (v) effects of precipitation (forward visibility);
 - (vi) joining a circuit;
 - (vii) bad weather circuit, approach and landing.

EXERCISE 18c: USE OF RADIO NAVIGATION AIDS UNDER VFR

- (a) Long briefing objectives:
- (1) use of VOR:
 - (i) availability, AIP and frequencies;
 - (ii) signal reception range;
 - (iii) selection and identification;
 - (iv) radials and method of numbering;
 - (v) use of OBS;
 - (vi) to or from indication and station passage;
 - (vii) selection, interception and maintaining a radial;
 - (viii) use of two stations to determine position.
 - (2) use of ADF equipment:
 - (i) availability of NDB stations, AIP and frequencies;
 - (ii) signal reception range;
 - (iii) selection and identification;
 - (iv) orientation in relation to NDP;
 - (v) homing to an NDP.
 - (3) use of VHF/DF:

- (i) availability. AIP and frequencies;
 - (ii) R/T procedures;
 - (iii) obtaining QDMs and QTEs.
- (4) use of radar facilities:
 - (i) availability and provision of service and AIS;
 - (ii) types of service;
 - (iii) R/T procedures and use of transponder:
 - (A) mode selection;
 - (B) emergency codes.
- (5) use of distance DME:
 - (i) availability and AIP;
 - (ii) operating modes;
 - (iii) slant range.
- (6) use of GNSS (RNAV – SATNAV):
 - (i) availability;
 - (ii) operating modes;
 - (iii) limitations.
- (b) Air exercise:
 - (1) use of VOR:
 - (i) availability, AIP and frequencies;
 - (ii) selection and identification;
 - (iii) use of OBS;
 - (iv) to or from indications: orientation;
 - (v) use of CDI;
 - (vi) determination of radial;
 - (vii) intercepting and maintaining a radial;
 - (viii) VOR passage;
 - (ix) obtaining a fix from two VORs.
 - (2) use of ADF equipment;
 - (i) availability of NDB stations, AIP and frequencies;
 - (ii) selection and identification;
 - (iii) orientation relative to the beacon;
 - (iv) homing.
 - (3) use of VHF/DF:
 - (i) availability, AIP and frequencies;
 - (ii) R/T procedures and ATC liaison;
 - (iii) obtaining a QDM and homing.
 - (4) use of en-route or terminal radar:

- (i) availability and AIP;
 - (ii) procedures and ATC liaison;
 - (iii) pilot's responsibilities;
 - (iv) secondary surveillance radar;
 - (v) transponders;
 - (vi) code selection;
 - (vii) interrogation and reply.
- (5) use of DME:
- (i) station selection and identification;
 - (ii) modes of operation.
- (6) use of GNSS (RNAV – SATNAV):
- (i) setting up;
 - (ii) operation;
 - (iii) interpretation.

EXERCISE 19: BASIC INSTRUMENT FLIGHT

- (a) Long briefing objectives:
- (1) flight instruments;
- (i) physiological sensations;
 - (ii) instrument appreciation;
 - (iii) attitude instrument flight;
 - (iv) pitch indications;
 - (v) bank indications;
 - (vi) different dial presentations;
 - (vii) introduction to the use of the attitude indicator;
 - (viii) pitch attitude;
 - (ix) bank attitude;
 - (x) maintenance of heading and balanced flight;
 - (xi) instrument limitations (inclusive system failures).
- (2) attitude, power and performance;
- (i) attitude instrument flight;
 - (ii) control instruments;
 - (iii) performance instruments;
 - (iv) effect of changing power and configuration;
 - (v) cross-checking the instrument indications;
 - (vi) instrument interpretation;
 - (vii) direct and indirect indications (performance instruments);
 - (viii) instrument lag;

- (ix) selective radial scan;
- (3) basic flight manoeuvres (full panel);
 - (i) straight and level flight at various air speeds and aeroplane configurations;
 - (ii) climbing;
 - (iii) descending;
 - (iv) standard rate turns onto pre-selected headings:
 - (A) level;
 - (B) climbing;
 - (C) descending.
- (b) Air exercise:
 - (1) Introduction to instrument flying
 - (i) flight instruments;
 - (ii) physiological sensations;
 - (iii) instrument appreciation;
 - (iv) attitude instrument flight;
 - (v) pitch attitude;
 - (vi) bank attitude;
 - (vii) maintenance of heading and balanced flight;
 - (2) attitude, power and performance;
 - (i) attitude instrument flight;
 - (ii) effect of changing power and configuration;
 - (iii) cross-checking the instruments;
 - (iv) selective radial scan;
 - (3) basic flight manoeuvres (full panel);
 - (i) straight and level flight at various air speeds and aeroplane configurations;
 - (ii) climbing;
 - (iii) descending;
 - (iv) standard rate turns onto pre-selected headings:
 - (A) level;
 - (B) climbing;
 - (C) descending.

EXERCISE 20: NIGHT FLYING (if night instructional qualification required)

- (a) Long briefing objectives:
 - (1) start up procedures;
 - (2) local procedures: including ATC liaison;

- (3) taxiing:
 - (i) parking area and taxiway lighting;
 - (ii) judgement of speed and distances;
 - (iii) use of taxiway lights;
 - (iv) avoidance of hazards: obstruction lighting;
 - (v) instrument checks;
 - (vi) holding point: lighting procedure;
 - (vii) initial familiarisation at night;
 - (viii) local area orientation;
 - (ix) significance of lights on other aircraft;
 - (x) ground obstruction lights;
 - (xi) division of piloting effort: external or instrument reference;
 - (xii) rejoining procedure;
 - (xiii) aerodrome lighting: approach and runway lighting (including VASI and PAPI):
 - (A) threshold lights;
 - (B) approach lighting;
 - (C) visual approach slope indicator systems.
- (4) night circuits:
 - (i) take-off and climb:
 - (A) line up;
 - (B) visual references during the take-off run;
 - (C) transfer to instruments;
 - (D) establishing the initial climb;
 - (E) use of flight instruments;
 - (F) instrument climb and initial turn.
 - (ii) circuit:
 - (A) aeroplane positioning: reference to runway lighting;
 - (B) the traffic pattern and look-out;
 - (C) initial approach and runway lighting demonstration;
 - (D) aeroplane positioning;
 - (E) changing aspect of runway lights and VASI (or PAPI);
 - (F) intercepting the correct approach path;
 - (G) the climb away.
 - (iii) approach and landing:
 - (A) positioning, base leg and final approach;
 - (B) diurnal wind effect;
 - (C) use of landing lights;
 - (D) the flare and touchdown;

- (E) the roll out;
 - (F) turning off the runway: control of speed.
- (iv) missed approach:
 - (A) use of instruments;
 - (B) re-positioning in the circuit pattern;
- (5) night navigation:
 - (i) particular emphasis on flight planning;
 - (ii) selection of ground features visible at night:
 - (A) air light beacons;
 - (B) effect of cockpit lighting on map colours;
 - (C) use of radio aids;
 - (D) effect of moonlight upon visibility at night;
 - (iii) emphasis on maintaining a 'minimum safe altitude';
 - (iv) alternate aerodromes: restricted availability;
 - (v) restricted recognition of weather deterioration;
 - (vi) lost procedures;
- (6) night emergencies;
 - (i) radio failure;
 - (ii) failure of runway lighting;
 - (iii) failure of aeroplane landing lights;
 - (iv) failure of aeroplane internal lighting;
 - (v) failure of aeroplane navigation lights;
 - (vi) total electrical failure;
 - (vii) abandoned take-off;
 - (viii) engine failure;
 - (ix) obstructed runway procedure.
- (b) Air exercise: during the air exercise all long briefing objectives mentioned above should also be trained on site and the student instructor should demonstrate the following items:
 - (1) how to plan and to perform a flight at night;
 - (2) how to advise the student pilot to plan and prepare a flight at night;
 - (3) how to advise the student pilot to perform a flight at night;
 - (4) how to analyse and correct errors as necessary.

AMC2 FCL.930.FI FI — Training course

FI(S) AND FI(B) TRAINING COURSE

GENERAL

- (a) The aim of the FI(S) and FI(B) training course is to train SPL and BPL holders to the level of competence defined in FCL.920 as instructor competencies.
- (b) The training course should develop safety awareness throughout by teaching the knowledge, skills and attitudes relevant to the FI task including at least the following:
 - (1) refresh the technical knowledge of the student instructor;
 - (2) train the student instructor to teach the ground subjects and air exercises;
 - (3) ensure that the student instructor's flying is of a sufficiently high standard; and
 - (4) teach the student instructor the principles of basic instruction and to apply them at all training levels.
- (c) With the exception of the section on teaching and learning, all the subject detail contained in the ground and flight training syllabus is complementary to the SPL and BPL course syllabus.
- (d) The FI training course should give particular stress to the role of the individual in relation to the importance of human factors in the man-machine and theoretical knowledge environment interaction. Special attention should be paid to the applicant's maturity and judgement including an understanding of adults, their behavioural attitudes and variable levels of education.
- (e) During the training course, the applicants should be made aware of their own attitudes to the importance of flight safety. Improving safety awareness should be a fundamental objective throughout the training course. It will be of major importance for the training course to aim at giving applicants the knowledge, skills and attitudes relevant to a flight instructor's task.
- (f) On successful completion of the training course and final test the applicant may be issued with an FI certificate.

CONTENT

- (g) The training course consists of two parts:
 - (1) Part 1, theoretical knowledge including the teaching and learning instruction that should comply with AMC1 FCL.920;
 - (2) Part 2, flight instruction.

Part 1

The content of the teaching and learning part of the FI course, as established in AMC1 FCL.930.FI, should be used as guidance to develop the course syllabus.

The course should include at least 55 hours of theoretical knowledge including at least 25 hours teaching and learning instructions for the FI (S) and FI(B) certificate.

Part 2

FLIGHT INSTRUCTION SYLLABUS

An approved FI training course should comprise at least the minimum hours of flight instruction as defined in FCL.930.FI.

AIR EXERCISES

- (a) The air exercises are similar to those used for the training of SPL or BPL but with additional items designed to cover the needs of a flight instructor.
- (b) The numbering of exercises should be used primarily as an exercise reference list and as a broad instructional sequencing guide: therefore the demonstrations and practices need not necessarily be given in the order listed. The actual order and content will depend upon the following interrelated factors:
 - (1) the applicant's progress and ability;
 - (2) the weather conditions affecting the flight;
 - (3) the flight time available;
 - (4) instructional technique considerations;
 - (5) the local operating environment;
 - (6) Applicability of the exercises to the aircraft type.
- (c) At the discretion of the instructors some of the exercises may be combined whereas some other exercises may be done in several flights.
- (d) It follows that student instructors will eventually be faced with similar inter-related factors. They should be shown and taught how to construct flight lesson plans, taking these factors into account, so as to make the best use of each flight lesson, combining parts of the set exercises as necessary.

GENERAL

- (e) The briefing normally includes a statement of the aim and a brief allusion to principles of flight only if relevant. An explanation is to be given of exactly what air exercises are to be taught by the instructor and practised by the student during the flight. It should include how the flight will be conducted with regard to who is to fly the aircraft and what airmanship, weather and flight safety aspects currently apply. The nature of the lesson will govern the order in which the constituent parts are to be taught.
- (f) The five basic components of the briefing will be:
 - (1) the aim;
 - (2) the air exercise(s) (what, and how and by whom);
 - (3) flight briefing;
 - (4) check of understanding;
 - (5) airmanship.

PLANNING OF FLIGHT LESSONS

- (g) The preparation of lesson plans is an essential prerequisite of good instruction and the student instructor is to be given supervised practice in the planning and practical application of flight lesson plans.

GENERAL CONSIDERATIONS

- (h) The student instructor should complete flight training in order to practise the principles of basic instruction at the SPL or BPL level. During this training the student instructor occupies the seat normally occupied by the FI.
- (i) The instructor providing this instructor training is normally taking over the role of the student pilot. In the case of the course for the FI(B) an additional person holding a BPL or LAPL(B) licence or a student pilot for these licences may be on board in order to function as a student pilot under the supervision of the instructor.
- (j) It is to be noted that airmanship is a vital ingredient of all flight operations. Therefore, in the following air exercises the relevant aspects of airmanship are to be stressed at the appropriate times during each flight.
- (k) The student instructor should learn how to identify common errors and how to correct them properly, which should be emphasised at all times.

SYLLABUS OF FLIGHT INSTRUCTION CONTENTS

A. SAILPLANES

LONG BRIEFINGS AND AIR EXERCISES

Note: although the fully developed spin in exercise 10 is not required for the LAPL course, it is a requirement for the FI course.

EXERCISE 1: FAMILIARISATION WITH THE SAILPLANE

(a) Objective:

To advise the student instructor on how to familiarise the student with the sailplane which will be used for the training and to test his/her position in the sailplane for comfort, visibility, and ability to use all controls and equipment.

(b) Briefing and exercise:

The student Instructor has to:

- (1) present the type of sailplane which will be used;
- (2) explain the cockpit layout: instruments and equipment;
- (3) explain the flight controls: stick, pedals, airbrakes, flaps, cable release, undercarriage;
- (4) check the position of the student on the seat for comfort, visibility, ability to use all controls;
- (5) explain the use of the harness;
- (6) demonstrate how to adjust the rudder pedal;
- (7) explain the differences when occupying the instructor's position;
- (8) explain all checklists, drills, controls.

EXERCISE 2: PROCEDURE IN THE EVENT OF EMERGENCIES

(a) Objective:

To advise the student instructor on how to familiarise the student with the use of the parachute and how to explain the bail out procedure in case of emergency.

(b) Briefing and exercise:

The student instructor has to:

- (1) explain how to handle the parachute with care (transport, storage and drying after use);
- (2) demonstrate the adjustment of the parachute harness;
- (3) explain the bail out procedure (especially from a sailplane in unusual attitude);
- (4) explain the procedure for landing with a parachute in normal conditions and with a strong wind.

EXERCISE 3: PREPARATION FOR FLIGHT

(a) Objective:

To advise the student instructor on how to explain all the operations to be completed prior to flight. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the need for a pre-flight briefing;
- (2) the structure and the content of this briefing;
- (3) which documents are required on board;
- (4) which equipment are required for a flight;
- (5) how to handle the sailplane on the ground, how to move it, how to tow it out and how to park it;
- (6) how to do the pre-flight external and internal checks;
- (7) the procedure for verifying in-limits mass and balance;
- (8) the pre-launch checks (checklist).

(c) Air exercise:

The student instructor has to demonstrate:

- (1) the need for a pre-flight briefing;
- (2) that the required documents are on board;
- (3) that the equipment required for the intended flight is on board;
- (4) how to handle the sailplane on the ground, move it to the start position, tow it out and park it;
- (5) how to perform a pre-flight external and internal check;
- (6) how to verify in-limits mass and balance;
- (7) how to adjust harness as well as seat or rudder pedals;
- (8) the pre-launch checks;
- (9) how to advise the student pilot in performing the pre-flight preparation;
- (10) how to analyse and correct pre-flight preparation errors as necessary.

EXERCISE 4: INITIAL AIR EXPERIENCE

(a) Objective:

To advise the student instructor on how to familiarise the student with being in the air, with the area around the airfield, to note his/her reactions in this situation, and to draw his/her attention to safety and look-out procedures.

(b) Briefing:

The student instructor has to explain:

- (1) the area around the airfield;
- (2) the need for looking out;

- (3) the change of aircraft control.
- (c) Air exercise:
The student instructor has to:
 - (1) show the noteworthy references on the ground;
 - (2) analyse the reactions of the student;
 - (3) check that the student looks out (safety).

EXERCISE 5: PRIMARY EFFECTS OF CONTROLS

- (a) Objective:
To advise the student instructor on how to:
 - (1) demonstrate the primary effects of each control with the help of visual references;
 - (2) train the student pilot to recognise when the sailplane is no longer in a normal attitude along one of the axes and to return to the normal attitude;
 - (3) train continuous and efficient look-out during these exercises;
 - (4) analyse and correct errors and student pilot mistakes as necessary.
- (b) Briefing:
The student instructor has to explain:
 - (1) define the axes of a sailplane;
 - (2) the look-out procedures;
 - (3) the visual references along each axis;
 - (4) the primary effects of controls when laterally level;
 - (5) the relationship between attitude and speed;
 - (6) the use of flaps;
 - (7) the use of airbrakes.
- (c) Air exercise:
The student instructor has to demonstrate:
 - (1) the visual references in flight;
 - (2) the primary effect of the elevator;
 - (3) the relationship between attitude and speed (inertia);
 - (4) the primary effect of rudder on the rotation of the sailplane around the vertical axis;
 - (5) the primary effect of ailerons on banking;
 - (6) the effect of airbrakes (including changes in pitch when airbrakes are extended or retracted);
 - (7) the effects of flaps (provided the sailplane has flaps);
 - (8) the look-out procedures during all the exercises;
 - (9) how to advise the student pilot to recognise the primary effects of each control;

(10) how to analyse and correct errors as necessary.

EXERCISE 6: CO-ORDINATED ROLLING TO AND FROM MODERATE ANGLES OF BANK

(a) Objective:

To advise the student instructor on secondary effects of controls and on how to teach the student to coordinate ailerons and rudder in order to compensate for the adverse yaw effect. Furthermore the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the secondary effects of controls;
- (2) the adverse yaw effect;
- (3) how to compensate for the adverse yaw;
- (4) the further effect of the rudder (roll).

(c) Air exercise:

The student instructor has to demonstrate:

- (1) the adverse yaw effect with a reference on ground;
- (2) the further effect of the rudder (roll);
- (3) the coordination of ruder and aileron controls to compensate for the adverse yaw effects;
- (4) rolling to and from moderate angles of bank (20 to 30 °) and returning to the straight flight;
- (5) how to advise the student pilot to coordinate ailerons and rudder;
- (6) how to analyse and correct errors as necessary.

EXERCISE 7: STRAIGHT FLYING

(a) Objective:

To advise the student instructor on how to train the student to maintain straight flight with a constant heading without slipping and skidding. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to:

- (1) explain how to maintain straight flight;
- (2) explain different air speed limitations;
- (3) explain the pitch stability of the sailplane;
- (4) explain the effect of trimming.

(c) Air exercise:

The instructor student has to demonstrate:

- (1) maintaining straight flight;

- (2) inherent pitch stability;
- (3) the control of the sailplane in pitch, including use of trim with visual references and speed;
- (4) how to perform the instrument monitoring;
- (5) the control of level attitude with visual references;
- (6) the control of the heading with a visual reference on the ground;
- (7) the look-out procedures during all the exercises;
- (8) how to advise the student pilot to maintain straight flight;
- (9) how to analyse and correct errors as necessary.

EXERCISE 8: TURNING

(a) Objective:

To advise the student instructor on how to teach students to fly turns and circles with a moderate constant bank of about 30 ° with constant attitude (speed) and coordinated flight. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the forces on the sailplane during a turn;
- (2) the need to look out before turning;
- (3) the sequences of a turn (entry, stabilizing and exiting);
- (4) the common faults during a turn;
- (5) how to turn on to selected headings, use of compass;
- (6) the use of instruments (ball indicator or slip string) for precision.

(c) Air exercise:

The student instructor has to demonstrate:

- (1) the look-out procedure before turning;
- (2) entering a turn (correction of adverse yaw);
- (3) the stabilisation of a turn (keeping the attitude and compensating the induced roll);
- (4) the exit from a turn;
- (5) the most common faults in a turn;
- (6) turns on to selected headings (use landmarks as reference);
- (7) use of instruments (ball indicator or slip string) for precision;
- (8) how to advise the student pilot to fly a turn or circle with a moderate bank;
- (9) how to analyse and correct errors as necessary.

EXERCISE 9a: SLOW FLIGHT

(a) Objective:

To advise the student instructor on how to improve the student's ability to recognise inadvertent flight at critically low speeds (high angle of attack) and to provide practice in maintaining the sailplane in balance while returning to normal attitude (speed). Furthermore the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the characteristics of slow flight;
- (2) the risks of stalling.

(c) Air Exercise:

The student instructor has to check that the airspace below the sailplane is free of other aircraft before starting the exercise.

The student instructor has to demonstrate:

- (1) a controlled flight down to critically high angle of attack (slow air speed), and draw the attention of the student to the nose up attitude, reduction of noise, reduction of speed;
- (2) a return to the normal attitude (speed);
- (3) how to advise the student pilot to recognise inadvertent flight at critically low speeds;
- (4) how to provide practice in maintaining the sailplane in balance while returning to normal attitude;
- (5) how to analyse and correct errors as necessary.

EXERCISE 9b: STALLING

(a) Objective:

To advise the student Instructor on how to improve the student's ability to recognize a stall and to recover from it. This includes stall from a level flight and stalls when a wing drops. Furthermore the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the mechanism of a stall;
- (2) the effectiveness of the controls at the stall;
- (3) pre-stall symptoms, recognition and recovery;
- (4) factors affecting the stall (importance of the angle of attack and high speed stall);
- (5) effect of flaps if any on the sailplane;
- (6) the effects of unbalance at the stall safety checks;
- (7) stall symptoms, recognition and recovery;
- (8) recovery when a wing drops;

- (9) approach to stall in the approach and in the landing configurations: recognition and recovery from accelerated stalls.

(c) Air Exercise:

The student instructor has to check that the airspace below the sailplane is free of other aircraft or traffic before starting the exercise.

The student instructor has to demonstrate:

- (1) stall from a level flight;
- (2) pre-stall symptoms, recognition and recovery;
- (3) stall symptoms, recognition and recovery;
- (4) recovery when a wing drops;
- (5) approach to stall in the approach and in the landing configurations;
- (6) recognition and recovery from accelerated stalls;
- (7) stalling and recovery at the incipient stage with 'instructor induced' distractions;
- (8) how to improve the student pilot's ability to recognise a stall and to recover from it;
- (9) how to analyse and correct errors as necessary.

Note: consideration is to be given to manoeuvre limitations and references to the flight manual or equivalent document (for example owner's manual or pilot's operating handbook) in relation to mass and balance limitations. The safety checks should take into account the minimum safe altitude for initiating such exercises in order to ensure an adequate margin of safety for the recovery. If specific procedures for stalling or spinning exercises and for the recovery techniques are provided by the flight manual or equivalent document (for example owner's manual or pilot's operating handbook), they have to be taken into consideration. These factors are also covered in the next exercise.

EXERCISE 10a: SPIN RECOGNITION AND AVOIDANCE

(a) Objective:

To advise the student Instructor on how to improve the student's ability to recognize a spin at the incipient stage and to recover from it. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) why a sailplane spins;
- (2) how to recognise the symptoms of a spin (not to be confused with spiral dive);
- (3) what are the parameters influencing the spin;
- (4) how to recover from a spin.

(c) Air exercise:

The student instructor has to check that the airspace below the sailplane is free of other aircraft or traffic before starting the exercise.

The student instructor has to:

- (1) demonstrate stalling and recovery at the incipient spin stage (stall with excessive wing drop, about 45 °);
- (2) make sure that the student recognises the spin entry;
- (3) make sure that the student pilot is able to recover from the spin;
- (4) check if the student still reacts properly if the instructor induces distractions during the spin entry;
- (5) demonstrate how to analyse and correct errors as necessary.

Note: consideration of manoeuvre limitations and the need to refer to the sailplane manual and mass and balance calculations.

EXERCISE 10b: DEVELOPED SPINS: ENTRY AND RECOVERY

(a) Objective:

To advise the student instructor on how to recognize a developed spin and to recover from it. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the spin entry;
- (2) the symptoms of a real spin and the recognition and identification of spin direction;
- (3) the spin recovery;
- (4) use of controls;
- (5) effects of flaps (flap restriction applicable to type);
- (6) the effect of the CG upon spinning characteristics;
- (7) the spinning from various flight attitudes;
- (8) the sailplane limitations;
- (9) safety checks;
- (10) common errors during recovery.

(c) Air exercise:

The student instructor has to check that the airspace below the sailplane is free of other aircraft or traffic before starting the exercise.

The student instructor has to demonstrate:

- (1) safety checks;
- (2) the spin entry;
- (3) the recognition and identification of the spin direction;
- (4) the spin recovery (reference to flight manual);
- (5) the use of controls;
- (6) the effects of flaps (restrictions applicable to sailplane type);
- (7) spinning and recovery from various flight attitudes;

- (8) how to improve the student pilot's ability to recognise a spin and how to recover from it;
- (9) how to analyse and correct errors as necessary.

EXERCISE 11: TAKE OFF OR LAUNCH METHODS

Note: the student instructor has to teach at least one of the following launch methods: winch launch, aero tow, self launch. At least three launch failure exercises should be completed. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

EXERCISE 11a: WINCH LAUNCH

(a) Objective:

To advise the student instructor on how to teach winch launches and on how to make sure that their student will manage an aborted launch. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the signals or communication before and during launch;
- (2) the use of the launching equipment;
- (3) the pre-take-off checks;
- (4) the procedure for into wind take-off;
- (5) the procedure for crosswind take-off;
- (6) the optimum profile of winch launch and limitations;
- (7) the launch failure procedures.

(c) Air exercise:

The student instructor has to demonstrate:

- (1) the use of the launching equipment;
- (2) the pre-take-off checks;
- (3) the into wind take-off;
- (4) the crosswind take-off;
- (5) the optimum profile of winch launch and limitations;
- (6) the procedure in case of cable break or aborted launch, launch failure procedures;
- (7) how to teach the student pilot to perform safe winch launches;
- (8) how to teach the student pilot to manage an aborted launch (different altitudes);
- (9) how to analyse and correct errors as necessary.

EXERCISE 11b: AERO TOW

(a) Objective:

To advise the student instructor on how to teach aero towing and on how to make sure that their student will manage an aborted launch. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the signals or communication before and during launch;
- (2) the use of the launch equipment;
- (3) the pre-take-off checks;
- (4) the procedure for into wind take-off;
- (5) the procedure for crosswind take-off;
- (6) the procedure on tow: straight flight, turning and slip stream;
- (7) the recovery from out-of-position on tow;
- (8) the procedures in case of launch failure and abandonment;
- (9) the descending procedure on tow (towing aircraft and sailplane);
- (10) the reasons for launch failures and abandonment or procedures.

(c) Air exercise:

The student instructor has to demonstrate:

- (1) the signals before and during launch;
- (2) the use of the launch equipment;
- (3) the pre-take-off checks;
- (4) the procedure for into wind take-off;
- (5) the procedure for a crosswind take-off;
- (6) the procedures on tow: straight flight, turning and slip stream;
- (7) the recovery from out-of-position on tow;
- (8) the procedure in case of launch failure and abandonment;
- (9) the descending procedure on tow;
- (10) how to teach the student pilot to perform safe aero tow launches;
- (11) how to teach the student pilot to manage an aborted launch;
- (12) how to analyse and correct errors as necessary.

EXERCISE 11c: SELF LAUNCH

(a) Objective:

To advise the student instructor on how to teach launching with a self launching sailplane and on how to make sure that his/her student will manage an aborted launch. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the engine extending and retraction procedures;
 - (2) the engine starting and safety precautions;
 - (3) the pre-take-off checks;
 - (4) the noise abatement procedures;
 - (5) the checks during and after take-off;
 - (6) the into wind take-off;
 - (7) the crosswind take-off;
 - (8) the procedure in case of power failure;
 - (9) the procedure in case of abandoned take-off;
 - (10) the maximum performance (short field and obstacle clearance) take-off;
 - (11) the short take-off and soft field procedure or techniques and performance calculations.
- (c) Air exercise:
- The student instructor has to demonstrate:
- (1) the engine extending and retraction procedures;
 - (2) the engine starting and safety precautions;
 - (3) the pre-take-off checks;
 - (4) the noise abatement procedures;
 - (5) the checks during and after take off;
 - (6) the into wind take-off;
 - (7) the crosswind take-off;
 - (8) the power failures and procedures;
 - (9) the procedure in case of abandoned take-off;
 - (10) the maximum performance (short field and obstacle clearance) take-off;
 - (11) the short take-off and soft field procedure or techniques and performance calculations;
 - (12) how to teach the student pilot to perform safe self launches;
 - (13) how to teach the student pilot to manage an aborted launch (different altitudes);
 - (14) how to analyse and correct errors as necessary.

EXERCISE 12: CIRCUIT APPROACH AND LANDING

- (a) Objective:

To advise the student instructor on how to teach their students to fly a safe circuit approach and to land the sailplane. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

- (b) Briefing:

The student instructor has to explain:

- (1) the procedures for rejoining the circuit;
 - (2) the procedures for collision avoidance and the lookout techniques;
 - (3) the pre-landing check;
 - (4) the normal circuit procedures, downwind, base leg;
 - (5) the effect of wind on approach and touchdown speeds ;
 - (6) the visualisation of a reference point;
 - (7) the approach control and use of airbrakes;
 - (8) the use of flaps (if applicable);
 - (9) the procedures for normal and crosswind approach and landing.
- (c) Air exercise:
- The student instructor has to demonstrate:
- (1) the procedures for rejoining the circuit;
 - (2) the procedures for collision avoidance and the look-out techniques;
 - (3) the pre-landing check;
 - (4) the standard circuit and contingency planning (for example running out of height);
 - (5) the effect of wind on approach and touchdown speeds;
 - (6) the visualisation of an aiming point;
 - (7) the approach control and use of airbrakes;
 - (8) the use of flaps (if applicable);
 - (9) the procedures for normal and crosswind approaches and landings;
 - (10) how to teach the student pilot to fly a safe circuit approach;
 - (11) how to improve the student pilot's ability to perform a safe landing;
 - (12) how to analyse and correct errors as necessary.

EXERCISE 13: FIRST SOLO

- (a) Objective:
- To advise the student instructor on how to prepare their students for the first solo flight.
- (b) Briefing:
- The student instructor has to explain:
- (1) the limitations of the flight (awareness of local area and restrictions);
 - (2) the use of required equipment.
- (c) Air exercise:
- The student instructor has to;
- (1) check with another or more senior instructor if the student can fly solo;
 - (2) monitor the flight;
 - (3) debrief the flight with the student.

EXERCISE 14 : ADVANCED TURNING

(a) Objective:

To advise the student instructor on how to fly steep turns or circles (45 ° banking) at constant attitude (speed) and with the yaw string centred. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain;

- (1) the relationship between banking and speed;
- (2) how to master steep turns or circles;
- (3) the unusual attitudes which can occur (stalling or spinning and spiral dive);
- (4) how to recover from these unusual attitudes.

(c) Air exercise:

The student has to demonstrate:

- (1) steep turns (45 °) at constant speed and with the yaw string centred;
- (2) common errors (slipping and skidding);
- (3) unusual attitudes and how to recover from them;
- (4) how to teach the student pilot to fly steep turns or circles;
- (5) how to analyse and correct errors as necessary.

EXERCISE 15: SOARING TECHNIQUES

Note: if the weather conditions during the instructor training do not allow the practical training of soaring techniques, all items of the air exercises have to be discussed and explained during a long briefing exercise only.

EXERCISE 15a: THERMALLING

(a) Objective:

To advise the student instructor on how to teach their students to recognise and detect thermals, on how to join a thermal and on how to look out, in order to avoid mid-air collisions. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain;

- (1) the look-out procedures;
- (2) the detection and recognition of thermals;
- (3) the use of audio soaring instruments;
- (4) the procedure for joining a thermal and giving way;
- (5) how to fly in close proximity to other sailplanes;
- (6) how to centre in thermals;

- (7) how to leave thermals.
- (c) Air exercise:
The student instructor has to demonstrate;
 - (1) the look-out procedures;
 - (2) the detection and recognition of thermals;
 - (3) the use of audio soaring instruments;
 - (4) the procedure for joining a thermal and giving way;
 - (5) the procedure for flying in close proximity to other sailplanes;
 - (6) the centering in thermals;
 - (7) the procedure for leaving thermals;
 - (8) how to improve the student pilot's ability to recognise and detect thermals;
 - (9) how to improve the student pilot's ability to join a thermal and how to look out;
 - (10) how to analyse and correct errors as necessary.

EXERCISE 15b: RIDGE FLYING

- (a) Objective:
To advise the student instructor on how to teach his/her students to fly safely on ridges, to control their speed, and to apply the rules in order to avoid mid-air collisions. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.
- (b) Briefing:
The student instructor has to explain:
 - (1) the look-out procedures;
 - (2) the ridge flying rules;
 - (3) the recognition of optimum flight path;
 - (4) speed control.
- (c) Air exercise: (if applicable during training and, if possible, at training site)
The student instructor has to demonstrate:
 - (1) the look-out procedures;
 - (2) the practical application of ridge flying rules;
 - (3) the recognition of optimum flight path;
 - (4) speed control;
 - (5) how to teach the student pilot to fly safely on ridges;
 - (6) how to analyse and correct errors as necessary.

EXERCISE 15c: WAVE FLYING

- (a) Objective:

To advise the student instructor on how to introduce students to wave flying and to teach them to fly safely at high altitude. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the look-out procedures;
- (2) the techniques to be used to accede to a wave;
- (3) the speed limitations with increasing height;
- (4) the risks of hypoxia and the use of oxygen.

(c) Air exercise: (if applicable during training and if possible at training site)

The student instructor has to demonstrate:

- (1) the look-out procedures;
- (2) the wave access techniques;
- (3) the speed limitations with increasing height;
- (4) the use of oxygen (if available);
- (5) how to improve the student pilot's ability to recognise and detect waves;
- (6) how to teach the student pilot to fly safely in a wave;
- (7) how to analyse and correct errors as necessary.

EXERCISE 16: OUT-LANDINGS

Note: if the weather conditions during the instructor training do not allow the practical training of out-landing procedures (a touring motor glider may be used) all items of the air exercise have to be discussed and explained during a long briefing exercise only. Instructors may only teach the safe out-landing exercise after they have demonstrated the practical ability to do so.

(a) Objective:

To advise the student instructor on how to teach students to select an out-landing field, to fly the circuit and how to master the unusual landing situation. Furthermore, the student instructor should learn how to identify student errors and how to correct them properly.

(b) Briefing:

The student instructor has to explain:

- (1) the gliding range at max L/D;
- (2) the engine re-start procedures (only for self-launching and self-sustaining sailplanes);
- (3) the selection of a landing area;
- (4) the circuit judgement and key positions;
- (5) the circuit and approach procedures;
- (6) the actions to be done after landing.

(c) Air exercise:

The student instructor has to demonstrate:

- (1) precision landings on the airfield;
- (2) the gliding range;
- (3) the procedures for joining, arrival and circuit at a remote aerodrome;
- (4) the selection of an out-landing area;
- (5) the procedures for circuit and approach on an out-landing field;
- (6) the actions to be done after landing;

The student instructor also has to be trained:

- (7) how to advise the student pilot to do perform a safe out-landing;
- (8) how to master an unusual landing situation;
- (9) how to analyse and correct errors as necessary.

EXERCISE 17: CROSS COUNTRY FLYING

Note: if the weather conditions during the instructor training do not allow a cross country training flight the items of the air exercise have to be discussed and explained during a long briefing exercise only.

EXERCISE 17a: FLIGHT PLANNING

(a) Objective:

To advise the student instructor on how plan and prepare a cross-country flight.

(b) Briefing:

The student instructor has to explain:

- (1) the weather forecast and current situation;
- (2) the selection of the amount of water to be carried as a function of the weather forecast;
- (3) the method for selecting a task, taking into account the average speed to be expected;
- (4) the map selection and preparation;
- (5) the NOTAMs and airspace considerations;
- (6) the radio frequencies (if applicable);
- (7) the pre-flight administrative procedures;
- (8) the procedure for filing a flight plan where required;
- (9) alternate aerodromes and landing areas.

EXERCISE 17b: IN-FLIGHT NAVIGATION

(a) Objective:

To advise the student instructor on how to teach performing a cross-country flight.

(b) Briefing:

The student instructor has to explain:

- (1) how to maintain track and re-route if necessary;
- (2) the altimeter settings;
- (3) the use of radio and phraseology;
- (4) the in-flight planning;
- (5) the procedures for transiting regulated airspace or ATC liaison where required;
- (6) the procedure in case of uncertainty of position;
- (7) the procedure in case of becoming lost;

(c) Air exercise:

The student instructor has to demonstrate:

- (1) maintaining track and re-routing if necessary;
- (2) altimeter settings;
- (3) the use of radio and phraseology;
- (4) in-flight planning;
- (5) procedures for transiting regulated airspace or ATC liaison where required;
- (6) uncertainty of position procedure;
- (7) lost procedure;
- (8) use of additional equipment where required;
- (9) joining, arrival and circuit procedures at remote aerodrome;
- (10) how to teach the student pilot to perform a cross-country flight;
- (11) how to analyse and correct errors as necessary.

EXERCISE 17c: CROSS-COUNTRY SOARING TECHNIQUES

(a) Objective:

To advise the student instructor on the techniques for an efficient cross country flight.

(b) Briefing:

The student instructor has to explain:

- (1) the speed to fly at maximal L/D ratio;
- (2) the speed to fly to maximise the cruise speed (Mc Cready theory);
- (3) how to select the optimal track (efficient use of cloud streets etc.);
- (4) how to calculate the final glide;
- (5) how to perform a safe out-landing.

(c) Air exercise:

The student instructor has to demonstrate:

- (1) a cross-country flight;
- (2) the selection of the optimal track (efficient use of cloud streets, etc) ;

- (3) the use of the Mc Cready ring;
- (4) use of final glide computers;
- (5) how to reduce risk and to react to potential dangers;
- (6) how to plan and perform an out-landing;
- (7) how to teach the student pilot techniques for an efficient cross-country flight;
- (8) how to analyse and correct errors as necessary.

AMC1 FCL.940.FI (a)(2) FI — Revalidation and renewal

FI OR IRI REFRESHER SEMINAR

- (a) FI or IRI refresher seminars made available in Member States should have due regard to geographical location, numbers attending, and periodicity throughout the territory of the Member State concerned.
- (b) Such seminars should run for at least 2 days, and attendance from participants will be required for the whole duration of the seminar including breakout groups and workshops. Different aspects, such as inclusion of participants holding certificates in other categories of aircraft should be considered.
- (c) Some experienced FIs or IRIs currently involved with flying training and with a practical understanding of the revalidation requirements and current instructional techniques should be included as speakers at these seminars.
- (d) The attendance form will be completed and signed by the organiser of the seminar as approved by the competent authority, following attendance and satisfactory participation by the FI or IRI.
- (e) The content of the FI or IRI refresher seminar should be selected from the following:
 - (1) new or current rules or regulations, with emphasis on knowledge of Part-FCL and operational requirements;
 - (2) teaching and learning;
 - (3) instructional techniques;
 - (4) the role of the instructor;
 - (5) national regulations (as applicable);
 - (6) human factors;
 - (7) flight safety, incident and accident prevention;
 - (8) airmanship;
 - (9) legal aspects and enforcement procedures;
 - (10) navigational skills including new or current radio navigation aids;
 - (11) teaching instrument flying;
 - (12) weather related topics including methods of distribution.
 - (13) any additional topic selected by the competent authority.
- (f) Formal sessions should allow for a presentation time of 45 minutes, with 15 minutes for questions. The use of visual aids is recommended, with interactive video and other teaching aids (where available) for breakout groups and workshops.

GM1 FCL.940.FI(a)(2) FI — Revalidation and renewal

FI CERTIFICATE: REVALIDATION AND RENEWAL FORM

A. AEROPLANES

INSTRUCTIONAL FLYING EXPERIENCE				
<i>Instructors applying for revalidation of the FI certificate should enter the instructional hours flown during the preceding 36 months.</i>				
SINGLE-ENGINE		MULTI-ENGINE		INSTRUMENT
DAY	NIGHT	DAY	NIGHT	
Total instructional hours (preceding 36 months):				
Total instructional hours (preceding 12 months):				
FI REFRESHER SEMINAR				
1	This is to certify that the undersigned attended an FI seminar			
2	Attendee's personal particulars:			
Name(s):			Address:	
Licence number:			Expiration date of FI(A) certificate	
3	Seminar particulars:			
Date(s) of seminar:			Place:	
4	Declaration by the responsible organiser:			
<i>I certify that the above data are correct and that the FI seminar was carried out.</i>				
Date of approval:			Name(s) of organiser: (capital letters)	
Date and place:			Signature:	
5	Declaration by the attendee:			
I confirm the data under 1 through 3				
Attendee's signature:				
PROFICIENCY CHECK				
<i>(Name(s) of applicant) has given proof of flying instructional ability during a proficiency check flight. This was done to the required standard.</i>				

Flying time:	Aeroplane or FFS used:
Main exercise:	
Name(s) of FIE:	Licence number:
Date and place:	Signature:

B. HELICOPTERS

INSTRUCTIONAL FLYING EXPERIENCE	
<i>Instructors applying for revalidation of the FI certificate should enter the instructional hours flown during the preceding 36 months.</i>	
Instrument:	
Total instructional hours (preceding 36 months):	
Total instructional hours (preceding 12 months):	
FI REFRESHER SEMINAR	
1	This is to certify that the undersigned attended an FI seminar
2	Attendees personal particulars:
Name(s):	Address:
Licence number:	Expiration date of FI(H) certificate:
3	Seminar particulars:
Date(s) of seminar:	Place:

4	Declaration by the responsible organiser:				
<i>I certify that the above data are correct and that the FI seminar was carried out.</i>					
Date of approval:		Name(s) of organiser: (capital letters)			
Date and place:		Signature:			
5	Declaration by the attendee:				
I confirm the data under 1 through 3					
Attendee's signature:					
PROFICIENCY CHECK					
<i>(Name(s) of applicant) has given proof of flying instructional ability during a proficiency check flight. This was done to the required standard.</i>					
Flying time:		Helicopter or FFS used:			
Main exercise:					
Name(s) of FIE:		Licence number:			
Date and place:					
<table border="1" style="width: 100%;"> <tr> <td style="width: 10%;"><i>Signature:</i></td> <td></td> </tr> </table>				<i>Signature:</i>	
<i>Signature:</i>					

C. AIRSHIPS

INSTRUCTIONAL FLYING EXPERIENCE				
<i>Instructors applying for revalidation of the FI certificate should enter the instructional hours flown during the preceding 36 months.</i>				
SINGLE-ENGINE		MULTI-ENGINE		INSTRUMENT
DAY	NIGHT	DAY	NIGHT	
Total instructional hours (preceding 36 months):				
Total instructional hours (preceding 12 months):				
FLIGHT INSTRUCTOR REFRESHER SEMINAR				
1	This is to certify that the undersigned attended an FI seminar			
2	Attendee's personal particulars:			
Name(s):			Address:	
Licence number:			Expiration date of FI(As) certificate:	
3	Seminar particulars:			
Date(s) of seminar:			Place:	
4	Declaration by the responsible organiser:			
<i>I certify that the above data are correct and that the FI seminar was carried out.</i>				
Date of approval:			Name(s) of organiser: (capital letters)	
Date and place:			Signature:	
5	Declaration by the attendee:			
I confirm the data under 1 through 3				
Attendee's signature:				
PROFICIENCY CHECK				
<i>(Name(s) of applicant) has given proof of flying instructional ability during a proficiency check flight. This was done to the required standard.</i>				

Flying time:	Airship or FFS used:
Main exercise:	
Name(s) of FIE:	Licence number:
Date and place:	Signature:

D. SAILPLANES INSTRUCTIONAL FLYING EXPERIENCE

INSTRUCTIONAL FLYING EXPERIENCE			
<i>Instructors applying for revalidation of the FI certificate should enter the instructional hours and take-offs flown during the preceding 36 months.</i>			
SAILPLANE (hours and take-offs)		TMG (hours and take-offs)	
DAY	NIGHT	DAY	NIGHT
Total instructional hours (preceding 36 months):			
Total instructional hours (preceding 12 months):			
Total amount of take-offs (preceding 36 months):			
Total amount of take-offs (preceding 12 months):			
FI REFRESHER SEMINAR			
1	This is to certify that the undersigned attended an FI seminar		
2	Attendee's personal particulars:		
Name(s):		Address:	
Licence number:		Expiration date of FI(S) certificate:	
3	Seminar particulars:		
Date(s) of seminar:		Place:	
4	Declaration by the responsible organiser:		

<i>I certify that the above data are correct and that the FI seminar was carried out.</i>	
Date of approval:	Name(s) of organiser: (capital letters)
Date and place:	Signature:
5	Declaration by the attendee:
I confirm the data under 1 through 3	
Attendee's signature:	
PROFICIENCY CHECK	
<i>(Name(s) of applicant) has given proof of flying instructional ability during a proficiency check flight. This was done to the required standard.</i>	
Flying time:	Sailplane or TMG used:
Main exercise:	
Name(s) of FIE:	Licence number:
Date and place:	Signature:

E. BALLOONS

INSTRUCTIONAL FLYING EXPERIENCE				
<i>Instructors applying for revalidation of the FI certificate should enter the instructional hours flown during the preceding 36 months.</i>				
Balloons (gas)		Balloons (hot-air)		Hot-air airships
DAY	NIGHT	DAY	NIGHT	DAY NIGHT
Total instructional hours (preceding 36 months):				
Total instructional hours (preceding 12 months):				
FI REFRESHER SEMINAR				
1	This is to certify that the undersigned attended an FI seminar			

2	Attendee's personal particulars:	
Name(s):		Address:
Licence number:		Expiration date of FI(B) certificate:
3	Seminar particulars:	
Date(s) of seminar:		Place:
4	Declaration by the responsible organiser:	
<i>I certify that the above data are correct and that the FI seminar was carried out.</i>		
Date of approval:		Name(s) of organiser: (capital letters)
Date and place:		Signature:
5	Declaration by the attendee:	
I confirm the data under 1 through 3		
Attendee's signature:		
PROFICIENCY CHECK		
<i>(Name(s) of applicant) has given proof of flying instructional ability during a proficiency check flight. This was done to the required standard.</i>		
Flying time:		Balloon or hot-air airship used:
Main exercise:		
Name(s) of FIE:		Licence number:
Date and place:		Signature:

AMC1 FCL.930.CRI CRI — Training course

GENERAL

- (a) The aim of the CRI training course is to train aircraft licence holders to the level of competence defined in FCL.920 and adequate to a CRI.
- (b) The training course should be designed to give adequate training to the applicant in theoretical knowledge instruction, flight instruction and FSTD instruction to instruct for any class or type rating for non-complex non-high performance SP aeroplanes for which the applicant is qualified.
- (c) The flight training should be aimed at ensuring that the applicant is able to teach the air exercises safely and efficiently to students undergoing a course of training for the issue of a class or type rating for non-complex non-high performance SP aeroplanes. The flight training may take place on the aeroplane or an FFS.
- (d) It is to be noted that airmanship is a vital ingredient of all flight operations. Therefore, in the following air exercises the relevant aspects of airmanship are to be stressed at the appropriate times during each flight.
- (e) The student instructor should learn how to identify common errors and how to correct them properly, which should be emphasised at all times.

CONTENT

- (f) The training course consists of three parts:
 - (1) Part 1: teaching and learning that should follow the content of AMC1 FCL.920;
 - (2) Part 2: technical theoretical knowledge instruction (technical training);
 - (3) Part 3: flight instruction.

Part 1

The content of the teaching and learning part of the FI training course, as established in AMC1 FCL.930.FI, should be used as guidance to develop the course syllabus.

Part 2

This syllabus is concerned only with the training on ME aeroplanes. Therefore, other knowledge areas, common to both SE and ME aeroplanes, should be revised as necessary to cover the handling and operating of the aeroplane with all engines operative, using the applicable sections of the ground subjects syllabus for the FI course. Additionally, the ground training should include 25 hours of classroom work to develop the applicant's ability to teach a student the knowledge and understanding required for the air exercise section of the ME training course. This part will include the long briefings for the air exercises.

THEORETICAL KNOWLEDGE INSTRUCTION SYLLABUS

Suggested breakdown of course classroom hours:

Tuition hours	Practice in class	Topic	Internal progress test
1.00		Aviation legislation	1.00
2.00	}	Performance, all engines operating, including mass and balance	
2.00		Asymmetric flight Principles of flight	
2.00		Control in asymmetric flight Minimum control and safety speeds Feathering and un-feathering	
2.00		Performance in asymmetric flight	1.00
2.00		Specific type of aeroplane – operation of systems. Airframe and engine limitations	1.00
4.00	5.00	Briefings for air exercises progress	
15.00	7.00		3.00
Course total	25.00 (including progress test)		

GENERAL SUBJECTS

- (a) Air legislation:
 - (1) aeroplane performance group definitions;
 - (2) methods of factoring gross performance.
- (b) Asymmetric power flight;
- (c) Principles of flight;
- (d) The problems:
 - (1) asymmetry;
 - (2) control;
 - (3) performance;
- (e) The forces and couples:
 - (1) offset thrust line;
 - (2) asymmetric blade effect;
 - (3) offset drag line;
 - (4) failed engine propeller drag;
 - (5) total drag increase;
 - (6) asymmetry of lift;
 - (7) uneven propeller slipstream effect;
 - (8) effect of yaw in level and turning flight;
 - (9) thrust and rudder side force couples;
 - (10) effect on moment arms.
- (f) Control in asymmetric power flight:
 - (1) use, misuse and limits of:
 - (i) rudder;
 - (ii) aileron;
 - (iii) elevators.
 - (2) effect of bank or sideslip and balance;
 - (3) decrease of aileron and rudder effectiveness;
 - (4) fin stall possibility;
 - (5) effect of IAS and thrust relationship;
 - (6) effect of residual unbalanced forces;
 - (7) foot loads and trimming.
- (g) Minimum control and safety speeds:
 - (1) minimum control speed (v_{mc});
 - (2) definition;
 - (3) origin;
 - (4) factors affecting (v_{mc}):

- (i) thrust;
 - (ii) mass and centre of gravity position;
 - (iii) altitude;
 - (iv) landing gear;
 - (v) flaps;
 - (vi) cowl flaps or cooling gills;
 - (vii) turbulence or gusts;
 - (viii) pilot reaction or competence;
 - (ix) banking towards the operating engine;
 - (x) drag;
 - (xi) feathering;
 - (xii) critical engine.
- (5) take-off safety speed;
 - (6) definition or origin of v_2 ;
 - (7) other relevant v codes;
- (h) Aeroplane performance: one engine inoperative:
 - (1) effect on excess power available;
 - (2) SE ceiling;
 - (3) cruising, range and endurance;
 - (4) acceleration and deceleration;
 - (5) zero thrust, definition and purpose;
 - (i) Propellers:
 - (1) variable pitch: general principles;
 - (2) feathering and un-feathering mechanism and limitations (for example minimum RPM);
 - (j) Specific aeroplane type;
 - (k) Aeroplane and engine systems:
 - (1) operation normal;
 - (2) operation abnormal;
 - (3) emergency procedures.
 - (l) Limitations: airframe:
 - (1) load factors;
 - (2) landing gear and flap limiting speeds (v_{lo} and v_{fe});
 - (3) rough air speed (v_{ra});
 - (4) maximum speeds (v_{no} and v_{ne}).
 - (m) Limitations: engine:
 - (1) RPM and manifold pressure;
 - (2) oil temperature and pressure;
 - (3) emergency procedures.

(n) Mass and balance:

(to be covered in conjunction with the flight manual or equivalent document (for example owner's manual or pilot's operating handbook))

- (1) mass and balance documentation for aeroplane type;
- (2) revision of basic principles;
- (3) calculations for specific aeroplane type.

(o) Mass and performance:

(to be covered in conjunction with the flight manual or equivalent document (for example owner's manual or pilot's operating handbook))

- (1) calculations for specific aeroplane type (all engines operating);
- (2) take-off run;
- (3) take-off distance;
- (4) accelerate and stop distance;
- (5) landing distance;
- (6) landing run;
- (7) take-off or climb out flight path;
- (8) calculations for specific aeroplane type (one engine operating);
- (9) climb out flight path;
- (10) landing distance;
- (11) landing run.

Part 3

FLIGHT INSTRUCTION SYLLABUS: NORMAL FLIGHT

- (a) This part is similar to the air exercise sections of the SE FI course, including 'Introduction to instrument flying' except that the objectives, airmanship considerations and common errors are related to the operation of an ME aeroplane.
- (b) The purpose of this part is to acquaint the applicant with the teaching aspects of the operational procedures and handling of an ME aeroplane with all engines functioning.
- (c) The following items should be covered:
 - (1) aeroplane familiarisation;
 - (2) pre-flight preparation and aeroplane inspection;
 - (3) engine starting procedures;
 - (4) taxiing;
 - (5) pre take-off procedures;
 - (6) the take-off and initial climb:
 - (i) into wind;
 - (ii) crosswind;
 - (iii) short field.
 - (7) climbing;
 - (8) straight and level flight;
 - (9) descending (including emergency descent procedures);
 - (10) turning;
 - (11) slow flight;
 - (12) stalling and recoveries;
 - (13) instrument flight: basic;
 - (14) emergency drills (not including engine failure);
 - (15) circuit, approach and landing:
 - (i) into wind;
 - (ii) crosswind;
 - (iii) short field;
 - (16) mislanding and going round again;
 - (17) actions after flight.

AIR EXERCISES

- (d) The following air exercises are developments of the basic SE syllabus which are to be related to the handling of ME types to ensure that the student learns the significance and use of controls and techniques which may be strange to the student in all normal, abnormal and emergency situations, except that engine failure and flight on asymmetric power are dealt with separately in the air exercises in Part 2.

EXERCISE 1: FAMILIARISATION WITH THE AEROPLANE

- (a) Long briefing objectives:
 - (1) introduction to the aeroplane;
 - (2) explanation of the cockpit layout;
 - (3) systems and controls;
 - (4) aeroplane power plant;
 - (5) checklists and drills;
 - (6) differences when occupying the instructor's seat;
 - (7) emergency drills:
 - (i) action in event of fire in the air and on the ground;
 - (ii) escape drills: location of exits and use of emergency equipment (for example fire extinguishers, etc.).
 - (8) pre-flight preparation and aeroplane inspection:
 - (i) aeroplane documentation;
 - (ii) external checks;
 - (iii) internal checks;
 - (iv) harness, seat or rudder pedal adjustment;
 - (9) engine starting procedures:
 - (i) use of checklists;
 - (ii) checks before starting;
 - (iii) checks after starting.
- (b) Air exercise:
 - (1) external features;
 - (2) cockpit layout;
 - (3) aeroplane systems;
 - (4) checklists and drills;
 - (5) action if fire in the air and on the ground:
 - (i) engine;
 - (ii) cabin;
 - (iii) electrical.
 - (6) systems failure (as applicable to type);
 - (7) escape drills (location and use of emergency equipment and exits);
 - (8) preparation for and action after flight:
 - (i) flight authorisation and aeroplane acceptance;
 - (ii) technical log or certificate of maintenance release;
 - (iii) mass and balance and performance considerations;
 - (iv) external checks;
 - (v) internal checks, adjustment of harness or rudder pedals;

- (vi) starting and warming up engines;
- (vii) checks after starting;
- (viii) radio navigation and communication checks;
- (ix) altimeter checks and setting procedures;
- (x) power checks;
- (xi) running down and switching off engines;
- (xii) completion of authorisation sheet and aeroplane serviceability documents.

EXERCISE 2: TAXIING

- (a) Long briefing objectives:
 - (1) pre-taxiing area precautions (greater mass: greater inertia);
 - (2) effect of differential power;
 - (3) precautions on narrow taxiways;
 - (4) pre take-off procedures:
 - (i) use of checklist;
 - (ii) engine power checks;
 - (iii) pre take-off checks;
 - (iv) instructor's briefing to cover the procedure to be followed should an emergency occur during take-off, for example engine failure.
 - (5) the take-off and initial climb:
 - (i) ATC considerations;
 - (ii) factors affecting the length of the take-off run or distance;
 - (iii) correct lift-off speed;
 - (iv) importance of safety speed;
 - (v) crosswind take-off, considerations and procedures;
 - (vi) short field take-off, considerations and procedures;
 - (vii) engine handling after take-off: throttle, pitch and engine synchronisation.
 - (6) climbing:
 - (i) pre-climbing checks;
 - (ii) engine considerations (use of throttle or pitch controls);
 - (iii) maximum rate of climb speed;
 - (iv) maximum angle of climb speed;
 - (v) synchronising the engines.
- (b) Air exercise
 - (1) pre-taxing checks;
 - (2) starting, control of speed and stopping;
 - (3) control of direction and turning;

- (4) turning in confined spaces;
- (5) leaving the parking area;
- (6) freedom of rudder movement (importance of pilot ability to use full rudder travel);
- (7) instrument checks;
- (8) emergencies (brake or steering failure);
- (9) pre take-off procedures:
 - (i) use of checklist;
 - (ii) engine power and system checks;
 - (iii) pre take-off checks;
 - (iv) instructor's briefing if emergencies during take-off.
- (10) the take-off and initial climb:
 - (i) ATC considerations;
 - (ii) directional control and use of power;
 - (iii) lift-off speed;
 - (iv) crosswind effects and procedure;
 - (v) short field take-off and procedure.
 - (vi) procedures after take-off (at an appropriate stage of the course):
 - (A) landing gear retraction;
 - (B) flap retraction (as applicable);
 - (C) selection of manifold pressure and RPM;
 - (D) engine synchronisation;
 - (E) other procedures (as applicable).
- (11) climbing:
 - (i) pre-climbing checks;
 - (ii) power selection for normal and maximum rate climb;
 - (iii) engine and RPM limitations;
 - (iv) effect of altitude on manifold pressure, full throttle;
 - (v) levelling off: power selection;
 - (vi) climbing with flaps down;
 - (vii) recovery to normal climb;
 - (viii) en-route climb (cruise climb);
 - (ix) maximum angle of climb;
 - (x) altimeter setting procedures;
 - (xi) prolonged climb and use of cowl flaps or cooling gills;
 - (xii) instrument appreciation.

EXERCISE 3: STRAIGHT AND LEVEL FLIGHT

- (a) Long briefing objectives:
- (1) selection of power: throttle or pitch controls;
 - (2) engine synchronisation;
 - (3) fuel consumption aspects;
 - (4) use of trimming controls: elevator and rudder (aileron as applicable);
 - (5) operation of flaps:
 - (i) effect on pitch attitude;
 - (ii) effect on air speed.
 - (6) operation of landing gear:
 - (i) effect on pitch attitude;
 - (ii) effect on air speed.
 - (7) use of mixture controls;
 - (8) use of alternate air or carburettor heat controls;
 - (9) operation of cowl flaps or cooling gills;
 - (10) use of cabin ventilation and heating systems;
 - (11) operation and use of the other systems (as applicable to type);
 - (12) descending:
 - (i) pre-descent checks;
 - (ii) normal descent;
 - (iii) selection of throttle or pitch controls;
 - (iv) engine cooling considerations;
 - (v) emergency descent procedure.
 - (13) turning:
 - (i) medium turns;
 - (ii) climbing and descending turns;
 - (iii) steep turns (45 ° of bank or more).
- (b) Air exercise:
- (1) at normal cruising power:
 - (i) selection of cruise power;
 - (ii) manifold pressure or RPM;
 - (iii) engine synchronisation;
 - (iv) use of trimming controls;
 - (v) performance considerations: range or endurance.
 - (2) instrument appreciation;
 - (3) operation of flaps (in stages):
 - (i) air speed below v_{fe} ;
 - (ii) effect on pitch attitude;

- (iii) effect on air speed.
- (4) operation of landing gear:
 - (i) air speed below v_{lo} / v_{le} ;
 - (ii) effect on pitch attitude;
 - (iii) effect on air speed.
- (5) use of mixture controls;
- (6) use of alternate air or carburettor control;
- (7) operation of cowl flaps or cooling gills;
- (8) operation of cabin ventilation or heating systems;
- (9) operation and use of other systems (as applicable to type);
- (10) descending;
 - (i) pre-descent checks;
 - (ii) power selection: manifold pressure or RPM;
 - (iii) powered descent (cruise descent);
 - (iv) engine cooling considerations: use of cowl flaps or cooling gills;
 - (v) levelling off;
 - (vi) descending with flaps down;
 - (vii) descending with landing gear down;
 - (viii) altimeter setting procedure;
 - (ix) instrument appreciation;
 - (x) emergency descent:
 - (A) as applicable to type;
 - (B) limitations in turbulence v_{no} .
- (11) turning:
 - (i) medium turns;
 - (ii) climbing and descending turns;
 - (iii) steep turns: 45 ° of bank;
 - (iv) instrument appreciation.

EXERCISE 4: SLOW FLIGHT

- (a) Long briefing objectives:
 - (1) aeroplane handling characteristics during slow flight: flight at v_{s1} and $v_{so} + 5$ knots;
 - (2) simulated go-around from slow flight:
 - (i) at V_{sse} with flaps down;
 - (ii) note pitch trim change.

- (3) stalling:
 - (i) power selection;
 - (ii) symptoms approaching the stall;
 - (iii) full stall characteristics;
 - (iv) recovery from the full stall;
 - (v) recovery at the incipient stall;
 - (vi) stalling and recovery in the landing configuration;
 - (vii) recovery at the incipient stage in the landing configuration.
- (4) instrument flight (basic):
 - (i) straight and level;
 - (ii) climbing;
 - (iii) turning;
 - (iv) descending.
- (5) emergency drills (not including engine failure), as applicable to type;
- (6) circuit approach and landing:
 - (i) downwind leg:
 - (A) air speed below v_{re} ;
 - (B) use of flaps (as applicable);
 - (C) pre-landing checks;
 - (D) position to turn onto base leg.
 - (ii) base leg:
 - (A) selection of power (throttle or pitch), flaps and trimming controls;
 - (B) maintenance of correct air speed.
 - (iii) final approach:
 - (A) power adjustments (early reaction to undershooting);
 - (B) use of additional flaps (as required);
 - (C) confirmation of landing gear down;
 - (D) selection 'touch down' point;
 - (E) air speed reduction to V_{at} ;
 - (F) maintenance of approach path.
 - (iv) landing:
 - (A) greater sink rate;
 - (B) longer landing distance and run;
 - (C) crosswind approach and landing;
 - (D) crosswind considerations;
 - (E) short field approach and landing;
 - (F) short field procedure: considerations.

- (b) Air exercise
 - (1) safety checks;
 - (2) setting up and maintaining (flaps up);
 - (i) $v_{s1} + 5$ knots;
 - (ii) note aeroplane handling characteristics.
 - (3) setting up and maintaining (flaps down):
 - (i) $v_{so} + 5$ knots;
 - (ii) note aeroplane handling characteristics.
 - (4) simulated go-around from a slow flight with flaps:
 - (i) down and air speed not below V_{sse} , for example air speed at V_{sse} or $v_{mca} + 10$ knots;
 - (ii) increase to full power and enter a climb;
 - (iii) note pitch change.
 - (5) resume normal flight.
 - (6) stalling;
 - (i) selection of RPM;
 - (ii) stall symptoms;
 - (iii) full stall characteristics;
 - (iv) recovery from the full stall: care in application of power;
 - (v) recovery at the incipient stage;
 - (vi) stalling and recovery in landing configuration;
 - (vii) stall recovery at the incipient stage in the landing configuration.
 - (7) instrument flight (basic):
 - (i) straight and level;
 - (ii) climbing;
 - (iii) turning;
 - (iv) descending.
 - (8) emergency drills (not including engine failure), as applicable to type;
 - (9) circuit, approach and landing:
 - (i) downwind leg:
 - (A) control of speed (below v_{fe});
 - (B) flaps as applicable;
 - (C) pre-landing checks;
 - (D) control of speed and height;
 - (E) base leg turn.

- (ii) base leg:
 - (A) power selection;
 - (B) use of flap and trimming controls;
 - (C) maintenance of correct air speed.
 - (iii) final approach:
 - (A) use of additional flap (as required);
 - (B) confirmation of landing gear down;
 - (C) selection of touchdown point;
 - (D) air speed reduction to V_{at} ;
 - (E) maintaining correct approach path: use of power.
 - (iv) landing:
 - (A) control of sink rate during flare;
 - (B) crosswind considerations;
 - (C) longer landing roll;
 - (D) short or soft field approach and landing;
 - (E) considerations and precautions.
- (10) Asymmetric power flight.

During this part, special emphasis is to be placed on the:

- (i) circumstances in which actual feathering and un-feathering practice will be done, for example safe altitude; compliance with regulations about minimum altitude or height for feathering practice, weather conditions, distance from nearest available aerodrome;
- (ii) procedure to use for instructor and student co-operation, for example the correct use of touch drills and the prevention of misunderstandings, especially during feathering and un-feathering practice and when zero thrust is being used for asymmetric circuits. This procedure is to include positive agreement as to which engine is being shut down or re-started or set at zero thrust and identifying each control and naming the engine it is going to affect;
- (iii) consideration to be given to avoid over-working the operating engine, and the degraded performance when operating the aeroplane during asymmetric flight;
- (iv) need to use the specific checklist for the aeroplane type.

EXERCISE 5: FLIGHT ON ASYMMETRIC POWER

- (a) Long briefing objectives:
 - (1) introduction to asymmetric flight;
 - (2) feathering the propeller: method of operation;
 - (3) effects on aeroplane handling at cruising speed;
 - (4) introduction to effects upon aeroplane performance;
 - (5) note foot load to maintain a constant heading (no rudder trim);

- (6) un-feathering the propeller;
- (7) return to normal flight finding the zero thrust setting;
- (8) comparison of foot load when feathered and with zero thrust set.
- (9) effects and recognition of engine failure in level flight;
- (10) forces and the effects of yaw;
- (11) types of failure:
 - (i) sudden or gradual;
 - (ii) complete or partial.
- (12) yaw, direction and further effects of yaw;
- (13) flight instrument indications;
- (14) identification of failed engine;
- (15) the couples and residual out of balance forces: resultant flight attitude;
- (16) use of rudder to counteract yaw;
- (17) use of aileron: dangers of misuse;
- (18) use of elevator to maintain level flight;
- (19) use of power to maintain a safe air speed and altitude;
- (20) supplementary recovery to straight and level flight: simultaneous increase of speed and reduction in power;
- (21) identification of failed engine: idle leg = idle engine;
- (22) use of engine instruments for identification:
 - (i) fuel pressure or flow;
 - (ii) RPM gauge response effect of CSU action at lower and higher air speed;
 - (iii) engine temperature gauges.
- (23) confirmation of identification: close the throttle of identified failed engine;
- (24) effects and recognition of engine failure in turns;
- (25) identification and control;
- (26) side forces and effects of yaw.
- (27) During turning flight:
 - (i) effect of 'inside' engine failure: effect sudden and pronounced;
 - (ii) effect of 'outside' engine failure: effect less sudden and pronounced;
 - (iii) the possibility of confusion in identification (particularly at low power):
 - (A) correct use of rudder;
 - (B) possible need to return to lateral level flight to confirm correct identification.
 - (iv) visual and flight instrument indications;
 - (v) effect of varying speed and power;

- (vi) speed and thrust relationship;
 - (vii) at normal cruising speed and cruising power: engine failure clearly recognised;
 - (viii) at low safe speed and climb power: engine failure most positively recognised;
 - (ix) high speed descent and low power: possible failure to notice asymmetry (engine failure).
- (28) Minimum control speeds:
- (i) ASI colour coding: red radial line.
 Note: this exercise is concerned with the ultimate boundaries of controllability in various conditions that a student can reach in a steady asymmetric power state, approached by a gradual speed reduction. Sudden and complete failure should not be given at the Flight Manual v_{mca} . The purpose of the exercise is to continue the gradual introduction of a student to control an aeroplane in asymmetric power flight during extreme or critical situations. It is not a demonstration of v_{mca} .
 - (ii) Techniques for assessing critical speeds with wings level and recovery: dangers involved when minimum control speed and the stalling speed are very close: use of V_{sse} ;
 - (iii) Establish a minimum control speed for each asymmetrically disposed engine to establish critical engine (if applicable);
 - (iv) Effects on minimum control speeds of:
 - (A) bank;
 - (B) zero thrust setting;
 - (C) take-off configuration:
 - (a) landing gear down and take-off flap set;
 - (b) landing gear up and take-off flap set.
 Note: it is important to appreciate that the use of 5 ° of bank towards the operating engine produces a lower v_{mca} and also a better performance than that obtained with the wings held level. It is now normal for manufacturers to use 5 ° of bank in this manner when determining the v_{mca} for the specific type. Thus, the v_{mca} quoted in the aeroplane manual will have been obtained using the technique.
- (29) Feathering and un-feathering:
- (i) minimum heights for practising feathering or un-feathering drills;
 - (ii) engine handling: precautions (overheating, icing conditions, priming, warm-up, method of simulating engine failure: reference to aircraft engine manual and service instructions and bulletins).
- (30) Engine failure procedure:
- (i) once the maintenance of control has been achieved, the order in which the procedures are carried out will be determined by the phase of operation and the aircraft type.
 - (ii) flight phase:

- (A) in cruising flight;
- (B) critical phase such as immediately after take-off or during the approach to landing or during a go-around.

(31) Aircraft type:

Variations will inevitably occur in the order of certain drills and checks due to differences between aeroplane types and perhaps between models of the same type, and the flight manual or equivalent document (for example owner's manual or pilot's operating handbook) is to be consulted to establish the exact order of these procedures.

For example, one flight manual or equivalent document (for example owner's manual or pilot's operating handbook) may call for the raising of flaps and landing gear before feathering, whilst another may recommend feathering as a first step. The reason for this latter procedure could be due to the fact that some engines cannot be feathered if the RPM drops below a certain figure.

Again, in some aeroplanes, the raising of the landing gear may create more drag during retraction due to the transient position of the landing gear doors and as a result of this retraction would best be left until feathering has been accomplished and propeller drag reduced.

Therefore, the order in which the drills and checks are shown in this syllabus under 'immediate actions' and 'subsequent actions' are to be used as a general guide only and the exact order of precedence is determined by reference to the flight manual or equivalent document (for example owner's manual or pilot's operating handbook) for the specific aeroplane type being used on the course.

(32) In-flight engine failure in cruise or other flight phase not including take-off or landing:

- (i) immediate actions:
 - (A) recognition of asymmetric condition and control of the aircraft;
 - (B) identification and confirmation of failed engine:
 - (a) idle leg = idle engine;
 - (b) closing of throttle for confirmation.
 - (C) cause and fire check:
 - (a) typical reasons for failure;
 - (b) methods of rectification.
 - (D) feathering decision and procedure:
 - (a) reduction of other drag;
 - (b) need for speed but not haste;
 - (c) use of rudder trim.
- (ii) subsequent actions:
 - (A) live engine:
 - (a) temperature, pressures and power;
 - (b) remaining services;
 - (c) electrical load: assess and reduce as necessary;

- (d) effect on power source for air driven instruments;
 - (e) landing gear;
 - (f) flaps and other services.
- (B) re-plan flight:
- (a) ATC and weather;
 - (b) terrain clearance, SE cruise speed;
 - (c) decision to divert or continue.
- (C) fuel management: best use of remaining fuel;
- (D) dangers of re-starting damaged engine;
- (E) action if unable to maintain altitude: effect of altitude on power available;
- (F) effects on performance;
- (G) effects on power available and power required;
- (H) effects on various airframe configuration and propeller settings;
- (I) use of flight manual or equivalent document (for example owner's manual or pilot's operating handbook):
- (a) cruising;
 - (b) climbing: ASI colour coding (blue line);
 - (c) descending;
 - (d) turning.
- (J) 'live' engine limitations and handling;
- (K) take-off and approach: control and performance.
- (33) Significant factors:
- (i) significance of take-off safety speed:
 - (A) effect of landing gear, flap, feathering, take-off, trim setting, systems for operating landing gear and flaps;
 - (B) effect on mass, altitude and temperature (performance).
 - (ii) significance of best SE climb speed (V_{yse}):
 - (A) acceleration to best engine climb speed and establishing a positive climb;
 - (B) relationship of SE climb speed to normal climb speed;
 - (C) action if unable to climb.
 - (iii) significance of asymmetric committal height and speed: action if baulked below asymmetric committal height.
- (34) Engine failure during take-off:
- (i) below v_{mca} or unstick speed:
 - (A) accelerate or stop distance considerations;
 - (B) prior use of flight manual data if available.
 - (ii) above v_{mca} or unstick speed and below safety speed;

- (iii) immediate re-landing or use of remaining power to achieve forced landing;
- (iv) considerations:
 - (A) degree of engine failure;
 - (B) speed at the time;
 - (C) mass, altitude and temperature (performance);
 - (D) configuration;
 - (E) length of runway remaining;
 - (F) position of any obstacles ahead.
- (35) Engine failure after take-off:
 - (i) simulated at a safe height and at or above take-off safety speed;
 - (ii) considerations:
 - (A) need to maintain control;
 - (B) use of bank towards operating engine;
 - (C) use of available power achieving best SE climb speed;
 - (D) mass, altitude, temperature (performance);
 - (E) effect of prevailing conditions and circumstances.
- (36) Immediate actions: maintenance of control, including air speed and use of power:
 - (i) recognition of asymmetric condition;
 - (ii) identification and confirmation of failed engine;
 - (iii) feathering and removal of drag (procedure for type);
 - (iv) establishing best SE climb speed.
- (37) Subsequent actions: whilst carrying out an asymmetric power climb to the downwind position at SE best rate of climb speed:
 - (i) cause and fire check;
 - (ii) live engine, handling considerations;
 - (iii) remaining services;
 - (iv) ATC liaison;
 - (v) fuel management.

Note: these procedures are applicable to aeroplane type and flight situation.

- (38) Significance of asymmetric committal height:
 - (i) Asymmetric committal height is the minimum height needed to establish a positive climb whilst maintaining adequate speed for control and removal of drag during an approach to a landing.

Because of the significantly reduced performance of many CS/JAR/FAR 23 aeroplanes when operating on one engine, consideration is to be given to a minimum height from which it would be safely possible to attempt a go-around procedure,

during an approach when the flight path will have to be changed from a descent to a climb with the aeroplane in a high drag configuration.

Due to the height loss which will occur during the time that the operating engine is brought up to full power, landing gear and flap retracted, and the aeroplane established in a climb at v_{yse} a minimum height (often referred to as 'Asymmetric committal height') is to be selected, below which the pilot should not attempt to take the aeroplane round again for another circuit. This height will be compatible with the aeroplane type, all up weight, altitude of the aerodrome being used, air temperature, wind, the height of obstructions along the climb out path, and pilot competence.

- (ii) circuit approach and landing on asymmetric power:
 - (A) definition and use of asymmetric committal height;
 - (B) use of standard pattern and normal procedures;
 - (C) action if unable to maintain circuit height;
 - (D) speed and power settings required;
 - (E) decision to land or go-around at asymmetric committal height: factors to be considered.
- (iii) undershooting importance of maintaining correct air speed (not below v_{yse}).

(39) Speed and heading control:

- (i) height, speed and power relationship: need for minimum possible drag;
- (ii) establishing positive climb at best SE rate of climb speed:
 - (A) effect of availability of systems, power for flap and landing gear;
 - (B) operation and rapid clean up.

Note 1: The air speed at which the decision is made to commit the aeroplane to a landing or to go-around should normally be the best SE rate of climb speed and in any case not less than the safety speed.

Note 2: On no account should instrument approach 'decision height' and its associated procedures be confused with the selection of minimum height for initiating a go-around in asymmetric power flight.

(40) Engine failure during an all engines approach or missed approach:

- (i) use of asymmetric committal height and speed considerations;
- (ii) speed and heading control;
- (iii) decision to attempt a landing, go-around or force land as circumstances dictate.

Note: at least one demonstration and practice of engine failure in this situation should be performed during the course.

(41) Instrument flying on asymmetric power:

- (i) considerations relating to aircraft performance during:

- (A) straight and level flight;
 - (B) climbing and descending;
 - (C) standard rate turns;
 - (D) level, climbing and descending turns including turns onto pre-selected headings.
 - (ii) availability of vacuum operated instruments;
 - (iii) availability of electrical power source.
- (b) Air exercise

This section covers the operation of a SP ME aeroplane when one engine has failed and it is applicable to all such light piston aeroplanes. Checklists should be used as applicable.

- (1) introduction to asymmetric flight:
- (2) close the throttle of one engine;
- (3) feather its propeller;
- (4) effects on aeroplane handling at cruising speed;
- (5) effects on aeroplane performance for example cruising speed and rate of climb;
- (6) note foot load to maintain a constant heading;
- (7) un-feather the propeller;
- (8) return to normal flight finding the zero thrust throttle setting;
- (9) comparison of foot load when feathered and with zero thrust set.
- (10) effects and recognition of engine failure in level flight with the aeroplane straight and level at cruise speed:
 - (i) slowly close the throttle of one engine;
 - (ii) note yaw, roll and spiral descent.
- (11) return to normal flight:
 - (i) close throttle of other engine;
 - (ii) note same effects in opposite direction.
- (12) methods of control and identification of failed engine close one throttle and maintain heading and level flight by use of:
 - (i) rudder to control yaw;
 - (ii) aileron to hold wings level;
 - (iii) elevators to maintain level flight;
 - (iv) power (as required) to maintain air speed and altitude.
- (13) alternative or supplementary method of control:
 - (i) simultaneously;
 - (ii) lower aeroplane nose to increase air speed;
 - (iii) reduce power;
 - (iv) loss of altitude: inevitable.
- (14) identification of failed engine: idle foot = idle engine;

- (15) use of instruments for identification:
 - (i) fuel pressure or fuel flow;
 - (ii) RPM gauge or CSU action may mask identification;
 - (iii) engine temperature gauges.
- (16) confirmation of identification: close the throttle of the identified failed engine;
- (17) effects and recognition of engine failure in turns and effects of 'inside' engine failure:
 - (i) more pronounced yaw;
 - (ii) more pronounced roll;
 - (iii) more pronounced pitch down.
- (18) effects of 'outside' engine failure:
 - (i) less pronounced yaw;
 - (ii) less pronounced roll;
 - (iii) less pronounced pitch down.
- (19) possibility of confusion in identification:
 - (i) use of correct rudder application;
 - (ii) return to lateral level flight if necessary.
- (20) flight instrument indications;
- (21) effect of varying speed and power;
- (22) failure of one engine at cruise speed and power: engine failure clearly recognised;
- (23) failure of one engine at low speed and high power (not below v_{sse}): engine failure most positively recognised;
- (24) failure of one engine at higher speeds and low power: possible failure to recognise engine failure;
- (25) minimum control speeds;
- (26) establish the v_{yse} :
 - (i) select maximum permitted manifold pressure and RPM;
 - (ii) close the throttle on one engine;
 - (iii) raise the aeroplane nose and reduce the air speed;
 - (iv) note the air speed when maximum rudder deflection is being applied and when directional control can no longer be maintained;
 - (v) lower the aeroplane nose and reduce power until full directional control is regained;
 - (vi) the lowest air speed achieved before the loss of directional control will be the V_{mc} for the flight condition;
 - (vii) repeat the procedure closing the throttle of the other engine;
 - (viii) the higher of these two air speeds will identify the most critical engine to fail.

Note: warning - in the above situations the recovery is to be initiated immediately before directional control is lost with full rudder applied, or when a safe margin above the stall remains, for example when the stall warning device operates, for the particular aeroplane configuration and flight conditions. On no account should the aeroplane be allowed to decelerate to a lower air speed.

- (27) establish the effect of using 5 ° of bank at V_{mc} :
 - (i) close the throttle of one engine;
 - (ii) increase to full power on the operating engine;
 - (iii) using 5 ° of bank towards the operating engine reduce speed to the V_{mc} ;
 - (iv) note lower V_{mc} when 5 ° of bank is used.
- (28) 'in-flight' engine failure procedure;
- (29) in cruise and other flight circumstances not including take-off and landing.
- (30) Immediate actions: maintenance of control including air speed and use of power:
 - (i) identification and confirmation of failed engine;
 - (ii) failure cause and fire check;
 - (iii) feathering decision and implementation;
 - (iv) reduction of any other drag, for example flaps, cowl flaps etc.;
 - (v) retrim and maintain altitude.
- (31) Subsequent actions:
 - (i) live engine:
 - (A) oil temperature, pressure, fuel flow and power;
 - (B) remaining services;
 - (C) electrical load: assess and reduce as necessary;
 - (D) effect on power source for air driven instruments;
 - (E) landing gear;
 - (F) flaps and other services.
 - (ii) re-plan flight:
 - (A) ATC and weather;
 - (B) terrain clearance;
 - (C) SE cruise speed;
 - (D) decision to divert or continue;
 - (iii) fuel management: best use of fuel;
 - (iv) dangers of re-starting damaged engine;
 - (v) action if unable to maintain altitude:
 - (A) adopt V_{yse} ;
 - (B) effect of altitude on power available.
 - (vi) effects on performance;

- (vii) effects on power available and power required;
 - (viii) effects on various airframe configurations and propeller settings;
 - (ix) use of flight manual or equivalent document (for example owner's manual or pilot's operating handbook):
 - (A) cruising;
 - (B) climbing: ASI colour coding (blue line);
 - (C) descending;
 - (D) turning.
 - (x) 'live' engine limitations and handling;
 - (xi) take-off and approach: control and handling;

Note: to be done at a safe height away from the circuit;
 - (xii) take-off case with landing gear down and take-off flap set (if applicable);
 - (xiii) significance of take-off at or above safety speed (at safety speed. The ability to maintain control and to accelerate to SE climb speed with aeroplane clean and zero thrust set. Thereafter to achieve a positive climb);
 - (xiv) significance of flight below safety speed (below safety speed and above v_{mca} . A greater difficulty to maintain control, a possible loss of height whilst maintaining speed, cleaning up, accelerating to SE climb speed and establishing a positive climb);
 - (xv) significance of best SE climb speed (the ability to achieve the best rate of climb on one engine with minimum delay).
- (32) Significance of asymmetric committal height:
- (i) the ability to maintain or accelerate to the best SE rate of climb speed and to maintain heading whilst cleaning up with perhaps a slight height loss before climbing away;
 - (ii) below this height, the aeroplane is committed to continue the approach to a landing.
- (33) Engine failure during take-off run and below safety speed briefing only;
- (34) Engine failure after take-off;
- Note: to be initiated at a safe height and at not less than take-off safety speed with due regard to the problems of a prolonged SE climb in the prevailing conditions.
- (i) immediate actions:
 - (A) control of direction and use of bank;
 - (B) control of air speed and use of power;
 - (C) recognition of asymmetric condition;
 - (D) identification and confirmation of failed engine feathering and reduction of drag (procedure for type);
 - (E) re-trim;

- (ii) subsequent actions: whilst carrying out an asymmetric power climb to the downwind position at SE best rate of climb speed:
 - (A) cause and fire check;
 - (B) live engine, handling considerations;
 - (C) drills and procedures applicable to aeroplane type and flight situation;
 - (D) ATC liaison;
 - (E) fuel management.
- (35) Asymmetric circuit, approach and landing;
- (i) downwind and base legs:
 - (A) use of standard pattern;
 - (B) normal procedures;
 - (C) landing gear and flap lowering considerations;
 - (D) position for base leg;
 - (E) live engine handling;
 - (F) air speed and power settings;
 - (G) maintenance of height.
 - (ii) final approach:
 - (A) asymmetric committal height drill;
 - (B) control of air speed and descent rate;
 - (C) flap considerations.
 - (iii) going round again on asymmetric power (missed approach):
 - (A) not below asymmetric committal height;
 - (B) speed and heading control;
 - (C) reduction of drag, landing gear retraction;
 - (D) maintaining V_{yse} ;
 - (E) establish positive rate of climb.
- (36) Engine failure during all engines approach or missed approach:
- Note: to be started at not less than asymmetric committal height and speed and not more than part flap set:
- (i) speed and heading control;
 - (ii) reduction of drag flap;
 - (iii) decision to attempt landing or go-around;
 - (iv) control of descent rate if approach is continued;
 - (v) if go-around is initiated, maintain v_{yse} , flaps and landing gear retracted and establish positive rate of climb.
- Note: at least one demonstration and practice of engine failure in this situation should be performed during the course.

- (37) Instrument flying on asymmetric power;
- (38) Flight instrument checks and services available:
 - (i) straight and level flight;
 - (ii) climbing and descending;
 - (iii) standard rate turns;
 - (iv) level, climbing and descending turns including turns onto pre-selected headings.

AMC1 FCL.940.CRI CRI — Revalidation and renewal

REFRESHER TRAINING

- (a) Paragraph (c)(1) of FCL.940.CRI determine that an applicant for renewal of a CRI certificate shall complete refresher training as a CRI at an ATO. Paragraph (a)(2) also establishes that an applicant for revalidation of the CRI certificate that has not completed a minimum amount of instruction hours (established in paragraph (a)(1)) during the validity period of the certificate shall undertake refresher training at an ATO for the revalidation of the certificate. The amount of refresher training needed should be determined on a case by case basis by the ATO, taking into account the following factors:
- (1) the experience of the applicant;
 - (2) whether the training is for revalidation or renewal;
 - (3) the amount of time lapsed since the last time the applicant has conducted training, in the case of revalidation, or since the certificate has lapsed, in the case of renewal. The amount of training needed to reach the desired level of competence should increase with the time lapsed.
- (b) Once the ATO has determined the needs of the applicant, it should develop an individual training programme that should be based on the CRI training course and focus on the aspects where the applicant has shown the greatest needs.